



PROFESSIONAL RELATIVITIES STUDY

RESOURCE MATERIAL Q

Aligned Consensus Groups (9) data sets

9 data sets detailing the time estimates, intensity ratings, rank of items and IRVs, for procedure and attendance items, for the 9 Aligned Consensus Groups resulting from the BGAP. These data sets include Coordinating Committee time adjustments, work substitution adjustments and link item adjustments. These 9 data sets were used for the assignment of Work ARVUs.

prepared for

Medicare Schedule Review Board
December 2000

CG1 - GENERAL SURGERY AND EMERGENCY MEDICINE. Final time estimates, intensity ratings and rank

MBS Item	Partner item Item ID	MBS Descriptor (Truncated)	HIC Freq 1996/97	MBS Anaesth Time (mins)	Schedule Fee (\$)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2Intra + post) * (4 + total intensity)
							Pre	Intra	Post	Cog	Tech	Stress	
16515		Management of vaginal delivery				1	23	67	50	8	9	8	6003
30405		Ventral, or incisional hernia, repair of requiring muscle transposition, mesh hernioplasty or resection of strangulated bowel (Assist.)	2537	150	671.80	2	23	61	60	8	8.5	8.5	5945
16520		Caesarean section and post-operative care for 7 days where the patient's care has been transferred by another medical practitioner	959		458.00	3	27	39	64	8	9	8	4901
16518		Management of labour, incomplete, where the patient's care has been transferred to another medical practitioner for completion of	481		116.50	4	0	90	0	8	6	9	4860
30403		Ventral, incisional, or recurrent hernia or burst abdomen, repair of (Assist.)	3428	75	382.70	5	23	53	50	6	8	8.5	4743.5
30615		Strangulated, incarcerated or obstructed hernia, repair of, without bowel resection=20 (Assist.)	1624	90	382.70	6	25	45	40	8.5	8.5	9	4650
35712		Laparotomy, involving oophorectomy, salpingectomy, salpingo-oophorectomy, removal of ovarian, parovarian, fimbrial or broad	31	75	266.00	7	11	60	40	8	8	7	4617
44324		Hand, midcarpal or transmetacarpal	1	60	167.00	8	11	70	20	6	8.5	8	4531.5
16519		Management of labour and delivery by any means (including Caesarean section) including post-partum care for 5 days	79642		391.95	9	26	33	60	8	8	8	4256
13857		Mechanical ventilation, initiation of (other than initiation of ventilation in the context of an anaesthetic for surgery), outside of an Intensive	1462		107.50	10	12	44	23	10	10	10	4182
91281		Consultation in a hospital of approximately 75 minutes duration with a new patient seen on a referred basis.				11	2	75	7	7.5	5.5	8.5	4054.5
35575		Anterior vaginal repair or posterior vaginal repair (involving repair of rectocele or enterocele or both) not being a service to which item	41		255.10	12	11	60	30	7	8	6	4025
90681		Consultation in a hospital of approximately 75 minutes duration with a new patient seen on a non-referred basis				13	2	75	7	7.5	5.5	8	3975
91282		Consultation in a hospital of approximately 75 minutes duration with an existing patient seen on a referred basis.				14	2	75	7	7	5.5	8	3895.5
90481		Home visit exceeding 75 minutes duration with a new patient seen on a non-referred basis.				15	2	75	12	7	5	7.5	3854
90682		Consultation in a hospital of approximately 75 minutes duration with an existing patient seen on a non-referred basis.				16	2	75	7	7	5.5	7.5	3816
90482		Home visit exceeding 75 minutes duration with an existing patient seen on a non-referred basis.				17	2	75	12	6.5	5	7	3690
90281		Consultation at a nursing home exceeding 75 minutes duration with a new patient seen on a non-referred basis.				18.5	2	75	12	6.5	5	6.5	3608
90381		Consultation at other institution exceeding 75 minutes duration with a new patient seen on a non-referred basis.				18.5	2	75	12	6.5	5	6.5	3608
90181		Consultation in rooms exceeding 75 minutes duration with a new patient seen on a non-referred basis.				20	2	75	10	6.5	5	6.5	3564
90282		Consultation at a nursing home exceeding 75 minutes duration with an existing patient seen on a non-referred basis.				21.5	2	75	12	6	5	6	3444
90382		Consultation at other institution exceeding 75 minutes duration with an existing patient seen on a non-referred basis.				21.5	2	75	12	6	5	6	3444
90182		Consultation in rooms exceeding 75 minutes duration with an existing patient seen on a non-referred basis.				23	2	75	10	6	5	6	3402
91271		Consultation in a hospital of approximately 60 minutes duration with a new patient seen on a referred basis.				24	2	60	6	8	5.5	9	3392
90671		Consultation in a hospital of approximately 60 minutes duration with a new patient seen on a non-referred basis				25	2	60	6	8	5.5	8.5	3328
90471		Home visit of approximately 60 minutes duration with a new patient seen on a non-referred basis				26	2	60	12	7.5	5	8	3283
45203		Single stage local flap, where indicated to repair 1 defect, complicated or large, excluding flap for male pattern baldness	8397	90	298.10	27	17	41	27	8	8	6	3276
91272		Consultation in a hospital of approximately 60 minutes duration with an existing patient seen on a referred basis.				28	2	60	6	7.5	5.5	8.5	3264

CG1 - GENERAL SURGERY AND EMERGENCY MEDICINE. Final time estimates, intensity ratings and rank

MBS Item	Partner Item ID	Partner item	MBS Descriptor (Truncated)	HIC Freq	MBS Anaesth Time (mins)	Schedule Fee (\$)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2Intra + post) * (4 + total intensity)
								1996/97	Pre	Intra	Post	Cog	Tech	
90672			Consultation in a hospital of approximately 60 minutes duration with an existing patient seen on a non-referred basis.				29	2	60	6	7.5	5.5	8	3200
45403			Free grafting (split skin) of a granulating area, extensive=20 (Assist.)	625	60	299.25	30	20	30	42	8	8	6	3172
30612			Femoral or inguinal hernia or infantile hydrocele, repair of, not being a service to which item 30403 or 30615 applies (Assist.)	254	60	261.65	31	9	42	20	8	8	8	3164
90472			Home visit of approximately 60 minutes duration with an existing patient seen on a non-referred basis.				32	2	60	12	7	5	7.5	3149
47678			Phalanx of toe (other than great toe), more than 1 of, treatment of fracture of, by open reduction	46	90	124.45	33	13	53	23	4	8	6	3124
90271			Consultation at a nursing home of approximately 60 minutes duration with a new patient seen on a non-referred basis				34.5	2	60	12	7	5	7	3082
90371			Consultation at other institution of approximately 60 minutes duration with a new patient seen on a non-referred basis				34.5	2	60	12	7	5	7	3082
90171			Consultation in rooms of approximately 60 minutes duration with a new patient seen on a non-referred basis				36	2	60	10	7	5	7	3036
30052			Full thickness laceration of ear, eyelid, nose or lip, repair of, with accurate apposition of each layer of tissue (Assist.)	1557	90	186.50	37	9	38	16	8	9	9	3030
35317			Peripheral arterial or venous catheterisation with administration of thrombolytic or chemotherapeutic agents, by continuous infusion,	212	30	261.2	38	19	45	17	8	3	9	3024
45451			Free grafting (full thickness) to 1 defect, excluding grafts for male pattern baldness (Assist.)	12419	45	347.95	39	14	36	30	8	8	6	3016
90272			Consultation at a nursing home of approximately 60 minutes duration with an existing patient seen on a non-referred basis.				40.5	2	60	12	6.5	5	6.5	2948
90372			Consultation at other institution of approximately 60 minutes duration with an existing patient seen on a non-referred basis.				40.5	2	60	12	6.5	5	6.5	2948
45206			Single stage local flap where indicated to repair 1 defect, on eyelid, nose, lip, ear, neck, hand, thumb, finger or genitals	13869	90	281.60	42	18	37	20	8	8	6	2912
90172			Consultation in rooms of approximately 60 minutes duration with an existing patient seen on a non-referred basis.				43	2	60	10	6.5	5	6.5	2904
44353			5 digits of 1 foot (Assist.)	0	90	194.85	44	11	60	20	4	7	4	2869
45400			Free grafting (split skin) of a granulating area, small=20	1222	45	150.30	45	13	32	33	8	8	6	2860
91261			Consultation in a hospital of approximately 45 minutes duration with a new patient seen on a referred basis.				46	2	45	5	8.5	6	9.5	2716
90461			Home visit of approximately 45 minutes with a new patient seen on a non-referred basis.				47	2	45	12	8	5.5	8.5	2704
41886			Trachea, removal of foreign body in	14	30	130.80	48	14	29	18	8	9	9	2700
90661			Consultation in a hospital of approximately 45 minutes duration with a new patient seen on a non-referred basis				49	2	45	5	8.5	6	9	2667.5
30048			Skin and subcutaneous tissue or mucous membrane, repair of recent wound of, on face or neck, large (more than 7cm long),	1648	75	109.95	50	8	35	10	8	9	9	2640
31270			Basal cell carcinoma or squamous cell carcinoma (including keratocanthoma), removal from face, neck (anterior to the	21297	45	220.50	51	11	34	17	8	8	7	2592
91262			Consultation in a hospital of approximately 45 minutes duration with an existing patient seen on a referred basis.				52	2	45	5	8	5.5	9	2570.5
38406			Pericardium, paracentesis of (excluding after-care)=20	76	30	98.1	53	8	35	10	8	8	9	2552
90261			Consultation at a nursing home of approximately 45 minutes with a new patient seen on a non-referred basis.				55	2	45	12	7.5	5.5	7.5	2548
90361			Consultation at other institution of approximately 45 minutes with a new patient seen on a non-referred basis.				55	2	45	12	7.5	5.5	7.5	2548
90462			Home visit of approximately 45 minutes duration with an existing patient seen on a non-referred basis.				55	2	45	12	7.5	5	8	2548

CG1 - GENERAL SURGERY AND EMERGENCY MEDICINE. Final time estimates, intensity ratings and rank

MBS Item	Partner Item ID	Partner item	MBS Descriptor (Truncated)	HIC Freq 1996/97	MBS Anaesth Time (mins)	Schedule Fee (\$)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2Intra + post) * (4 + total intensity)
								Pre	Intra	Post	Cog	Tech	Stress	
37622			Vasotomy or vasectomy, unilateral or bilateral	12712	30	141.95	57	11	40	15	6	8	6	2544
90662			Consultation in a hospital of approximately 45 minutes duration with an existing patient seen on a non-referred basis.				58	2	45	5	8	5.5	8.5	2522
46420			Extensor tendon of hand or wrist, primary repair of, each tendon=20	947	60	150.2	59	15	34	22	6	8	6	2520
45200			Single stage local flap, where indicated to repair 1 defect, simple and small, excluding flap for male pattern baldness	14378	45	208.75	60	16	32	20	7	8	6	2500
30023			Wound of soft tissue, deep or extensively contaminated, debridement of, under general anaesthesia or regional or field block,	6956	45	239.4	61.5	19	32	36	6	7	4	2499
90161			Consultation in rooms of approximately 45 minutes with a new patient seen on a non-referred basis.				61.5	2	45	10	7.5	5.5	7.5	2499
30017			Burns, excision of, under general anaesthesia, involving not more than 10 per cent of body surface, where grafting is not carried out	220	90	239.40	63.5	11	30	60	5	5	5	2489
44349			4 digits of 1 foot (Assist.)	0	75	172.60	63.5	11	50	20	4	7	4	2489
47327			Proximal phalanx of finger or thumb, treatment of intra-articular fracture of, by closed reduction	560	30	145.15	65	13	32	22	7	7	7	2475
47054			Knee, treatment of dislocation of, by closed reduction (Assist.)	31	30	238.50	66	13	23	43	6	6	8	2448
44357			Toe, including metatarsal or part of metatarsal - each toe	9	60	105.75	67	11	30	30	7	7	6	2424
90262			Consultation at a nursing home of approximately 45 minutes duration with an existing patient seen on a non-referred basis.				68.5	2	45	12	7	5	7	2392
90362			Consultation at other institution of approximately 45 minutes duration with an existing patient seen on a non-referred basis.				68.5	2	45	12	7	5	7	2392
47048			Hip, treatment of dislocation of, by closed reduction		30	238.5	70	18	12	57	6	6	8	2376
90162			Consultation in rooms of approximately 45 minutes duration with an existing patient seen on a non-referred basis.				71	2	45	10	7	5	7	2346
31255			Basal cell carcinoma or squamous cell carcinoma (including keratocanthoma), removal from nose, eyelid, lip, ear, digit or	25216	45	189.00	72	12	27	17	8	8	8	2324
47609			Calcaneum or talus, treatment of fracture of, by closed reduction, with or without dislocation (Assist.)	52	45	259.25	73	10	38	46	5	5	3.5	2310
47417			Humerus, treatment of fracture of tuberosity of, and associated dislocation of shoulder, by closed reduction (Assist.)	32	45	193.55	74	11	34	30	6	8	3	2289
30620			Umbilical, epigastric or linea alba hernia, repair of, in a person 10 years of age or over (Assist.)	74	45	219.90	75	9	35	20	6	7	6	2277
47315			Middle phalanx of finger, treatment of intra-articular fracture of, by closed reduction	485	30	107.15	76	11	30	20	7	7	7	2275
30238			Fascia, deep, repair of, for herniated muscle	42	45	109.95	77	12	37	18	7	5	5	2184
41656			Nasal haemorrhage, posterior, arrest of, with posterior nasal packing with or without cauterisation and with or without anterior pack	310	60	90.10	78	14	30	24	4	6	8	2156
47561			Tibia, shaft of, treatment of fracture of, by cast immobilisation, not being a service to which item 47564, 47567, 47570 or 47573 applies	1453	45	200.45	79	9	23	42	6	6	6	2134
44345			3 digits of 1 foot	0	60	150.30	80	11	40	20	4	7	4	2109
47552			Tibia, plateau of, treatment of both medial and lateral fractures of, not being a service to which item 47555 or 47558 applies (Assist.)	19	45	276.5	81	13	38	51	6	1	4	2100
41792			Tonsils or tonsils and adenoids, removal of, in a person 12 years of age or over	101	45	203.20	82.5	11	27	30	4	8	6	2090
47063			Ankle or tarsus, treatment of dislocation of, by closed reduction	117	30	186.65	82.5	14	23	35	6	6	6	2090
30045	= 52006		Skin and subcutaneous tissue or mucous membrane, repair of recent wound of, on face or neck, large (more than 7cm long),	1920	75	86.30	84	8	30	10	8	8	6	2028

CG1 - GENERAL SURGERY AND EMERGENCY MEDICINE. Final time estimates, intensity ratings and rank

MBS Item	Partner Item ID	Partner item	MBS Descriptor (Truncated)	HIC Freq	MBS Anaesth Time (mins)	Schedule Fee (\$)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2Intra + post) * (4 + total intensity)
								1996/97	Pre	Intra	Post	Cog	Tech	
30675			Pilonidal sinus or cyst, or sacral sinus or cyst, excision of	173	60	219.90	85	11	30	30	6	6	4	2020
30110			Bursa (large), including olecranon, calcaneum or patella, excision of (Assist.)	188	45	208.75	88.5	11	30	20	6	8	4	2002
30616			Umbilical, epigastric or linea alba hernia, repair of, in a person under 10 years of age	6	45	194.85	88.5	11	30	20	6	6	6	2002
38403			Thoracic cavity, aspiration of, with therapeutic drainage (paracentesis), with or without diagnostic sample=20	1861		56.5	88.5	8	30	9	8	6	8	2002
41788			Tonsils or tonsils and adenoids, removal of, in a person aged less than 12 years	111	45	161.45	88.5	11	30	20	4	8	6	2002
47303			Distal phalanx of finger or thumb, treatment of intra-articular fracture of, by closed reduction	495	30	72.60	88.5	11	30	20	6	6	6	2002
47324			Proximal phalanx of finger or thumb, treatment of fracture of, by closed reduction	4032	30	124.45	88.5	11	30	20	6	6	6	2002
35526			Urethral caruncle, excision of	7	30	85.50	92	11	30	15	8	8	3	1978
18213			Intravenous regional anaesthesia of limb by retrograde perfusion	933		65.15	93	8	40	10	5	5	6	1960
47372			Radius, distal end of, treatment of Colles', Smith's or Barton's fracture of, by closed reduction				94	15	20	30	6	7	6	1955
91251			Consultation in a hospital of approximately 30 minutes duration with a new patient seen on a referred basis.				95	2	30	4	9	6.5	10	1947
38409			Intercostal drain, insertion of, not involving resection of rib (excluding after-care)=20	1343	30	98.1	96	10	24	16	6	8	8	1924
44341			2 digits of 1 foot	4	45	130.80	97.5	11	30	30	4	7	4	1919
47654			Metatarsals, 3 or more of, treatment of fracture of, by closed reduction (Assist.)	22	30	259.25	97.5	12	33	23	6	5	4	1919
90651			Consultation in a hospital of approximately 30 minutes duration with a new patient seen on a non-referred basis				99	2	30	4	9	6.5	9.5	1914
90451			Home visit of approximately 30 minutes duration with a new patient seen on a non-referred basis				100	2	30	7	8.5	6	9	1897.5
47363			Radius or ulna, distal end of, treatment of fracture of, by closed reduction	2051	30	145.15	101	13	32	21	4	7	4	1862
47030			Carpus, or carpus on radius and ulna, or carpometacarpal joint, treatment of dislocation of, by closed reduction	100	30	145.15	102.5	9	26	23	6	6	6	1848
91252			Consultation in a hospital of approximately 30 minutes duration with an existing patient seen on a referred basis.				102.5	2	30	4	8.5	6	9.5	1848
30659			Circumcision of a male 10 years of age or over	533	45	109.95	104.5	11	30	20	4	6	6	1820
47312			Middle phalanx of finger, treatment of fracture of, by closed reduction	2415	30	93.30	104.5	11	30	20	6	6	4	1820
90652			Consultation in a hospital of approximately 30 minutes duration with an existing patient seen on a non-referred basis.				106	2	30	4	8.5	6	9	1815
41884			Cricothyrostomy, by direct stab or Seldinger technique, using Minitrach or similar device, for tracheobronchial toilet	28	30	66.8	107	10	19	14	9	6	10	1798
90251			Consultation at a nursing home of approximately 30 minutes duration with a new patient seen on a non-referred basis				109	2	30	7	8	6	8	1794
90351			Consultation at other institution of approximately 30 minutes duration with a new patient seen on a non-referred basis				109	2	30	7	8	6	8	1794
90452			Home visit of approximately 30 minutes duration with and existing patient seen on a non-referred basis.				109	2	30	7	8	5.5	8.5	1794
47672			Phalanx of toe (other than great toe), 1 of, treatment of fracture of, by open reduction	266	45	82.90	111	11	25	20	4	8	6	1782
31265			Basal cell carcinoma or squamous cell carcinoma (including keratocanthoma), removal from face, neck (anterior to the	53535	45	157.50	112	9	23	16	8	7	6	1775

CG1 - GENERAL SURGERY AND EMERGENCY MEDICINE. Final time estimates, intensity ratings and rank

MBS Item	Partner Item ID	Partner item	MBS Descriptor (Truncated)	HIC Freq	MBS Anaesth Time (mins)	Schedule Fee (\$)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2Intra + post) * (4 + total intensity)
								Pre	Intra	Post	Cog	Tech	Stress	
31240			Tumour (other than viral verrucae [common warts] and seborrheic keratoses), cyst, ulcer or scar (other than a scar removed during the	11691	45	143.50	113	10	26	15	7	8	4	1771
90151			Consultation in rooms of approximately 30 minutes duration with a new patient seen on a non-referred basis				114	2	30	5	8	6	8	1742
51306			Assistance at a delivery involving Caesarean section	12013		91.60	115	11	45	0	4	6	3	1717
30102			Sinus, excision of, involving muscle and deep tissue	72	30	109.95	116	11	25	10	8	8	4	1704
51303			Assistance at any operation under an item in group T8 identified by the word "Assist." for which the fee exceeds \$410.00 or at a series	194698		149.22	117	11	60	0	3	4	2	1703
90252			Consultation at a nursing home of approximately 30 minutes duration with and existing patient seen on a non-referred basis.				118.5	2	30	7	7.5	5.5	7.5	1690.5
90352			Consultation at other institution of approximately 30 minutes duration with and existing patient seen on a non-referred basis.				118.5	2	30	7	7.5	5.5	7.5	1690.5
47594			Ankle joint, treatment of fracture of, not being a service to which item 47597 applies	3051	30	158.95	120	9	19	37	6	6	4	1680
13815			Central vein catheterisation (via jugular, subclavian or femoral vein) by percutaneous or open exposure not being a service to which item	17545	30	62.6	121.5	5	26	9	8	9	4	1650
47018			Elbow, treatment of dislocation of, by closed reduction	606	30	145.15	121.5	11	21	22	6	6	6	1650
90152			Consultation in rooms of approximately 30 minutes duration with an existing patient seen on a non-referred basis.				123	2	30	5	7.5	5.5	7.5	1641.5
30638			Orchidectomy, simple or subcapsular, unilateral with or without insertion of testicular prosthesis (Assist.)	15	45	219.90	124	11	30	20	4	6	4	1638
30106			Ganglion or small bursa, excision of, not being a service associated with a service to which an item in this Group applies	868	30	114.10	125	8	25	10	8	8	4	1632
30035	=	52003	Skin and subcutaneous tissue or mucous membrane, repair of recent wound of, on face or neck, small (not more than 7cm long),	17375	75	86.30	126	8	20	10	8	8	8	1624
31285			Basal cell carcinoma or squamous cell carcinoma (including keratocanthoma), removal from areas of the body not covered by	17312	45	182.00	127	9	27	17	6	7	3	1600
47339			Metacarpal, treatment of intra-articular fracture of, by closed reduction	516	30	145.15	128	14	20	30	5	5	5	1596
31215			Tumour (other than viral verrucae [common warts] and seborrheic keratoses), cyst, ulcer or scar (other than a scar removed during the	14967	30	122.50	129	9	25	16	7	7	3	1575
35683			Uterus, suspension or fixation of, as an independent procedure (Assist.)	1	60	257.85	130	11	60	0	3	3	2	1572
30067			Foreign body in muscle, tendon or other deep tissue, removal of, as an independent procedure (Assist.)	2748	45	164.20	131	11	20	20	6	8	4	1562
30634			Varicocele, surgical correction of, not being a service associated with a service to which items 30638, 30641 and 30644 apply, 1	11	45	172.60	132	11	30	20	3	6	4	1547
44337			1 digit of foot	45	30	86.30	133	11	20	30	4	7	4	1539
47645			Metatarsals, 2 of, treatment of fracture of, by closed reduction	32	30	165.95	134	11	25	20	6	5	3.5	1498.5
31230			Tumour (other than viral verrucae [common warts] and seborrheic keratoses), cyst, ulcer or scar (other than a scar removed during the	23012	45	143.50	135	11	21	15	7	7	4	1496
47354			Carpal scaphoid, treatment of fracture of, not being a service to which item 47357 applies	5435	30	124.45	136.5	11	20	20	7	4	6	1491
47387			Radius and ulna, shafts of, treatment of fracture of, by cast immobilisation, not being a service to which item 47390 or 47393	1257	45	200.45	136.5	9	21	20	4	7	6	1491
47024			Radioulnar joint, distal or proximal, treatment of dislocation of, by closed reduction, not being a service associated with fracture or	249	30	145.15	138	4	20	30	6	5	5	1480
13506			Gastro-oesophageal balloon intubation, minnesota, sengstaken-blakemore or similar, for control of bleeding from gastric	18		135.45	139.5	10	18	18	6	6	7	1472
47579			Patella, treatment of fracture of, not being a service to which item 47582 or 47585 applies	557	30	117.55	139.5	9	24	35	5	4	3	1472

CG1 - GENERAL SURGERY AND EMERGENCY MEDICINE. Final time estimates, intensity ratings and rank

MBS Item	Partner Item ID	Partner item	MBS Descriptor (Truncated)	HIC Freq 1996/97	MBS Anaesth Time (mins)	Schedule Fee (\$)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2Intra + post) * (4 + total intensity)
								Pre	Intra	Post	Cog	Tech	Stress	
30074			Biopsy of lymph gland, muscle or other deep tissue or organ, as an independent procedure	750	30	86.30	141	11	20	10	8	8	4	1464
47915			Ingrowing nail of toe, wedge resection for, including removal of segment of nail, unguial fold and portion of the nail bed	31758	30	124.45	142	11	23	20	6	6	3	1463
30345			Breast, excision of cyst, fibro adenoma or other local lesion or segmental resection for any other reason, where frozen section	36	75	192.05	143.5	11	35	15	4	4	3	1440
47543			Tibia, plateau of, treatment of medial or lateral fracture of, not being a service to which item 47546 or 47549 applies	453	45	165.95	143.5	9	21	21	6	6	4	1440
30041			Skin and subcutaneous tissue or mucous membrane, repair of recent wound of, other than on face or neck, large (more than 7cm)	8734	75	105.75	145	8	25	10	6	7	4	1428
13300			Umbilical or scalp vein catheterisation in a neonate with or without infusion; or cannulation of a vein	2827		41.8	146	7	30	4	6	6	4	1420
47378			Radius or ulna, shaft of, treatment of fracture of, by cast immobilisation, not being a service to which item 47381, 47384,	2191	30	124.45	147	8	20	30	4	6	4	1404
47636			Metatarsal, 1 of, treatment of fracture of, by closed reduction	438	30	124.45	148	11	24	20	5	5	3.5	1382.5
35512			Bartholin's cyst, excision of	55	30	131.65	149	11	25	20	4	6	3	1377
31235			Tumour (other than viral verrucae [common warts] and seborrheic keratoses), cyst, ulcer or scar (other than a scar removed during the	43047	45	122.50	150	10	19	15	7	7	3.5	1354.5
47348			Carpus (excluding scaphoid), treatment of fracture of, not being a service to which item 47351 applies	874	30	69.10	151	11	20	20	7	4	4	1349
30064	=	52015	Subcutaneous foreign body, removal of, requiring incision and exploration, including closure of wound if performed, as an	23437	45	80.75	152	4	20	10	6	8.5	6	1323
39000			Lumbar puncture	3734	15	55.25	153	7	17	6	8	8	8	1316
41680			Cryotherapy to nose in the treatment of nasal haemorrhage	938	45	119.65	154	11	21	20	4	6	4	1314
51300			Assistance at any operation under an item in group T8 identified by the word "Assist." for which the fee does not exceed \$410.00 or at a	32134		63.35	155	11	45	0	3	4	2	1313
30406			Paracentesis abdominis	1507	30	38.30	156	7	19	4	8	6	8.5	1298.5
30099	=	52030	Sinus, excision of, involving superficial tissue only	276	30	66.10	157	10	20	14	6	6	4	1280
37393			Priapism, decompression by glanular stab caverno- spongiosum shunt or penile aspiration with or without lavage	519	60	168.85	158	11	20	20	4	4	6	1278
41796			Tonsils or tonsils and adenoids, arrest of haemorrhage requiring general anaesthesia, following removal of	7	60	83.55	159	8	20	10	4	8	6	1276
30032	=	52000	Skin and subcutaneous tissue or mucous membrane, repair of recent wound of, on face or neck, small (not more than 7cm long),	66169	75	60.55	160	8	15	10	8	8	6	1248
41677			Nasal haemorrhage, arrest of during an episode of epistaxis by cauterisation or nasal cavity packing or both	6523	60	66.10	161	11	19	20	4	6	4	1242
37011			Suprapubic stab cystotomy, not being a service associated with a service to which items 37200 to 37221 apply	3720	30	68.5	163	4	21	15	6	4	6	1220
41800			Adenoids, removal of	54	30	86.30	163	11	15	20	4	6	6	1220
47015			Shoulder, treatment of dislocation of, not requiring general anaesthesia	1846		62.20	163	11	15	20	6	6	4	1220
31210			Tumour (other than viral verrucae [common warts] and seborrheic keratoses), cyst, ulcer or scar (other than a scar removed during the	43228	30	105.00	165	9	20	15	6	6	3	1216
30337			Simple mastectomy with or without frozen section biopsy (Assist.)	18	45	239.40	166	11	45	0	3	3	2	1212
90440			Home visit of approximately 20 minutes duration with a new or existing patient seen on a non-referred basis.				167.5	2	20	7	7.5	5	8	1200.5
90443			Home visit of approximately 20 minutes duration and the nature of the service requires breaks in continuity with a new or existing				167.5	2	20	7	7.5	5	8	1200.5

CG1 - GENERAL SURGERY AND EMERGENCY MEDICINE. Final time estimates, intensity ratings and rank

MBS Item	Partner Item ID	Partner item	MBS Descriptor (Truncated)	HIC Freq 1996/97	MBS Anaesth Time (mins)	Schedule Fee (\$)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2Intra + post) * (4 + total intensity)
								Pre	Intra	Post	Cog	Tech	Stress	
91240			Consultation in a hospital of approximately 20 minutes duration with a new or existing patient seen on a referred basis.				169.5	2	20	3	8	5.5	9	1192.5
91243			Consultation in a hospital of approximately 20 minutes duration and the nature of the service requires breaks in continuity with a new or				169.5	2	20	3	8	5.5	9	1192.5
31280			Basal cell carcinoma or squamous cell carcinoma (including keratocanthoma), removal from areas of the body not covered by	43913	45	133.00	171	8	19	16	6	6	3	1178
13400			Restoration of cardiac rhythm by electrical stimulation (cardioversion), other than in the course of cardiac surgery =20	2030	15	71.1	172	8	15	11	8	4	8	1176
90640			Consultation in a hospital of approximately 20 minutes duration with new or existing patient seen on a non-referred basis.				173.5	2	20	3	8	5.5	8.5	1170
90643			Consultation in a hospital of approximately 20 minutes duration and the nature of the service requires breaks in continuity with a new or				173.5	2	20	3	8	5.5	8.5	1170
30038			Skin and subcutaneous tissue or mucous membrane, repair of recent wound of, other than on face or neck, large (more than 7cm	10987	75	66.10	175	8	20	10	6	6	4	1160
30341			Breast, excision of cyst, fibro adenoma or other local lesion or segmental resection for any other reason (Assist.)	364	30	144.75	176	11	25	15	4	4	3	1140
35516			Bartholin's cyst or gland, marsupialisation of	58	30	85.50	177.5	11	20	20	4	5	3	1136
47300			Distal phalanx of finger or thumb, treatment of fracture of, by closed reduction, including percutaneous fixation where used	2701	30	62.20	177.5	11	20	20	4	4	4	1136
90240			Consultation at a nursing home of approximately 20 minutes duration with a new or existing patient seen on a non-referred basis.				180.5	2	20	7	7	5	7	1127
90243			Consultation at a nursing home of approximately 20 minutes duration and the nature of the service requires breaks in continuity				180.5	2	20	7	7	5	7	1127
90340			Consultation at other institution of approximately 20 minutes duration with a new or existing patient seen on a non-referred basis.				180.5	2	20	7	7	5	7	1127
90343			Consultation at other institution of approximately 20 minutes duration and the nature of the service requires breaks in continuity				180.5	2	20	7	7	5	7	1127
47606			Calcaneum or talus, treatment of fracture of, not being a service to which item 47609, 47612, 47615 or 47618 applies, with or without	983	45	172.85	183.5	8	15	30	5	4	3.5	1122
47651			Metatarsals, 3 or more of, treatment of fracture of	174	30	172.85	183.5	8	15	30	5	4	3.5	1122
47735	=	53458	Nasal bones, treatment of fracture of, not being a service to which item 47738 or 47741 applies - each attendance	430		31.50	185	11	20	10	4	6	4	1098
47360			Radius or ulna, distal end of, treatment of fracture of, by cast immobilisation, not being a service to which item 47363 or 47366	18914	30	96.80	186.5	8	15	30	4	5	3	1088
47369			Radius, distal end of, treatment of Colles', Smith's or Barton's fracture of, by cast immobilisation, not being a service to which item	4657	30	124.45	186.5	8	15	30	4	5	3	1088
14200			Gastric lavage in the treatment of ingested poison	75		43.95	189	2	20	5	5	8	6	1081
90140			Consultation in rooms of approximately 20 minutes duration with a new or existing patient seen on a non-referred basis.				189	2	20	5	7	5	7	1081
90143			Consultation in rooms of approximately 20 minutes duration and the nature of the service requires breaks in continuity with a new or				189	2	20	5	7	5	7	1081
30186			Palmar or plantar wart, removal of, not being a service to which item 30187 applies	52045	30	34.80	191.5	8	20	10	6	6	2	1044
35639			Uterus, curettage of, with or without dilatation (including curettage for incomplete miscarriage) under general anaesthesia or under	1973	30	99.05	191.5	12	13	20	4	6	4	1044
30653			Circumcision of a male under 6 months of age	14564	30	34.10	193.5	4	14	13	5	8	6	1035
46528			Ingrowing nail of finger or thumb, wedge resection for, including removal of segment of nail, unguinal fold and portion of the nail bed	469	30	124.45	193.5	11	19	20	3	5	3	1035
47576			Fibula, treatment of fracture of	3972	30	82.90	195	8	15	30	4	4	3	1020
30029			Skin and subcutaneous tissue or mucous membrane, repair of recent wound of, other than on face or neck, small (not more than	40651	30	66.10	196.5	8	15	10	6	7	4	1008

CG1 - GENERAL SURGERY AND EMERGENCY MEDICINE. Final time estimates, intensity ratings and rank

MBS Item	Partner Item ID	Partner item	MBS Descriptor (Truncated)	HIC Freq	MBS Anaesth Time (mins)	Schedule Fee (\$)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2Intra + post) * (4 + total intensity)
								1996/97	Pre	Intra	Post	Cog	Tech	
30282			Ranula or mucous cyst of mouth, removal of	104	60	114.10	196.5	8	15	10	6	7	4	1008
31205			Tumour (other than viral verrucae [common warts] and seborrheic keratoses), cyst, ulcer or scar (other than a scar removed during the Tarsus (excluding calcaneum or talus), treatment of fracture of	246516	30	70.00	198	8	15	15	6	6	3	1007
47627			Tarsus (excluding calcaneum or talus), treatment of fracture of	618	30	117.55	199	8	15	21	5	4	4	1003
53400			Maxilla, unilateral or bilateral, treatment of fracture of, not requiring splinting	106		94.90	200	11	20	15	4	3	4	990
47336			Metacarpal, treatment of fracture of, by closed reduction	8035	30	124.45	201	11	15	20	4	4	4	976
41659			Nose, removal of foreign body in, other than by simple probing	1730	30	57.05	202	11	15	10	3	6	6	969
30265			Salivary gland, removal of calculus from duct or meatotomy or marsupialisation, 1 or more such procedures	121	30	86.30	203	8	15	10	6	7	3	960
41889			Bronchoscopy, as an independent procedure	1237	30	130.8	204	9	15	14	4	6	4	954
31200			Tumour (other than viral verrucae [common warts] and seborrheic keratoses), cyst, ulcer or scar (other than a scar removed during the Metatarsals, 2 of, treatment of fracture of	1410		25.00	205	8	16	10	6	6	3	950
47642			Metatarsals, 2 of, treatment of fracture of	361	30	110.60	206.5	8	15	20	5	4	3	928
47738	=	53459	Nasal bones, treatment of fracture of, by reduction	1927	30	172.85	206.5	10	14	20	4	4	4	928
36800			Bladder, catheterisation of, where no other procedure is performed	10364	15	20.30	208	9	11	15	6	6	4	920
90430			Home visit of approximately 15 minutes duration with a new or existing patient seen on a non-referred basis.				209	2	15	6	7	5	7.5	893
47633			Metatarsal, 1 of, treatment of fracture of	5587	30	82.90	210	8	15	20	4	4	3	870
91230			Consultation in a hospital of approximately 15 minutes duration with a new or existing patient seen on a referred basis.				211	2	15	2	7.5	5.5	8.5	867
50124			Joint or other synovial cavity, aspiration of, injection into, or both of these procedures; payable on not more than 25 occasions in any 12	364022	15	21.75	212	7	12	8	6	6	6	858
90630			Consultation in a hospital of approximately 15 minutes duration with new or existing patient seen on a non-referred basis.				213	2	15	2	7.5	5.5	8	850
47474			Pelvic ring, treatment of fracture of, not involving disruption of pelvic ring or acetabulum	178		138.25	214	6	13	28	5	1	4	840
90230			Consultation at a nursing home of approximately 15 minutes duration with a new or existing patient seen on a non-referred basis.				215.5	2	15	6	6.5	5	6.5	836
90330			Consultation at other institution of approximately 15 minutes duration with a new or existing patient seen on a non-referred basis.				215.5	2	15	6	6.5	5	6.5	836
46531			Ingrowing nail of finger or thumb, partial resection of nail, including phenolisation but not including excision of nail bed	298	30	62.50	217	11	15	20	3	3.5	3	823.5
13709			Collection of blood for autologous transfusion or when homologous blood is required for immediate transfusion in emergency situation	24753		35.55	219	4	21	2	6	6	1	816
30222			Large haematoma, large abscess, carbuncle, cellulitis or similar lesion requiring a general anaesthetic, incision with drainage of	604	30	86.30	219	11	20	0	4	4	4	816
39115			Percutaneous neurotomy of posterior divisions (or rami) of spinal nerves by any method, including any associated spinal, epidural or	2592	30	55.25	219	11	15	10	4	4	4	816
32174			Intra-anal, perianal or ischio-rectal abscess, drainage of (excluding aftercare)	765	60	65.25	221.5	10	16	3	6	5	3	810
35520			Bartholin's abscess, incision of	258	15	42.75	221.5	11	13	17	4	4	3	810
12003			Skin sensitivity testing for allergens, using more than 20 allergens, not being a service associated with a service to which item 12012,	66755		43.20	223.5	3	18	5	8	3	3	792
90130			Consultation in rooms of approximately 15 minutes duration with a new or existing patient seen on a non-referred basis.				223.5	2	15	4	6.5	5	6.5	792

CG1 - GENERAL SURGERY AND EMERGENCY MEDICINE. Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	HIC Freq 1996/97	MBS Anaesth Time (mins)	Schedule Fee (\$)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2Intra + post) * (4 + total intensity)
								Pre	Intra	Post	Cog	Tech	Stress	
42644			Cornea or sclera, removal of imbedded foreign body from (excluding after-care)	50475	75	53.00	225	4	14	0	4	8	8	768
47057			Patella, treatment of dislocation of, by closed reduction	235	15	93.30	226.5	11	10	20	4	4	3	765
47663			Phalanx of great toe, treatment of fracture of, by closed reduction	1211	30	103.75	226.5	11	10	20	4	4	3	765
30026			Skin and subcutaneous tissue or mucous membrane, repair of recent wound of, other than on face or neck, small (not more than	158662	30	38.30	228.5	8	10	10	6	6	4	760
30071	=	52024	Biopsy of skin or mucous membrane, as an independent procedure	144604	30	38.30	228.5	5	14	7	6	5	4	760
47396			Olecranon, treatment of fracture of, not being a service to which item 47399 applies	322	45	138.25	230.5	4	10	20	7	1.5	4	726
47405			Radius, treatment of fracture of head or neck of, closed management of	2062	45	138.25	230.5	4	10	20	7	1.5	4	726
47444			Humerus, shaft of, treatment of fracture of, not being a service to which item 47447 or 47450 applies	393	45	165.95	232	8	14	36	3	1	2	720
47916			Ingrowing nail of toe, partial resection of nail, including phenolisation but not including excision of nail bed	8391	30	62.50	233	11	15	10	3	4	3	714
18254			Brachial plexus, injection of an anaesthetic agent	1252		73.95	234	7	19	9	3	3	3	702
47423			Humerus, proximal, treatment of fracture of, not being a service to which item 47426, 47429 or 47432 applies	1160	45	158.95	235	8	13	36	3	1	2	700
30013			Extensive burns, dressing of, under general anaesthesia (not involving grafting)	7	90	96.05	236	11	20	0	3	3	3	663
30195			Neoplastic skin lesions, other than viral verrucae (common warts) and seborrheic keratoses, treatment by electrosurgical destruction,	90132	30	46.60	237	4	14	1	6	8	2	660
13842			Intra-arterial cannulisation for the purpose of taking multiple arterial blood samples for blood gas analysis	16646		50.85	239	4	11	10	4	6	4	648
38400			Thoracic cavity, aspiration of, for diagnostic purposes, not being a service associated with a service to which item 38403 applies	288		28.25	239	7	6	8	6	6	8	648
47453			Humerus, distal, (supracondylar or condylar), treatment of fracture of, not being a service to which item 47456 or 47459 applies	1357	45	193.55	239	4	10	30	4	1	3	648
41647			Ear toilet requiring use of operating microscope and microinspection of tympanic membrane with or without general anaesthesia=20	46796	30	80.75	241	8	14	10	4	4	2	644
18278			Sciatic nerve, injection of an anaesthetic agent	424		65.15	242.5	2	10	10	7	6	3	640
47703			Skull, treatment of fracture of, each attendance	24		31.50	242.5	0	20	0	4	4	4	640
46525			Pulp space infection, paronychia of hand, incision for, when performed in an operating theatre of a hospital or approved day	969	15	41.50	244	8	10	0	6	6	6	616
12000			Skin sensitivity testing for allergens, using 1 to 20 allergens, not being a service associated with a service to which item 12012,	37541		28.55	245.5	3	13	5	8	3	3	612
30061			Superficial foreign body, removal of, (including from cornea or sclera) as an independent procedure	65519	30	17.25	245.5	4	10	10	4	6	4	612
30628			Hydrocele, tapping of	1931		26.15	247	8	10	10	4	4	4	608
90420			Home visit of approximately 10 minutes duration with new or existing patient seen on a non-referred basis.				248	2	10	5	6.5	5	7	607.5
47069			Toe, treatment of dislocation of, by closed reduction	482	15	51.85	249	11	10	15	3	3	3	598
14203			Hormone or living tissue implantation, by direct implantation involving incision and suture	21062	30	37.55	250	8	12	5	5	6	1	592
91220			Consultation in a hospital of approximately 10 minutes duration with a new or existing patient seen on a referred basis.				251	2	10	2	7	5.5	8	588
47912			Pulp space infection, paronychia of foot, incision for, not being a service to which another item in this Group applies (excluding after-	2892	30	41.50	252	8	15	5	4	3	2.5	580.5

CG1 - GENERAL SURGERY AND EMERGENCY MEDICINE. Final time estimates, intensity ratings and rank

MBS Item	Partner Item ID	Partner item	MBS Descriptor (Truncated)	HIC Freq 1996/97	MBS Anaesth Time (mins)	Schedule Fee (\$)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2Intra + post) * (4 + total intensity)
								Pre	Intra	Post	Cog	Tech	Stress	
30219	=	52055	Haematoma, furuncle, small abscess or similar lesion not requiring a general anaesthetic, incision with drainage of (excluding after-	112195		20.05	253.5	4	15	0	4	6	3	578
47000	=	53200	Mandible, treatment of dislocation of, by closed reduction	107	15	51.85	253.5	4	10	10	4	6	3	578
90620			Consultation in a hospital of approximately 10 minutes duration with a new or existing patient seen on a non-referred basis.				255	2	10	2	7	5.5	7.5	576
30006			Extensive burns, dressing of, without anaesthesia (not involving grafting) - each attendance at which the procedure is performed,	3404		34.10	256	4	20	0	3	3	3	572
90220			Consultation at a nursing home of approximately 10 minutes duration with new or existing patient seen on a non-referred basis.				257.5	2	10	5	6	5	6	567
90320			Consultation at other institution of approximately 10 minutes duration with new or existing patient seen on a non-referred basis.				257.5	2	10	5	6	5	6	567
41500			Ear, foreign body (other than ventilating tube) in, removal of, other than by simple syringing	12063	15	60.55	259	5	11	1	4	8	4	560
18260			Intercostal nerves (multiple), injection of an anaesthetic agent	791		65.15	260	3	13	8	4	4	3	555
47411			Humerus, treatment of fracture of tuberosity of, not being a service to which item 47417 applies	595	30	82.90	261.5	4	10	30	3	1	2	540
47462			Clavicle, treatment of fracture of, not being a service to which item 47465 applies	3613	30	82.90	261.5	4	10	30	3	1	2	540
47681			Spine (excluding sacrum), treatment of fracture of transverse process, vertebral body, or posterior elements - each attendance	423		31.5	263	13	4	17	5	1	4	532
37415			Penis, injection of, for the investigation and treatment of impotence - 2 services only in a period of 36 consecutive months	58563		34.20	264	4	5	19	4	4	4	528
30205			Cancer of skin proven by histopathology, removal of, by liquid nitrogen cryotherapy using repeat freeze- thaw cycles where cancer	280	30	92.75	265.5	4	13	5	4	4	3	525
90120			Consultation in rooms of approximately 10 minutes duration with new or existing patient seen on a non-referred basis.				265.5	2	10	3	6	5	6	525
35554			Vagina, dilatation of, as an independent procedure including any associated consultation	184	15	31.90	267.5	11	12	17	2	2	2	520
42650			Cornea, epithelial debridement for corneal ulcer or corneal erosion (excluding after-care)	2125	60	53	267.5	7	9	1	6	6	4	520
18272			Saphenous, sural, popliteal or posterior tibial nerve, main trunk of, 1 or more of, injection of an anaesthetic agent	936		45.85	269	4	8	13	6	4	1	495
11506			Measurement of respiratory function involving a permanently recorded tracing performed before and after inhalation of	296769		15.05	270	4	12	1	8	4	1	493
47036			Interphalangeal joint, treatment of dislocation of, by closed reduction	2118	15	62.20	271	8	10	15	3	3	1	473
30202			Cancer of skin or mucous membrane proven by histopathology or confirmed by specialist opinion, removal of, by liquid nitrogen	44220		35.45	272.5	3	7	5	6	8	3	462
32072			Sigmoidoscopic examination (with rigid sigmoidoscope), with or without biopsy	80917		35.15	272.5	4	10	9	4	4	2	462
18258			Intercostal nerve (single), injection of an anaesthetic agent	304		45.85	274	2	8	10	6	4	2	448
47042			Metacarpophalangeal joint, treatment of dislocation of, by closed reduction	506	15	82.90	275	4	10	15	3	3	1	429
47003			Clavicle, treatment of dislocation of, by closed reduction	218	30	62.20	276	0	10	15	4	2	2	420
32147			Perianal thrombosis, incision of	9158	30	33.20	277	9	11	6	2	3	2	407
18266			Ulnar, radial or median nerve, main trunk of, 1 or more of, injection of an anaesthetic agent, not being associated with a brachial plexus	659		45.85	278	6	7	13	3	3	2	396
13706			Administration of blood or bone marrow already collected=20	40073		61.25	279.5	4	9	8	3	2	4	390
18242			Greater occipital nerve, injection of an anaesthetic agent	1575		27.65	279.5	3	7	9	6	4	1	390

CG1 - GENERAL SURGERY AND EMERGENCY MEDICINE. Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	HIC Freq	MBS Anaesth Time (mins)	Schedule Fee (\$)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2Intra + post) * (4 + total intensity)
								Pre	Intra	Post	Cog	Tech	Stress	
37041			Bladder aspiration, by needle=20	515		34.2	281	5	5	4	4	6	6	380
18270			Femoral nerve, injection of an anaesthetic agent	674		65.15	282.5	4	9	5	3	4	3	378
30192			Premalignant skin lesions, treatment of, by galvanocautery or electrodesiccation or cryocautery (10 or more lesions)	306331	30	29.10	282.5	4	8	1	6	6	2	378
13757			Therapeutic venesection for the management of haemochromatosis or polycythemia vera	563		53.6	284.5	6	10	5	3	2	3	372
30009			Localised burns, dressing of, under general anaesthesia (not involving grafting)	15	60	44.55	284.5	11	10	0	3	3	2	372
30216			Haematoma, aspiration of	13591	15	20.05	286	4	9	2	4	4	2	336
46513			Digital nail of finger or thumb, removal of, not being a service to which item 46516 applies	2081	15	41.50	287.5	8	10	5	2	2	2	330
47904			Digital nail of toe, removal of, not being a service to which item 47906 applies	18998	15	41.50	287.5	8	10	5	2	2	2	330
14206			Hormone or living tissue implantation - by cannula	16703		26.15	289	7	7	3	4	4	1	312
30207			Skin lesions, multiple injections with hydrocortisone or similar preparations	26614	30	32.75	290	3	7	1	4	6	3	306
47466			Sternum, treatment of fracture of, not being a service to which item 47467 applies	101	30	82.90	291	0	5	10	6	1	3.5	290
13312			Blood for pathology test, collection of, by femoral or external jugular vein puncture in infants=20	270		20.9	292.5	4	5	4	2	6	4	288
30003			Localised burns, dressing of, (not involving grafting) - each attendance at which the procedure is performed, including any	30910		22.60	292.5	4	10	0	3	3	2	288
91210			Consultation in a hospital of approximately 5 minutes duration with a new or existing patient seen on a referred basis.				294	2	5	2	5	4.5	6	273
47471			Ribs (1 or more), treatment of fracture of - each attendance	1538		31.50	295	0	10	0	5	1	3.5	270
90410			Home visit of approximately 5 minutes duration with a new or existing patient seen on a non-referred basis.				296	2	5	3	4.5	4	5	262.5
90610			Consultation in a hospital of approximately 5 minutes duration with a new or existing patient seen on a non-referred basis.				297	1	5	2	5	4.5	5.5	247
90210			Consultation at a nursing home of approximately 5 minutes duration with a new or existing patient seen on a non-referred basis.				298.5	2	5	3	4	4	4	240
90310			Consultation at other institution of approximately 5 minutes duration with a new or existing patient seen on a non-referred basis.				298.5	2	5	3	4	4	4	240
16514			Antenatal cardiotocography in the management of high risk pregnancy (not during the course of the confinement)	28755		26.95	300	2	0	10	8	4	3	228
13839			Arterial puncture and collection of blood for diagnostic purposes	8750		16.9	301	1	5	3	4	4	3	210
90110			Consultation in rooms of approximately 5 minutes duration with a new or existing patient seen on a non-referred basis.				302	2	5	1	4	4	4	208
11700			Twelve-lead electrocardiography, tracing and report	1222245		22.90	303	2	0	5	8	5	6	161
11306			Non-determinate audiometry	22092		16.15	304.5	2	0	2	8	4	1	68
11309			Audiogram, air conduction	81928		19.25	304.5	2	0	2	8	4	1	68
11701			Twelve-lead electrocardiography, report only where the tracing has been forwarded to another medical practitioner, including any	22334		11.45	306	0	0	4	6	0	6	64
11330			Impedance audiogram where the patient is not referred by a medical practitioner - 1 examination in any 4 week period	73525		5.80	307	2	0	2	8	1	1	56
11702			Twelve-lead electrocardiography, tracing only	37630		11.45	308	2	0	0	0	3	0	14

CG2&13 - ORAL AND MAXILLOFACIAL SURGERY & OTOLARYNGOLOGY, HEAD AND NECK SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
41581			Tumour involving infra-temporal fossa, removal of, involving craniotomy and radical excision of (Assist.)	1.5	46	432	70	9.4	8.0	8.7	386.9	9359.0	586.5	10332.3
41587			Total temporal bone resection for removal of tumour (Assist.)	1.5	46	432	70	9.4	8.0	8.7	386.9	9359.0	586.5	10332.3
39656			Petro-clival and clival tumour, removal of, by supra and infratentorial approaches for radical or sub- total radical	3	46	432	52	9.4	8.0	8.7	386.9	9359.0	435.7	10181.5
41578			Cerebello - pontine angle tumour, removal of, by transmastoid, translabyrinthine or retromastoid approach, (intracranial	4	43	348	77	9.4	8.0	8.7	361.6	7539.2	645.1	8545.9
41575			Cerebello-pontine angle tumour, removal of by 2 surgeons operating conjointly, by transmastoid, translabyrinthine or	5	45	337	77	9.4	8.0	8.7	378.5	7300.9	645.1	8324.4
41579			Cerebello-pontine angle tumour, removal of, by transmastoid, translabyrinthine or retromastoid approach, (intracranial	6	45	337	67	9.4	8.0	8.7	378.5	7300.9	561.3	8240.6
45752 =	52375		Mandible or maxilla, complex bilateral osteotomies or osteectomies of, involving 3 or more such procedures of each	7	36	288	50	10.0	9.5	10.0	321.9	6698.0	441.8	7461.7
41843			Laryngopharyngectomy or primary restoration of alimentary continuity after laryngopharyngectomy using stomach or bowel	8	31	347	70	5.8	6.2	7.8	240.9	6655.3	548.0	7444.2
45754 =	52382		Midfacial osteotomies - Le Fort II, Modified Le Fort III (Nasomalar), Modified Le Fort III (Malar- Maxillary), Le Fort III	9	36	269	50	10.0	10.0	10.0	328.3	6305.1	449.4	7082.8
30275			Radical excision of intra-oral tumour involving resection of mandible and lymph glands of neck (commando-type operation)	10	37	276	88	9.4	8.0	8.7	311.2	5979.3	737.3	7027.8
41584			Partial temporal bone resection for removal of tumour involving mastoidectomy with or without decompression of facial nerve	11	46	270	70	9.4	8.0	8.7	386.9	5849.4	586.5	6822.7
45753 =	52380		Midfacial osteotomies - Le Fort II, Modified Le Fort III (Nasomalar), Modified Le Fort III (Malar- Maxillary), Le Fort III	12	36	250	55	10.0	10.0	10.0	328.3	5859.8	494.3	6682.4
52366			Mandible or maxilla, complex bilateral osteotomies or osteectomies of, involving 3 or more such procedures of 1 jaw	14	31	216	60	9.4	9.5	10.0	277.2	4978.5	530.1	5785.9
52369			Mandible or maxilla, complex bilateral osteotomies or osteectomies of, involving 3 or more such procedures of 1 jaw	14	31	216	60	9.4	9.5	10.0	277.2	4978.5	530.1	5785.9
52372			Mandible or maxilla, complex bilateral osteotomies or osteectomies of, involving 3 or more such procedures of each	14	31	216	60	9.4	9.5	10.0	277.2	4978.5	530.1	5785.9
41879			Laryngoplasty or tracheoplasty, including tracheostomy (Assist.)	16	31	216	80	9.4	8.0	8.7	260.7	4679.5	670.2	5610.4
41623			Glomus tumour, transmastoid removal of, including mastoidectomy (Assist.)	17	46	216	50	9.4	8.0	8.7	386.9	4679.5	418.9	5485.2
41593			Translabyrinthine vestibular nerve section (Assist.)	18.5	46	216	40	9.4	8.0	8.7	386.9	4679.5	335.1	5401.5
41617			Cochlear implant, insertion of, including mastoidectomy (Assist.)	18.5	46	216	40	9.4	8.0	8.7	386.9	4679.5	335.1	5401.5
41515 +	41563		Meatoplasty involving removal of cartilage or bone or both cartilage and bone, being a service associated with a service to	20	31	225	30	9.4	8.0	8.7	260.7	4874.5	251.3	5386.5
41524 +	41563		Reconstruction of external auditory canal, being a service associated with a service to which items 41557, 41560 and	21	31	216	45	9.4	8.0	8.7	260.7	4679.5	377.0	5317.2
41564			Mastoidectomy (radical or modified radical), obliteration of the mastoid cavity, blind sac closure of external auditory canal and	22	31	216	40	9.4	7.1	8.7	250.8	4608.7	324.1	5183.7
41834			Laryngectomy (total) (Assist.)	23	31	185	130	9.4	6.2	6.1	240.9	3576.4	1017.8	4835.1
41840			Supraglottic laryngectomy including tracheostomy (Assist.)	24	31	180	70	9.4	8.0	8.7	260.7	3899.6	586.5	4746.7
41785			Partial pharyngectomy via pharyngotomy with partial or total glossectomy (Assist.)	25	31	189	70	7.5	7.1	7.8	250.8	3798.3	567.2	4616.4
45597 =	52129		Maxilla, total resection of both maxillae (Assist.)	26	23	179	68	8.1	8.4	8.8	196.7	3834.8	578.0	4609.5
41563			Mastoidectomy (radical or modified radical), myringoplasty and ossicular chain reconstruction (Assist.)	27	31	189	30	9.4	8.0	8.7	260.7	4094.6	251.3	4606.6

CG2&13 - ORAL AND MAXILLOFACIAL SURGERY & OTOLARYNGOLOGY, HEAD AND NECK SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
	41734		Radical fronto-ethmoidectomy with osteoplastic flap (Assist.)	28	23	180	50	9.4	8.0	8.7	193.4	3899.6	418.9	4511.9
	45788 =	53209	Glenoid fossa, zygomatic arch and temporal bone, reconstruction of, (Obwegeser technique)=20 (Assist.)	29	30	176	49	7.5	8.4	9.4	256.6	3802.0	416.5	4475.0
	45599 =	52123	Mandible, total resection of both sides, including condylectomies where performed=20 (Assist.)	30	27	168	68	8.1	8.4	8.8	230.9	3599.1	578.0	4408.0
	41596		Retrolabyrinthine vestibular nerve section or cochlear nerve section, or both (Assist.)	31	46	162	60	9.4	7.1	8.7	372.2	3456.5	486.2	4314.9
	41837		Vertical hemi-laryngectomy including tracheostomy (Assist.)	32	31	135	125	9.4	8.0	8.7	260.7	2924.7	1047.3	4232.6
	41599		Internal auditory meatus, exploration by middle cranial fossa approach with cranial nerve decompression (Assist.)	33	46	162	35	9.4	7.1	8.7	372.2	3456.5	283.6	4112.3
	30247		Parotid gland, total extirpation of (Assist.)	34	23	174	40	9.4	6.2	7.0	178.7	3464.8	313.2	3956.7
	45731 =	52354	Mandible or maxilla, osteotomies or osteectomies of, involving 3 or more such procedures on the 1 jaw, including transposition	35	25	151	55	7.5	8.4	9.4	213.8	3261.9	467.5	3943.2
	41728		Lateral rhinotomy with removal of tumour (Assist.)	36	23	162	60	7.5	7.1	7.8	186.1	3255.7	486.2	3928.0
	53212		Absent condyle and ascending ramus in hemifacial microsomia, construction of, not including harvesting of graft	37	23	162	45	6.9	7.9	8.2	192.6	3310.9	375.6	3879.2
	52360		Mandible or maxilla, osteotomies or osteectomies of, involving 2 such procedures of each jaw including transposition of nerves	38.5	23	144	60	8.1	9.0	8.8	201.6	3116.4	521.0	3839.0
	52363		Mandible or maxilla, osteotomies or osteectomies of, involving 2 such procedures of each jaw, including transposition of nerves	38.5	23	144	60	8.1	9.0	8.8	201.6	3116.4	521.0	3839.0
	53233		Temporomandibular joint, surgery of, involving procedures to which items 53224, 53227 and 53230 apply and also involving	40	15	162	40	7.5	8.4	7.6	128.3	3311.5	340.0	3779.7
	41560		Mastoidectomy (radical or modified radical) and myringoplasty	41	31	150	30	9.4	8.0	8.7	260.7	3249.6	251.3	3761.7
	41569		Decompression of facial nerve in its mastoid portion (Assist.)	42	31	144	40	9.4	8.0	8.7	260.7	3119.7	335.1	3715.5
	53230		Temporomandibular joint, open surgical exploration of, with meniscus, capsular and condylar head surgery, with or without	43	15	153	40	7.5	8.4	7.6	128.3	3127.5	340.0	3595.8
	41554		Mastoidectomy, intact wall technique, with myringoplasty and ossicular chain reconstruction (Assist.)	44	31	138	30	9.4	8.0	8.7	260.7	2989.7	251.3	3501.7
	41557		Mastoidectomy (radical or modified radical) (Assist.)	45	28	135	40	9.4	8.0	8.7	235.5	2924.7	335.1	3495.3
	41767		Nasopharyngeal angiofibroma, transpalatal removal (Assist.)	46	23	160	30	7.5	6.2	7.0	178.7	3080.5	234.9	3494.1
	52120		Mandible, hemimandiblectomy of, including condylectomy where performed (Assist.)	47	15	135	66	6.9	7.9	8.8	125.6	2811.4	550.9	3487.9
	45596 =	52126	Maxilla, total resection of=20 (Assist.)	48	23	135	57	6.9	7.9	8.8	192.6	2811.4	475.8	3479.8
	52357		Mandible or maxilla, osteotomies or osteectomies of, involving 3 or more such procedures on the 1 jaw, including transposition	49	15	135	50	7.5	8.4	9.4	128.3	2916.3	425.0	3469.6
	41572		Labyrinthotomy or destruction of labyrinth (Assist.)	50	31	135	40	9.4	7.1	8.7	250.8	2880.5	324.1	3455.4
	41602		Fenestration operation - each ear (Assist.)	51	31	126	44	9.4	8.0	8.7	260.7	2729.7	368.6	3359.0
	45608 =	52122	Mandible, hemi-mandibular reconstruction with bone graft, not being a service associated with a service to which item 45599	52	31	130	40	8.5	7.8	7.9	258.5	2699.2	332.7	3290.4
	53224		Temporomandibular joint, open surgical exploration of, with condylectomy or condylotomy, with or without microsurgical	53	15	135	44	7.5	8.4	7.6	128.3	2759.5	374.0	3261.8
	53227		Temporomandibular joint, open surgical exploration of, with or without meniscus or capsular surgery, including meniscectomy	54	15	135	40	7.5	8.4	7.6	128.3	2759.5	340.0	3227.8

CG2&13 - ORAL AND MAXILLOFACIAL SURGERY & OTOLARYNGOLOGY, HEAD AND NECK SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
	52351		Mandible or maxilla, bilateral osteotomy or osteectomy of, including transposition of nerves and vessels and bone grafts	55	20	126	45	7.5	7.9	7.6	167.5	2552.6	375.6	3095.8
	41590		Endolymphatic sac, transmastoid decompression with or without drainage of (Assist.)	56	46	108	40	9.4	8.0	8.7	386.9	2339.7	335.1	3061.7
	41638		Clearance of middle ear for granuloma, cholesteatoma and polyp, 1 or more, with or without myringoplasty with ossicular	57	31	117	30	9.4	8.0	8.7	260.7	2534.7	251.3	3046.8
	30253		Parotid gland, superficial lobectomy or removal of tumour from, with exposure of facial nerve (Assist.)	58	26	121	40	9.4	7.1	7.8	210.4	2511.5	324.1	3046.0
	41782		Partial pharyngectomy via pharyngotomy (Assist.)	59	23	131	60	5.8	5.3	7.0	171.4	2402.0	453.3	3026.6
	41551		Mastoidectomy, intact wall technique, with myringoplasty (Assist.)	60	31	118	30	9.4	7.1	8.7	250.8	2517.7	243.1	3011.6
	41873		Larynx, fractured, operation for (Assist.)	61	15	131	44	7.5	6.2	7.0	116.6	2522.2	344.5	2983.2
	41776		Cricopharyngeal myotomy with or without inversion of pharyngeal pouch (Assist.)	62	23	135	30	7.5	5.3	7.0	171.4	2555.0	226.6	2953.0
	41770		Pharyngeal pouch, removal of, with or without cricopharyngeal myotomy (Assist.)	63	23	131	60	5.8	5.3	6.1	171.4	2325.9	453.3	2950.6
	41779		Pharyngotomy (lateral), with or without total excision of tongue (Assist.)	64	23	131	44	5.8	5.3	7.0	171.4	2402.0	332.4	2905.8
	45602 =	52117	Mandible, including lower border, or maxilla, sub- total resection of (Assist.)	65	15	122	50	6.3	7.4	7.0	123.0	2351.4	409.8	2884.1
	41876		Larynx, external operation on, or laryngofissure, with or without cordectomy (Assist.)	66	15	131	30	7.5	6.2	7.0	116.6	2522.2	234.9	2873.6
	41746		Frontal sinus, radical obliteration of (Assist.)	67	23	134	30	5.8	5.3	7.0	171.4	2457.0	226.6	2855.0
	45646		Choanal atresia, correction by open operation with bone removal (Assist.)	68	31	105	70	5.8	6.2	7.0	240.9	1959.7	548.0	2748.6
	39315 =	52821	Nerve trunk, nerve graft to, (cable graft) including harvesting of nerve graft using microsurgical techniques (Assist.)	69	22	111	44	6.3	8.4	7.0	188.1	2179.8	374.0	2741.9
	41536		Atticotomy with reconstruction of the bony defect with or without myringoplasty (Assist.)	70	23	108	20	9.4	8.0	8.7	193.4	2339.7	167.6	2700.7
	45593 =	53455	Orbital cavity, bone or cartilage graft to orbital wall or floor including reduction of prolapsed or entrapped orbital	71	21	102	40	6.3	8.4	8.8	179.6	2121.5	340.0	2641.1
	41566		Revision of mastoidectomy (radical, modified radical or intact wall), including myringoplasty (Assist.)	72	31	98	30	9.4	8.0	8.7	260.7	2123.1	251.3	2635.2
	41548		Obliteration of the mastoid cavity (Assist.)	73	31	106	40	5.8	7.1	7.0	250.8	2013.0	324.1	2588.0
	41521		Correction of auditory canal stenosis, including meatoplasty, with or without grafting (Assist.)	74	31	108	35	5.8	7.1	7.0	250.8	2051.0	283.6	2585.5
	41545		Mastoidectomy (cortical) (Assist.)	75	31	105	30	5.8	6.2	8.7	240.9	2074.8	234.9	2550.6
	41615		Oval window surgery, including repair of fistula, not being a service associated with a service to which any other item in this	76	23	108	30	5.8	6.2	7.8	178.7	2071.4	234.9	2485.0
	39312 =	52803	Nerve trunk, internal (interfascicular), neurolysis of, using microsurgical techniques (Assist.)	77	10	108	14	6.3	8.4	7.0	85.5	2120.9	119.0	2325.4
	41533		Atticotomy without reconstruction of the bony defect, with or without myringoplasty (Assist.)	78	23	90	30	9.4	7.1	7.8	186.1	1868.1	243.1	2297.2
	53427		Maxilla, treatment of a complicated fracture of, involving viscera, blood vessels or nerves, requiring open reduction involving the	79	23	90	40	6.3	7.4	7.6	188.5	1769.5	327.8	2285.8
	52054		Tumour, removal of, from soft tissue (including muscle, fascia and connective tissue), extensive excision of, with skin or	80	23	95	30	5.6	6.9	7.6	184.4	1827.4	241.3	2253.1
	52379		Face, contour reconstruction of 1 region, using autogenous bone or cartilage graft (Assist.)	81	23	81	50	6.3	7.9	7.6	192.6	1607.3	417.4	2217.2

CG2&13 - ORAL AND MAXILLOFACIAL SURGERY & OTOLARYNGOLOGY, HEAD AND NECK SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
	53425		Mandible, treatment of a complicated fracture of, involving viscera, blood vessels or nerves, requiring open reduction not	82	23	90	30	6.3	7.4	7.6	188.5	1769.5	245.9	2203.8
	41542		Ossicular chain reconstruction and myringoplasty (Assist.)	83	23	85	30	9.4	8.0	7.0	193.4	1748.3	251.3	2193.0
	52348		Mandible or maxilla, bilateral osteotomy or osteectomy of, including transposition of nerves and vessels and bone grafts	84	15	85	45	7.5	7.9	7.0	125.6	1689.1	375.6	2190.4
	53424		Maxilla, treatment of a complicated fracture of, involving viscera, blood vessels or nerves, requiring open reduction not involving	85	23	90	23	6.3	7.4	7.6	188.5	1769.5	188.5	2146.5
	52342		Mandible or maxilla, unilateral osteotomy or osteectomy of, including transposition of nerves and vessels and bone grafts	86.5	23	81	45	6.3	7.9	7.0	192.6	1575.9	375.6	2144.2
	52345		Mandible or maxilla, unilateral osteotomy or osteectomy of, including transposition of nerves and vessels and bone grafts	86.5	23	81	45	6.3	7.9	7.0	192.6	1575.9	375.6	2144.2
	45638		Rhinoplasty, total, including correction of all bony and cartilaginous elements of the external nose	88	19	80	30	9.4	7.1	8.7	153.7	1706.9	243.1	2103.8
	52321		Foreign implant (non-biological), insertion of, for contour reconstruction of pathological deformity, not being a service	89	23	81	30	6.3	7.9	7.6	192.6	1607.3	250.4	2050.3
	53221		Temporomandibular joint, open surgical exploration of, with or without microsurgical techniques (Assist.)	90	15	81	40	7.5	7.4	7.0	123.0	1594.9	327.8	2045.7
	41620		Glomus tumour, transtympanic removal of (Assist.)	91.5	31	81	30	5.8	6.2	7.0	240.9	1511.7	234.9	1987.5
	41867		Microlaryngoscopy with arytenoidectomy (Assist.)	91.5	31	81	30	5.8	6.2	7.0	240.9	1511.7	234.9	1987.5
	52337		Alveolar cleft (congenital) unilateral, grafting of, including plastic closure of associated oro-nasal fistulae and ridge augmentation	93	23	81	33	5.6	7.4	6.4	188.5	1510.1	270.4	1969.1
	45590 =	53453	Orbital cavity, reconstruction of a wall or floor, with or without foreign implant=20 (Assist.)	94	22	73	30	6.3	8.4	8.8	188.1	1518.3	255.0	1961.4
	53429		Mandible, treatment of a complicated fracture of, involving viscera, blood vessels or nerves, requiring open reduction	95	25	72	40	6.3	7.4	7.6	204.9	1415.6	327.8	1948.3
	41605		Venous graft to fenestration cavity (Assist.)	96	23	81	20	9.4	7.1	6.1	186.1	1592.4	162.1	1940.6
	52148		Parotid duct, repair of, using micro-surgical techniques (Assist.)	97	11	81	30	6.3	8.4	7.0	94.1	1590.7	255.0	1939.7
	39309 =	52815	Nerve trunk, secondary repair of, using microsurgical techniques (Assist.)	98	18	76	30	6.3	8.4	7.0	153.9	1492.5	255.0	1901.4
	53218		Temporomandibular joint, arthroscopy of, removal of loose bodies, debridement, or treatment of adhesions - 1 or more of	99	11	81	20	6.3	8.4	7.6	94.1	1622.0	170.0	1886.1
	45707 =	52333	Cleft palate, primary repair =20 (Assist.)	100	22	71	35	6.3	7.9	7.6	184.2	1408.8	292.2	1885.2
	52621		Floor of mouth lowering (Obwegeser or similar procedure), including excision of muscle and skin or mucosal graft when	101	23	81	23	5.6	6.3	7.0	179.5	1509.1	180.8	1869.4
	45605 =	52114	Mandible or maxilla, segmental resection of, for tumours or cysts (Assist.)	102	20	84	30	4.7	6.4	5.3	156.8	1449.7	236.7	1843.2
	45632		Rhinoplasty, correction of lateral or alar cartilages	103	23	72	30	5.8	6.2	8.7	178.7	1422.7	234.9	1836.3
	41608		Stapedectomy (Assist.)	104	26	63	30	9.4	8.0	8.7	218.7	1364.9	251.3	1834.9
	41530		Myringoplasty, post-aural or endaural approach with or without mastoid inspection	105	22	78	20	7.5	6.2	7.0	171.0	1501.8	156.6	1829.3
	41749		Ethmoidal sinuses, external operation on (Assist.)	106	23	63	40	5.8	8.0	8.7	193.4	1286.2	335.1	1814.7
	53019		Maxillary sinus, bone graft to floor of maxillary sinus following elevation of mucosal lining (sinus lift procedure), (unilateral)	107	15	81	30	5.0	6.3	6.4	117.1	1460.9	235.8	1813.7
	53203		Mandible, treatment of a dislocation of, requiring open reduction	108	11	81	20	5.0	7.4	7.0	90.2	1524.6	163.9	1778.7

CG2&13 - ORAL AND MAXILLOFACIAL SURGERY & OTOLARYNGOLOGY, HEAD AND NECK SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
	41518		External auditory meatus, removal of exostoses in (Assist.)	109	16	78	20	5.8	6.2	7.0	124.3	1455.7	156.6	1736.7
	52306		Single-stage local flap, where indicated, repair to 1 defect, using temporalis muscle (Assist.)	110	11	72	30	6.3	6.9	7.6	88.2	1402.5	241.3	1732.0
	45761 =	52378	Genioplasty, including transposition of nerves and bone grafts taken from the site (Assist.)	111	22	68	35	5.6	6.9	6.4	176.4	1255.4	281.5	1713.3
	41707		Maxillary artery, transantral ligation of (Assist.)	112	15	72	30	5.8	6.2	7.0	116.6	1343.8	234.9	1695.2
	45710 =	52336	Cleft palate, secondary repair, closure of fistula using local flaps	113	22	62	30	6.3	8.4	7.6	188.1	1241.5	255.0	1684.7
	41539		Ossicular chain reconstruction (Assist.)	114	23	60	30	9.4	8.0	7.0	193.4	1234.1	251.3	1678.8
	47753 =	53406	Maxilla, treatment of fracture of, requiring splinting, wiring of teeth, circumosseous fixation or external fixation (Assist.)	115	22	74	40	3.8	5.3	4.6	163.9	1190.9	302.2	1657.1
	39306 =	52812	Nerve trunk, primary repair of, using microsurgical techniques (Assist.)	116	18	67	20	6.3	8.4	7.0	153.9	1315.7	170.0	1639.7
	41773		Pharyngeal pouch, endoscopic resection of (Dohlnan's operation) (Assist.)	117	23	53	50	5.8	6.2	7.8	178.7	1016.5	391.5	1586.7
	41910 =	52147	Duct of major salivary gland, transposition of (Assist.)	118	15	86	20	2.8	5.6	3.7	113.4	1313.7	152.9	1580.0
	45635		Rhinoplasty, correction of bony vault only	119	17	57	30	9.4	6.2	8.7	132.1	1197.5	234.9	1564.5
	47786 =	53422	Maxilla, treatment of fracture of, requiring open reduction and internal fixation involving plate(s) (Assist.)	120	22	60	40	5.6	6.9	5.2	176.4	1061.3	321.7	1559.4
	47771 =	53414	Zygomatic bone, treatment of fracture of, requiring surgical reduction and involving internal or external fixation or both at 3	121	22	65	30	5.0	6.9	5.2	176.4	1136.2	241.3	1553.9
	45713 =	52339	Cleft palate, secondary repair, lengthening procedure=20 (Assist.)	122	22	56	28	6.3	8.4	7.6	188.1	1121.4	238.0	1547.5
	41635		Clearance of middle ear for granuloma, cholesteatoma and polyp, 1 or more, with or without myringoplasty (Assist.)	123	31	51	20	9.4	7.1	8.7	250.8	1088.2	162.1	1501.0
	47756 =	53409	Mandible, treatment of fracture of, requiring splinting, wiring of teeth, circumosseous fixation or external fixation (Assist.)	124	22	69	30	3.8	5.3	4.6	163.9	1110.5	226.6	1501.0
	41787		Uvulectomy and partial palatotomy with laser incision of the palate, with or without tonsillectomy, 1 or more stages,	125	31	54	20	7.5	7.1	7.8	250.8	1085.2	162.1	1498.1
	41737		Frontal sinus or ethmoidal sinuses, intranasal operation on (Assist.)	126	20	49	30	9.4	8.0	8.7	168.2	1061.6	251.3	1481.1
	30256 =	52066	Submandibular gland, extirpation of (Assist.)	127	17	65	30	4.7	6.1	5.3	131.5	1114.7	234.0	1480.1
	30244		Styloid process of temporal bone, removal of (Assist.)	128	15	68	30	4.3	6.2	4.4	116.6	1119.7	234.9	1471.1
	47789 =	53423	Mandible, treatment of fracture of, requiring open reduction and internal fixation involving plate(s) (Assist.)	129	22	59	30	5.6	6.9	5.2	176.4	1043.6	241.3	1461.3
	47783 =	53419	Mandible, treatment of fracture of, requiring open reduction and internal fixation not involving plate(s) (Assist.)	130	23	53	40	5.6	6.9	5.2	184.4	937.5	321.7	1443.6
	41614		Round window surgery including repair of cochleotomy (Assist.)	131	23	55	30	5.8	6.2	7.0	178.7	1026.5	234.9	1440.1
	47780 =	53418	Maxilla, treatment of fracture of, requiring open reduction and internal fixation not involving plate(s) (Assist.)	132	22	53	40	5.6	6.9	5.2	176.4	937.5	321.7	1435.6
	52618		Vestibuloplasty, submucosal or open, including excision of muscle and skin or mucosal graft when performed - unilateral or	133	15	68	30	3.8	5.3	4.6	111.8	1094.4	226.6	1432.8
	41731		Fronto-nasal ethmoidectomy by external approach with or without sphenoidectomy (Assist.)	134	23	45	30	9.4	8.0	8.7	193.4	974.9	251.3	1419.7
	41611		Stapes mobilisation (Assist.)	135	23	54	20	5.8	7.1	7.8	186.1	1053.4	162.1	1401.5

CG2&13 - ORAL AND MAXILLOFACIAL SURGERY & OTOLARYNGOLOGY, HEAD AND NECK SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
	52051		Tumour, removal of, from soft tissue (including muscle, fascia and connective tissue), extensive excision of, without skin or Meatoplasty involving removal of cartilage or bone or both cartilage and bone, not being a service to which item 41515	136	23	54	15	6.3	7.4	7.6	188.5	1061.7	122.9	1373.1
	41512		Antrostomy (radical) with transantral ethmoidectomy or transantral vidian neurectomy (Assist.)	137	23	54	30	5.8	6.2	5.2	178.7	945.1	234.9	1358.7
	41713		Middle ear, exploration of (Assist.)	138	15	53	30	5.8	6.2	7.0	116.6	989.2	234.9	1340.6
	41629		Oro-nasal fistula, plastic closure of, including services to which item 45200, 45203 or 45239 applies (Assist.)	139	23	56	20	5.8	5.3	6.1	171.4	994.3	151.1	1316.8
	45714 =	52330	Tracheostomy (Assist.)	140	22	57	30	3.8	5.3	4.6	163.9	917.3	226.6	1307.9
	41883		Sphenoidal sinus, intranasal operation on (Assist.)	141	13	54	33	5.8	3.6	7.8	89.0	984.6	232.2	1305.8
	41752		Maxillary artery, ligation of (Assist.)	142	23	41	40	5.8	6.2	8.7	178.7	810.2	313.2	1302.0
	52138		Nerve, transposition of (Assist.)	143	11	54	20	5.0	7.4	7.6	90.2	1037.3	163.9	1291.4
	39321 =	52818	Nasal septum, reconstruction of (Assist.)	144	23	45	30	5.0	7.4	7.0	188.5	847.0	245.9	1281.4
	41672		Velo-pharyngeal incompetence, pharyngeal flap for, or pharyngoplasty for	145	15	54	30	5.8	6.2	4.4	116.6	917.3	234.9	1268.7
	45716		Operation on skull for osteomyelitis (Assist.)	146	18	51	30	5.8	5.3	6.1	134.1	905.5	226.6	1266.3
	52092		Thyroglossal cyst or fistula or both, radical removal of, including thyroglossal duct and portion of hyoid bone (Assist.)	147	11	54	22	6.3	7.4	4.6	90.2	957.2	180.3	1227.6
	30314		Direct flap repair, using tongue, first stage (Assist.)	148	16	56	26	4.3	3.6	6.1	109.6	930.5	182.9	1223.0
	52324		Osseo-integration procedure - extra-oral, implantation of titanium fixture	149	11	54	20	5.0	6.3	6.4	85.9	973.9	157.2	1217.0
	45794 =	52627	Foreign body, deep, removal of using interventional imaging techniques (Assist.)	150	19	55	20	3.8	6.3	4.6	148.3	905.2	157.2	1210.7
	52144		Osseo-integration procedure - intra-oral implantation of titanium fixture to facilitate restoration of the dentition following resection	151	11	54	20	3.8	6.3	6.4	85.9	951.4	157.2	1194.5
	52633		Single-stage local flap, where indicated, repair to 1 defect, with buccal pad of fat (Assist.)	152	15	54	20	3.8	6.3	4.6	117.1	888.7	157.2	1163.0
	52303		Alveolar ridge augmentation with bone or alloplast or both - unilateral (Assist.)	153	11	54	20	5.0	5.8	5.2	83.9	922.3	154.1	1160.3
	52624		Zygomatic bone, treatment of fracture of, requiring surgical reduction and involving internal or external fixation or both at 2	154	23	54	20	2.5	5.3	4.0	171.4	823.8	151.1	1146.3
	47768 =	53413	Muscle, excision of (limited) or fasciotomy	155	22	50	20	5.0	5.8	4.0	167.8	815.3	154.1	1137.2
	30226 =	52060	Tracheostomy	156	23	53	30	2.5	4.2	2.8	162.4	746.3	216.6	1125.3
	52132		Sublingual gland, extirpation of=20	157	11	41	33	5.0	6.3	7.6	85.9	771.2	259.4	1116.4
	30259 =	52069	Zygomatic bone, treatment of fracture of, requiring surgical reduction and involving internal or external fixation at 1 site	158	15	54	20	4.0	5.3	3.9	111.8	848.4	151.1	1111.3
	47765 =	53412	Oro-antral fistula, plastic closure of (Assist.)	159	22	41	30	5.0	6.3	4.6	171.7	691.8	235.8	1099.4
	41722 =	53015	Mandible, treatment of fracture of, requiring open reduction (Assist.)	160	15	54	20	4.0	4.2	4.5	105.9	847.7	144.4	1098.0
	47777 =	53416	Uvulopalatopharyngoplasty, with or without tonsillectomy, by any means (Assist.)	161	19	41	29	3.8	6.9	5.2	152.4	699.6	233.2	1085.2
	41786			162	24	32	30	7.5	7.1	7.8	194.2	643.1	243.1	1080.4

CG2&13 - ORAL AND MAXILLOFACIAL SURGERY & OTOLARYNGOLOGY, HEAD AND NECK SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
	41527		Myringoplasty, trans-canal approach (Rosen incision) (Assist.)	163	20	46	20	4.3	5.3	5.2	149.0	766.1	151.1	1066.2
	52039		Tumours, cysts, ulcers or scars (other than a scar removed during the surgical approach at an operation), up to 3 cm in	164	11	56	20	3.1	4.2	4.0	77.7	843.6	144.4	1065.6
	43512 =	52090	Operation on scapula, sternum, clavicle, rib, ulna, radius, metacarpus, carpus, phalanx, tibia, fibula, metatarsus, tarsus,	165	23	26	65	3.1	4.8	4.0	167.3	397.3	481.1	1045.8
	41671 =	53016	Nasal septum, septoplasty, submucous resection or closure of septal perforation	166	16	38	30	4.8	5.8	6.3	122.1	673.3	231.2	1026.6
	47774 =	53415	Maxilla, treatment of fracture of, requiring open operation (Assist.)	167	20	41	20	3.8	6.9	5.2	160.4	699.6	160.9	1020.8
	41710 =	53006	Antrostomy (radical) (Assist.)	168	15	45	30	4.0	4.2	4.2	105.9	697.7	216.6	1020.2
	30241 =	52063	Bone tumour, innocent, excision of, not being a service to which another item in this Group applies (Assist.)	169	19	40	29	3.8	5.3	5.2	141.6	659.2	219.1	1019.9
	11304		Electrocochleography, transtympanic membrane insertion technique, 1 or both ears	170	23	41	20	3.1	5.3	6.1	171.4	689.6	151.1	1012.0
	52141		Facial, mandibular or lingual artery or vein or artery and vein, ligation of, not being a service to which item 52138 applies	171	8	45	10	6.3	7.4	6.4	65.6	849.9	82.0	997.4
	41725		Ethmoidal artery or arteries, transorbital ligation of (unilateral) (Assist.)	172	15	41	30	4.3	3.6	6.1	102.7	681.3	211.1	995.1
	41895		Bronchus, removal of foreign body in (Assist.)	173	15	34	25	4.3	7.1	8.7	121.4	665.3	202.6	989.2
	53215		Temporomandibular joint, arthroscopy of, with or without biopsy, not being a service associated with any other arthroscopic	174	11	36	20	6.3	8.4	7.6	94.1	720.9	170.0	985.0
	90771		Consultation in rooms of approximately 60 minutes duration with a new patient where the clinical record demonstrates that	175.5	15	60	20	3.8	1.1	1.6	89.4	757.8	125.5	972.7
	90772		Consultation in rooms of approximately 60 minutes duration with an existing patient where the clinical record demonstrates	175.5	15	60	20	3.8	1.1	1.6	89.4	757.8	125.5	972.7
	41861		Microaryngoscopy with removal of papillomata by laser surgery (Assist.)	177	25	32	20	5.8	6.2	7.0	194.3	597.2	156.6	948.1
	52626		Alveolar ridge augmentation - unilateral, insertion of tissue expanding device into maxillary or mandibular alveolar ridge	178	11	41	33	3.8	4.2	4.0	77.7	627.6	238.2	943.5
	47729 =	52319	Bone graft, harvesting of, via separate incision, in conjunction with another service - autogenous - large quantity	179	4	54	5	2.5	6.3	4.6	31.2	864.4	39.3	934.9
	91271		Consultation in a hospital of approximately 60 minutes duration with a new patient where the clinical record demonstrates that	180.5	5	60	10	5.0	1.1	2.8	29.8	829.2	62.7	921.8
	91272		Consultation in a hospital of approximately 60 minutes duration with an existing patient where the clinical record demonstrates	180.5	5	60	10	5.0	1.1	2.8	29.8	829.2	62.7	921.8
	39327 =	52809	Neurectomy, neurectomy or removal of tumour from deep peripheral nerve, by open operation (Assist.)	182	21	37	30	2.5	4.2	4.0	148.3	549.6	216.6	914.5
	52135		Post-operative or post-nasal haemorrhage, or both, control of, where undertaken in the operating theatre of a hospital or	183	11	41	15	3.8	5.3	6.4	82.0	707.4	113.3	902.7
	41716 =	53009	Antrum, intranasal operation on or removal of foreign body from (Assist.)	184	15	40	20	4.2	5.5	4.0	112.8	636.7	152.3	901.9
	41797		Tonsils or tonsils and adenoids, arrest of haemorrhage requiring general anaesthesia, following removal of	185	20	30	30	3.1	5.3	7.0	149.0	522.0	226.6	897.6
	30272 =	52078	Tongue, partial excision of (Assist.)	186	16	35	25	5.0	4.8	5.2	116.4	585.0	185.1	886.5
	52300		Single-stage local flap, where indicated, repair to 1 defect, with skin or mucosa (Assist.)	187	15	41	20	3.1	4.8	4.0	109.1	626.6	148.0	883.7
	39330 =	52800	Neurolysis by open operation without transposition, not being a service associated with a service to which item 39312 applies	188	20	32	30	3.8	5.3	4.0	149.0	502.6	226.6	878.3
	52048		Tumour or deep cyst (other than a cyst associated with a tooth or tooth fragment unless it has been established by radiological	189	15	40	20	3.8	4.8	4.0	109.1	621.0	148.0	878.1

CG2&13 - ORAL AND MAXILLOFACIAL SURGERY & OTOLARYNGOLOGY, HEAD AND NECK SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
45668 =	52111		Vermilionectomy, by surgical excision	190	18	37	20	3.8	4.8	4.6	130.9	588.7	148.0	867.7
52315			Free grafting, full thickness, to 1 defect (mucosa or skin) (Assist.)	191	11	41	20	3.8	4.8	4.0	80.0	636.5	148.0	864.6
41870			Teflon injection into vocal cord (Assist.)	192	23	25	30	5.8	6.2	5.2	178.7	437.6	234.9	851.2
30049 =	52009		Skin and subcutaneous tissue or mucous membrane, repair of recent wound of, on face or neck, large (more than 7cm long),	193	14	37	29	3.1	4.2	2.8	98.9	528.7	209.4	836.9
41886			Trachea, removal of foreign body in	194	14	29	18	4.3	7.1	8.7	113.3	567.4	145.9	826.6
52824			Peripheral branches of the trigeminal nerve, cryosurgery of, for pain relief (Assist.)	195	15	41	15	2.5	4.2	4.0	105.9	609.1	108.3	823.3
45645			Choanal atresia, repair of by puncture and dilatation	196	23	27	30	2.1	3.6	7.0	157.5	443.7	211.1	812.3
47930 =	52105		Plate, rod or nail and associated wires, pins or screws, 1 or more of, all of which were inserted for internal fixation purposes,	197	14	36	30	1.3	4.2	2.8	98.9	491.9	216.6	807.4
41743			Frontal sinus, trephine of (Assist.)	198	15	27	30	4.3	5.3	6.1	111.8	465.3	226.6	803.7
41858			Microscopy with removal of juvenile papillomata (Assist.)	199	15	30	20	5.8	5.3	6.1	111.8	532.7	151.1	795.5
41656			Nasal haemorrhage, posterior, arrest of, with posterior nasal packing with or without cauterisation and with or without	200	14	30	24	3.1	5.3	6.1	104.3	504.6	181.3	790.2
30103 =	52033		Sinus, excision of, involving muscle and deep tissue	201	15	29	38	2.5	4.2	2.8	105.9	408.4	274.3	788.6
41868			Laryngeal web, division of, using microlaryngoscopic techniques	202	23	27	22	4.3	5.3	3.5	171.4	420.1	166.2	757.6
52420			Mandible, fixation by intermaxillary wiring, excluding wiring for obesity	203	11	41	20	1.3	3.2	1.6	73.8	513.6	138.3	725.6
90761			Consultation in rooms of approximately 45 minutes duration with a new patient where the clinical record demonstrates that	204.5	5	45	20	3.8	1.1	1.6	29.8	568.4	125.5	723.6
90762			Consultation in rooms of approximately 45 minutes duration with an existing patient where the clinical record demonstrates	204.5	5	45	20	3.8	1.1	1.6	29.8	568.4	125.5	723.6
47741 =	53460		Nasal bones, treatment of fracture of, by open reduction involving osteotomies (Assist.)	206	17	29	20	3.8	4.8	4.0	123.7	450.2	148.0	721.9
41822			Oesophagoscopy (with rigid oesophagoscope) with biopsy	207	15	26	30	4.3	3.6	4.4	102.7	403.5	211.1	717.3
52312			Free grafting (mucosa, split skin or connective tissue) to 1 defect, including elective dissection (Assist.)	208	11	32	20	3.1	4.8	4.0	80.0	489.0	148.0	717.1
91261			Consultation in a hospital of approximately 45 minutes duration with a new patient where the clinical record demonstrates that	209.5	5	45	10	5.0	1.1	2.8	29.8	621.9	62.7	714.5
91262			Consultation in a hospital of approximately 45 minutes duration with an existing patient where the clinical record demonstrates	209.5	5	45	10	5.0	1.1	2.8	29.8	621.9	62.7	714.5
52327			Direct flap repair, using tongue, second stage	211	19	27	20	3.1	4.8	4.0	138.2	412.6	148.0	698.9
30283 =	52087		Ranula or mucous cyst of mouth, removal of	212	14	31	20	2.5	4.8	2.8	101.8	443.3	148.0	693.2
41864			Microscopy with removal of tumour (Assist.)	213	19	22	20	4.3	5.3	6.1	141.6	379.2	151.1	671.8
52600			Mandibular or palatal exostosis, excision of (Assist.)	215.5	15	27	20	3.1	4.8	4.0	109.1	412.6	148.0	669.8
52603			Mylohyoid ridge, reduction of (Assist.)	215.5	15	27	20	3.1	4.8	4.0	109.1	412.6	148.0	669.8
52606			Maxillary tuberosity, reduction of	215.5	15	27	20	3.1	4.8	4.0	109.1	412.6	148.0	669.8

CG2&13 - ORAL AND MAXILLOFACIAL SURGERY & OTOLARYNGOLOGY, HEAD AND NECK SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Pre	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
	52615		Papillary hyperplasia of the palate, removal of - more than 20 lesions (Assist.)	215.5	15	27	20	3.1	4.8	4.0	109.1	412.6	148.0	669.8
	41793		Tonsils or tonsils and adenoids, removal of, in a person 12 years of age or over	218	15	22	30	4.3	3.6	4.4	102.7	341.4	211.1	655.2
	30075 =	52027	Biopsy of lymph gland, muscle or other deep tissue or organ, as an independent procedure	219	16	26	29	1.9	3.7	1.6	110.1	335.8	204.9	650.9
	39324 =	52806	Neurectomy, neurotomy or removal of tumour from superficial peripheral nerve, by open operation (Assist.)	220	4	32	19	2.5	4.2	4.0	28.2	475.4	137.2	640.8
	45665 =	52108	Lip, eyelid or ear, full thickness wedge excision of, with repair by direct sutures=20	221	14	25	20	3.8	4.8	4.0	101.8	388.1	148.0	638.0
	41692		Turbinates, submucous resection of, unilateral	222	11	29	20	2.1	3.6	3.5	75.3	411.1	140.7	627.1
	30266 =	52075	Salivary gland, removal of calculus from duct or meatotomy or marsupialisation, 1 or more such procedures	223	15	28	18	1.9	4.2	1.6	105.9	366.8	129.9	602.6
	52309		Free grafting (mucosa or split skin) of a granulating area	224	11	27	20	3.1	4.8	1.6	80.0	370.8	148.0	598.9
	52042		Tumour, cyst, ulcer or scar (other than a scar removed during the surgical approach at an operation), more than 3 cm in	225	11	27	20	2.5	4.8	1.6	80.0	365.2	148.0	593.2
	47921 =	52096	Orthopaedic pin or wire, insertion of, as an independent procedure	226	5	31	20	1.3	4.8	1.6	36.4	406.4	148.0	590.8
	47762 =	53411	Zygomatic bone, treatment of fracture of, requiring surgical reduction by a temporal, intra-oral or other approach	227	20	21	20	2.5	4.2	3.4	141.2	303.8	144.4	589.4
	30068 =	52018	Foreign body in muscle, tendon or other deep tissue, removal of, as an independent procedure=20 (Assist.)	228	17	23	20	2.5	4.2	2.8	120.0	323.9	144.4	588.3
	30223 =	52057	Large haematoma, large abscess, carbuncle, cellulitis or similar lesion requiring a general anaesthetic, incision with drainage of	229	16	23	15	3.8	4.8	4.0	116.4	357.1	111.0	584.5
	41789		Tonsils or tonsils and adenoids, removal of, in a person aged less than 12 years	230	14	20	20	5.8	4.4	5.2	99.8	336.9	145.6	582.4
	41689 =	53018	Turbinectomy or turbinectomies, partial or total, unilateral	231	11	27	20	2.0	3.6	2.5	75.3	364.4	140.7	580.4
	45797 =	52630	Osseo-integration procedure, fixation of transcutaneous abutment	232	16	25	20	1.3	4.2	1.6	113.0	322.3	144.4	579.6
	52045		Tumour, cyst (other than a cyst associated with a tooth or tooth fragment unless it has been established by radiological	233	12	23	20	2.5	4.8	2.8	87.3	328.9	148.0	564.2
	11009		Electrocorticography	234	11	36	10	2.1	0.9	1.7	64.8	433.1	62.1	560.1
	11303		Electrocochleography, extratympanic method, 1 or both ears	235	15	27	15	2.1	3.6	1.7	102.7	351.4	105.5	559.7
	41825		Oesophagoscopy (with rigid oesophagoscope) with removal of foreign body (Assist.)	236	15	19	20	4.3	3.6	6.1	102.7	315.7	140.7	559.1
	11321		Glycerol induced cochlear function changes assessed by a minimum of 4 air conduction and speech discrimination tests	237	4	45	10	0.4	0.0	0.9	22.3	476.9	59.4	558.6
	41503		Ear, removal of foreign body in, involving incision of external auditory canal	238	15	24	20	2.1	3.6	1.7	102.7	312.4	140.7	555.8
	52099		Buried wire, pin or screw, 1 or more, which were inserted for internal fixation purposes into maxilla or mandible or zygoma,	239	11	27	15	1.3	4.2	2.8	77.7	369.0	108.3	554.9
	30045 =	52006	Skin and subcutaneous tissue or mucous membrane, repair of recent wound of, on face or neck, large (more than 7cm long),	240	8	30	10	2.5	4.2	2.8	56.5	422.4	72.2	551.1
	41668		Nasal polyp or polypi (requiring admission to hospital), removal of	241	15	25	20	2.1	2.7	1.7	97.9	317.2	135.2	550.3
	41801		Adenoids, removal of	242	14	17	20	5.8	4.4	6.1	99.8	296.3	145.6	541.7
	41807		Peritonsillar abscess (quinsy), incision of	243	11	18	30	3.1	2.7	4.4	71.8	266.0	202.8	540.6

CG2&13 - ORAL AND MAXILLOFACIAL SURGERY & OTOLARYNGOLOGY, HEAD AND NECK SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
90751			Consultation in rooms of approximately 30 minutes duration with a new patient where the clinical record demonstrates that	244.5	5	30	20	3.8	1.1	1.6	29.8	378.9	125.5	534.2
90752			Consultation in rooms of approximately 30 minutes duration with an existing patient where the clinical record demonstrates	244.5	5	30	20	3.8	1.1	1.6	29.8	378.9	125.5	534.2
52036			Tumour, cyst, ulcer or scar (other than a scar removed during the surgical approach at an operation), up to 3 cm in diameter,	246	12	25	20	1.3	3.2	1.6	80.5	313.2	138.3	531.9
47927 =	52102		Buried wire, pin or screw, 1 or more of, which were inserted for internal fixation purposes, removal of, in the operating theatre of	247	12	22	20	1.3	4.2	2.8	84.7	300.6	144.4	529.7
41852			Larynx, direct examination of, with removal of tumour (Assist.)	248	11	18	20	5.8	4.4	4.4	78.5	294.0	145.6	518.0
41813			Vallecular or pharyngeal cysts, removal of (Assist.)	249	11	18	20	4.3	5.3	3.5	82.0	280.0	151.1	513.1
41855			Micro-laryngoscopy (Assist.)	250	12	18	20	3.1	5.3	3.5	89.4	272.5	151.1	513.1
41849			Larynx, direct examination of, with biopsy (Assist.)	251	15	18	20	4.3	3.6	3.5	102.7	268.9	140.7	512.3
91251			Consultation in a hospital of approximately 30 minutes duration with a new patient where the clinical record demonstrates that	252.5	5	30	10	5.0	1.1	2.8	29.8	414.6	62.7	507.1
91252			Consultation in a hospital of approximately 30 minutes duration with an existing patient where the clinical record demonstrates	252.5	5	30	10	5.0	1.1	2.8	29.8	414.6	62.7	507.1
47726 =	52318		Bone graft, harvesting of, via separate incision, in conjunction with another service - autogenous - small quantity	254	4	27	5	2.5	6.3	4.6	31.2	432.2	39.3	502.7
41680			Cryotherapy to nose in the treatment of nasal haemorrhage	255	11	21	20	2.1	3.6	2.6	75.3	285.5	140.7	501.5
41665			Nasal polyp or polypi (requiring admission to hospital), removal of	256	15	21	20	2.1	2.7	1.7	97.9	266.4	135.2	499.6
52106			Arch bars, 1 or more, which were inserted for dental fixation purposes to the maxilla or mandible, removal of, requiring	257	11	27	15	0.0	2.1	1.6	69.5	315.2	98.7	483.4
52612			Papillary hyperplasia of the palate, removal of - 5 to 20 lesions (Assist.)	258	11	18	20	2.5	4.2	2.8	77.7	253.5	144.4	475.5
41869			Botulinum toxin injection into vocal cords, including associated consultation	259	11	18	20	3.1	4.4	1.7	78.5	245.8	145.6	469.8
41677			Nasal haemorrhage, arrest of during an episode of epistaxis by cauterisation or nasal cavity packing or both	260	11	19	20	1.3	2.7	3.5	71.8	257.8	135.2	464.9
41764			Nasendoscopy or sinuscopy or fiberoptic examination of nasopharynx and larynx, 1 or more of these procedures	261	11	19	10	7.5	5.3	2.6	82.0	305.7	75.5	463.2
52034			Premalignant lesions of the oral mucous, treatment by liquid nitrogen cryotherapy	262	11	18	22	3.8	2.1	2.8	69.5	247.8	144.7	462.0
41846			Larynx, direct examination of the supraglottic, glottic and subglottic regions, not being a service associated with any other	263	11	18	20	2.1	2.7	3.5	71.8	249.3	135.2	456.3
52636			Osseo-integration procedure - fixation of transmucosal abutment to fixtures placed following resection of part of the	264	11	18	20	1.3	4.2	1.6	77.7	232.0	144.4	454.1
41509			External auditory meatus, surgical removal of keratosis obturans from, not being a service to which another item in this	265	8	18	20	2.1	3.6	2.6	54.8	244.7	140.7	440.2
41632			Middle ear, insertion of tube for drainage of (including myringotomy)	266	13	10	20	5.8	6.2	6.1	101.0	180.8	156.6	438.4
53439			Mandible, treatment of a closed fracture of, involving a joint surface	267	4	14	29	2.5	4.2	2.8	28.2	197.1	209.4	434.7
41695			Nasal turbinates, cryotherapy to	268	11	17	20	1.3	2.7	1.7	71.8	211.0	135.2	418.0
41816			Oesophagoscopy (with rigid oesophagoscope)	269	15	12	20	4.3	2.7	4.4	97.9	182.3	135.2	415.5
30035 =	52003		Skin and subcutaneous tissue or mucous membrane, repair of recent wound of, on face or neck, small (not more than 7cm	270	8	20	10	3.1	4.2	2.8	56.5	285.8	72.2	414.5

CG2&13 - ORAL AND MAXILLOFACIAL SURGERY & OTOLARYNGOLOGY, HEAD AND NECK SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
30099 =	52030		Sinus, excision of, involving superficial tissue only=20	271	10	20	14	1.3	3.2	1.6	67.1	250.5	96.8	414.4
90740			Consultation in rooms of approximately 20 minutes duration where the clinical record demonstrates that more than two of	272	5	20	20	3.8	1.1	1.6	29.8	252.6	125.5	407.9
47738 =	53459		Nasal bones, treatment of fracture of, by reduction	273	10	14	20	2.3	3.9	2.7	69.5	193.7	142.6	405.8
52609			Papillary hyperplasia of the palate, removal of - less than 5 lesions (Assist.)	274	11	18	15	1.3	3.2	1.6	73.8	225.5	103.7	403.0
41683			Division of nasal adhesions, with or without stenting not being a service associated with any other operation on the nose and not	275	8	17	20	1.3	2.7	1.7	52.2	211.0	135.2	398.4
41506			Aural polyp, removal of	276	7	14	20	2.1	3.6	4.4	47.9	206.6	140.7	395.2
41662			Nasal polyp or polypi (simple), removal of	277	15	13	15	1.3	3.6	3.5	102.7	180.7	105.5	388.9
52012			Superficial foreign body, removal of, as an independent procedure	278.5	11	18	15	1.3	2.1	1.6	69.5	218.3	98.7	386.4
52081			Tongue tie, division or excision of frenulum	278.5	11	18	15	1.3	2.1	1.6	69.5	218.3	98.7	386.4
41761			Post nasal space, direct examination of, with or without biopsy	280	8	14	20	2.1	3.6	2.6	54.8	190.3	140.7	385.8
30064 =	52015		Subcutaneous foreign body, removal of, requiring incision and exploration, including closure of wound if performed, as an	281	4	20	10	2.5	4.2	2.8	28.2	281.6	72.2	382.1
41804			Lingual tonsil or lateral pharyngeal bands, removal of	282	11	16	10	2.1	3.6	4.4	75.3	236.1	70.4	381.8
41758			Division of pharyngeal adhesions	283	11	16	15	3.1	2.7	1.7	71.8	208.5	101.4	381.8
41889			Bronchoscopy, as an independent procedure	284	9	15	14	4.3	2.7	4.4	58.8	227.9	94.7	381.3
52021			Aspiration biopsy of 1 or more jaw cysts as an independent procedure to obtain material for diagnostic purposes and not	285	11	18	15	0.0	2.1	1.6	69.5	210.2	98.7	378.3
41701 =	53003		Maxillary antrum, proof puncture and lavage of - under general anaesthesia (requiring admission to hospital), not being a	286	11	16	15	1.0	2.5	2.0	71.0	198.8	100.5	370.4
91240			Consultation in a hospital of approximately 20 minutes duration where the clinical record demonstrates that more than two of	287	5	20	10	5.0	1.1	2.8	29.8	276.4	62.7	368.9
53403			Mandible, treatment of fracture of, not requiring splinting	288	4	14	30	1.3	1.1	0.4	23.8	153.8	188.2	365.9
41644			Excision of rim of eardrum perforation, not being a service associated with myringoplasty	289	8	12	20	2.1	3.6	3.5	54.8	170.1	140.7	365.6
41740			Frontal sinus, catheterisation of	290	8	15	10	3.1	4.4	4.4	57.1	230.9	72.8	360.8
41650			Tympanic membrane, microinspection of 1 or both ears under general anaesthesia, not being a service associated with a	291	8	14	15	2.1	3.6	2.6	54.8	190.3	105.5	350.7
47735 =	53458		Nasal bones, treatment of fracture of, not being a service to which item 47738 or 47741 applies - each attendance	292	11	20	10	1.3	1.1	0.4	65.6	219.8	62.7	348.1
41698 =	53000		Maxillary antrum, proof puncture and lavage of	293	11	15	15	0.8	2.0	1.7	69.1	179.7	98.2	347.0
41719 =	53012		Antrum, drainage of, through tooth socket	294	11	14	15	1.3	2.7	1.7	71.8	173.7	101.4	347.0
90730			Consultation in rooms of approximately 15 minutes duration where the clinical record demonstrates that more than two of	295	5	15	20	3.8	1.1	1.6	29.8	189.5	125.5	344.7
41653			Examination of nasal cavity or post-nasal space or nasal cavity and post-nasal space, under general anaesthesia, not being a	296	8	14	15	1.3	2.7	2.6	52.2	181.9	101.4	335.5
53206			Temporomandibular joint, manipulation of, performed in the operating theatre of a hospital or approved day-hospital facility,	297	11	14	15	0.0	2.1	1.6	69.5	163.5	98.7	331.6

CG2&13 - ORAL AND MAXILLOFACIAL SURGERY & OTOLARYNGOLOGY, HEAD AND NECK SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
30032 =	52000		Skin and subcutaneous tissue or mucous membrane, repair of recent wound of, on face or neck, small (not more than 7cm	298	8	15	10	2.5	4.2	1.6	56.5	199.6	72.2	328.3
41647			Ear toilet requiring use of operating microscope and microinspection of tympanic membrane with or without general	299	8	14	10	1.3	3.6	1.7	54.8	178.3	70.4	303.5
53410			Zygomatic bone, treatment of fracture of, not requiring surgical reduction	300	4	14	20	1.3	1.1	0.4	23.8	153.8	125.5	303.2
91230			Consultation in a hospital of approximately 15 minutes duration where the clinical record demonstrates that more than two of	301	5	15	10	5.0	1.1	2.8	29.8	207.3	62.7	299.8
41907			Nasal septum button, insertion of	302	7	13	20	0.3	0.0	0.9	39.0	137.3	118.8	295.1
30262 =	52072		Salivary gland, dilatation or diathermy of duct=20	303	8	14	10	1.3	2.1	1.6	50.5	169.8	65.8	286.1
41626			Abscess or inflammation of middle ear, operation for (excluding after-care)	304	8	10	10	3.1	4.4	4.4	57.1	153.9	72.8	283.8
41641			Perforation of tympanum, cauterisation or diathermy of	305	8	13	10	0.7	1.8	1.7	49.7	154.4	64.9	268.9
41674			Cauterisation (other than by chemical means) or cauterisation by chemical means when performed under general anaesthesia	306	11	12	9	0.7	1.8	0.9	68.3	136.3	58.4	263.0
41686			Dislocation of turbinate or turbinates, 1 or both sides, not being a service associated with a service to which another item in this	307	11	9	16	0.4	0.9	0.9	64.8	98.3	99.4	262.5
30071 =	52024		Biopsy of skin or mucous membrane, as an independent procedure=20	308	5	14	7	1.3	3.2	1.6	33.5	175.4	48.4	257.3
18280			Sphenopalatine ganglion, injection of an anaesthetic agent	309	11	8	10	1.3	3.6	2.6	75.3	106.5	70.4	252.2
30281 =	52084		Tongue tie, mandibular frenulum or maxillary frenulum, repair of, in a person aged not less than 2 years, under general	310	7	8	16	1.3	2.4	1.7	45.0	98.4	106.7	250.1
47000 =	53200		Mandible, treatment of dislocation of, by closed reduction	311	4	10	10	0.0	4.2	1.6	28.2	124.4	72.2	224.8
41810			Uvulotomy or uvulectomy	312	8	9	10	0.4	0.9	0.9	47.1	98.3	62.1	207.6
30219 =	52055		Haematoma, furuncle, small abscess or similar lesion not requiring a general anaesthetic, incision with drainage of	313	4	15	0	1.3	2.1	1.6	25.3	181.9	0.0	207.2
41500			Ear, foreign body (other than ventilating tube) in, removal of, other than by simple syringing	314	5	11	1	2.1	3.6	2.6	34.2	149.5	7.0	190.8
41755			Eustachian tube, catheterisation of	315	8	9	5	0.4	0.9	0.9	47.1	98.3	31.1	176.5
41704			Maxillary antrum, lavage of - each attendance at which the procedure is performed, including any associated consultation	316	8	5	5	0.3	0.0	0.9	44.6	52.8	29.7	127.1
11336			Simultaneous bithermal caloric test of labyrinths	317	8	0	10	1.3	2.7	1.7	52.2	0.0	67.6	119.8
11333			Caloric test of labyrinth or labyrinths	318	1	5	5	0.7	1.8	1.7	6.2	59.4	32.4	98.0
11315			Audiogram, air and bone conduction and speech	319.5	8	0	5	0.7	0.9	0.9	47.1	0.0	31.1	78.2
11324			Impedance audiogram involving tympanometry and measurement of static compliance and acoustic reflex	319.5	8	0	5	0.7	0.9	0.9	47.1	0.0	31.1	78.2
11318			Audiogram, air and bone conduction and speech, with other cochlear tests	321.5	6	0	5	0.7	0.9	0.9	35.3	0.0	31.1	66.4
11327			Impedance audiogram involving tympanometry and measurement of static compliance and acoustic reflex	321.5	6	0	5	0.7	0.9	0.9	35.3	0.0	31.1	66.4
11300			Brain stem evoked response audiometry	323	1	0	7	2.1	3.6	1.7	6.8	0.0	49.3	56.1
11312			Audiogram, air and bone conduction or air conduction and speech discrimination	324	4	0	5	0.7	0.9	0.9	23.6	0.0	31.1	54.6

CG2&13 - ORAL AND MAXILLOFACIAL SURGERY & OTOLARYNGOLOGY, HEAD AND NECK SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
11206			Electroretinography of 1 or both eyes or electro-oculography of 1 or both eyes	325	1	0	5	1.3	2.7	0.0	6.5	0.0	33.8	40.3
11339			Electronystagmography	326	1	0	5	0.7	1.8	1.7	6.2	0.0	32.4	38.6
11309			Audiogram, air conduction	327	2	0	2	0.7	0.9	0.9	11.8	0.0	12.4	24.2
11306			Non-determinate audiometry	328	2	0	2	0.3	0.0	0.9	11.1	0.0	11.9	23.0

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
43969			Persistent cloaca, total correction of, with genital repair using posterior sagittal approach, with or without laparotomy (Assist.)	1	37	331	105	10.0	7.6	7.1	569.8	15180.5	2745.8	18496
36606			Intestinal urinary reservoir, continent, formation of, including formation of non-return valves and implantation of ureters (1 or Bladder, total excision of (Assist.))	2	16	285	105	9.0	9.9	9.8	226.4	15750.5	2471.2	18448
37014			Bladder, total excision of (Assist.)	3	16	276	105	9.0	9.9	9.8	226.4	15253.1	2471.2	17951
43882			Cloacal exstrophy, operation for (Assist.)	4	49	221	105	10.0	7.6	7.1	754.6	10135.6	2745.8	13636
43966			Anorectal malformation, posterior sagittal anorectoplasty of, with laparotomy (Assist.)	5	33	248	90	8.8	7.6	6.8	458.6	10866.4	2071.1	13396
43903			Oesophageal atresia or corrosive oesophageal stricture, oesophageal replacement for, utilizing gastric tube, jejunum or Bladder enlargement using intestine (Assist.)	6	24	221	105	9.6	7.6	7.6	357.6	10188.3	2635.9	13182
37047			Bladder enlargement using intestine (Assist.)	7	24	216	105	9.0	8.2	8.2	339.6	10356.2	2471.2	13167
43996			Hirschsprung's disease, total colectomy for total colonic aganglionosis with ileoanal pull-through, with or without side to Mitrofanoff continent valve, formation of (Assist.)	8	41	248	90	9.1	6.6	6.8	585.2	10254.9	2141.7	12982
37045			Mitrofanoff continent valve, formation of (Assist.)	9	16	202	80	8.6	9.4	9.3	218.4	10612.7	1799.1	12630
43978			Biliary atresia, portoenterostomy for (Assist.)	10	20	221	90	9.6	7.6	7.1	298.0	10018.8	2259.4	12576
43993			Hirschsprung's disease, definitive resection with pull-through anastomosis, with or without frozen section biopsies, when Prostate, total excision of (Assist.)	11	33	248	90	8.3	7.1	5.8	438.0	9967.1	1953.4	12358
37209			Prostate, total excision of (Assist.)	12	20	190	70	9.0	9.4	9.8	283.0	10228.5	1647.5	12159
37610			Retroperitoneal lymph node dissection, unilateral, not being a service associated with a service to which item 36528 applies,	13	16	184	70	8.6	9.9	9.8	218.4	10071.5	1574.2	11864
43990			Hirschsprung's disease, definitive resection with pull-through anastomosis, with or without frozen section biopsies, when Neuroblastoma, radical excision of (Assist.)	14	33	221	90	8.3	6.6	5.8	438.0	8565.7	1953.4	10957
43987			Neuroblastoma, radical excision of (Assist.)	15	33	193	70	9.1	7.6	7.6	471.0	8769.9	1665.8	10907
43975			Choledochal cyst, resection of, with 2 duct anastomoses (Assist.)	16	20	193	80	9.6	7.1	7.1	298.0	8473.2	2008.3	10780
43963			Anorectal malformation, posterior sagittal anorectoplasty of (Assist.)	17	33	193	90	8.3	7.1	6.8	438.0	8052.7	1953.4	10444
36503			Renal transplant, not being a service to which item 36506 or 36509 applies (Assist.)	18	26	145	75	9.0	10.0	10.0	367.8	8099.4	1765.1	10232
43855			Oesophageal atresia, delayed primary anastomosis for (Assist.)	19	20	165	95	8.8	7.6	7.1	278.0	7305.6	2186.1	9770
43846			Oesophageal atresia (with or without repair of tracheo-oesophageal fistula), complete correction of, in infant of birth	20	33	138	95	10.0	7.6	7.1	508.2	6329.0	2484.3	9321
36525			Nephrectomy, partial, complicated by previous surgery on the same kidney (Assist.)	21	16	165	70	8.1	8.1	7.8	208.3	7566.2	1482.7	9257
43906			Oesophagus, resection of congenital, anastomotic or corrosive stricture and anastomosis, not being a service to which item	22	24	165	95	8.8	6.6	6.3	333.5	6630.9	2186.1	9151
36531			Nephro-ureterectomy, complete, including associated bladder repair and any associated endoscopic procedure (Assist.)	23	16	162	75	8.1	7.9	7.8	208.3	7335.9	1588.6	9133
36528			Nephrectomy, radical, with enbloc dissection of lymph nodes, with or without adrenalectomy=20 (Assist.)	24	20	140	75	8.1	9.3	9.4	260.4	7244.2	1588.6	9093
43972			Choledochal cyst, resection of, with 1 duct anastomosis (Assist.)	25	20	165	80	9.1	6.6	6.8	285.5	6822.8	1903.7	9012
43879			Sacroccocygeal teratoma, excision of, by combined posterior and abdominal approach (Assist.)	26	33	147	95	8.8	7.1	7.1	458.6	6298.2	2186.1	8943
43873			Exomphalos containing small bowel and other viscera, operation for (Assist.)	27	33	138	95	9.1	7.1	7.1	471.0	5967.4	2260.7	8699

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.

Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
88888			Pseudo link item equating items 35664 and 36528	28	18	142	83	7.8	8.4	8.4	227.6	6707.8	1693.0	8628
43813			Meconium ileus, laparotomy for, complicated by 1 or more of associated volvulus, atresia, intestinal perforation with or	29	20	147	100	8.8	6.6	6.8	278.0	6020.2	2301.2	8599
36645			Nephroscopy, percutaneous, with removal or destruction of a stone greater than 3cm in any dimension, or for 3 or more	30	16	156	60	8.1	7.9	7.9	208.3	7088.1	1270.9	8567
37842			Exstrophy of bladder or epispadias, secondary repair with bladder neck tightening, with or without ureteric reimplantation	31	16	165	60	9.1	6.6	6.8	228.4	6822.8	1427.8	8479
43957			Gastro-oesophageal reflux, laparotomy and fundoplication for, with or without hiatus hernia, in child with neurological disease,	32	29	147	80	8.8	7.1	6.8	403.0	6230.6	1841.0	8475
43912			Thoracotomy and excision of 1 or more of bronchogenic or enterogenous cyst or mediastinal teratoma (Assist.)	33	24	147	80	8.8	6.6	6.8	333.5	6020.2	1841.0	8195
43828			Acute neonatal necrotising enterocolitis, laparotomy for, with resection, including any anastomoses or stoma formation	34	24	138	90	9.1	6.6	6.8	342.6	5706.4	2141.7	8191
36543			Nephrolithotomy or pyelolithotomy, or both, extended, for staghorn stone or 3 or more stones, including 1 or more of the	35	16	165	70	7.2	7.0	7.0	190.3	6647.9	1318.0	8156
43843			Oesophageal atresia (with or without repair of tracheo-oesophageal fistula), complete correction of, not being a service	36	24	138	90	8.8	6.6	6.8	333.5	5651.7	2071.1	8056
36506			Renal transplant, performed by vascular surgeon and urologist operating together - vascular anastomosis, including after-care	37	24	179	101	7.2	5.2	5.2	285.5	5795.6	1901.6	7983
37848			Ambiguous genitalia with urogenital sinus, reduction clitoroplasty, with endoscopy and vaginoplasty (Assist.)	38	12	184	30	8.3	6.6	5.8	159.3	7131.7	651.1	7942
36570			Pyeloplasty, complicated by previous surgery on the same kidney, by open exposure (Assist.)	39	16	138	65	7.2	8.2	8.8	190.3	6415.1	1223.8	7829
43900			Tracheo-oesophageal fistula without atresia, division and repair of (Assist.)	40	24	129	90	8.3	7.1	7.1	318.5	5441.8	1953.4	7714
37851			Congenital adrenal hyperplasia, mixed gonadal dysgenesis or similar condition, vaginoplasty for, with or without endoscopy	41	16	165	30	9.1	6.6	6.3	228.4	6696.3	713.9	7639
36500			Adrenal gland, excision of - partial or total (Assist.)	42	21	131	60	7.2	8.8	8.4	249.8	6234.2	1129.7	7614
35664			Radical hysterectomy with radical excision of pelvic lymph glands (with or without excision of uterine adnexae) for proven	43	19	134	75	7.5	7.5	7.5	233.1	5746.6	1470.9	7451
43810			Jejunal atresia, bowel resection and anastomosis for, with or without tapering (Assist.)	44	16	138	100	7.4	6.6	6.3	194.3	5290.4	1935.1	7420
43876			Sacrococcygeal teratoma, excision of, by posterior approach (Assist.)	45	24	129	90	8.3	6.2	6.8	318.5	5050.1	1953.4	7322
43939			Ventral hernia following neonatal closure of exomphalos or gastroschisis, repair of (Assist.)	46	16	165	40	7.9	6.6	5.5	204.3	6232.1	826.3	7263
36522			Nephrectomy, partial (Assist.)	47	16	133	70	7.2	7.6	7.6	190.3	5709.4	1318.0	7218
37607			Retroperitoneal lymph node dissection, unilateral, not being a service associated with a service to which item 36528 applies	48	16	138	60	7.2	7.5	7.2	190.3	5799.9	1129.7	7120
43861			Congenital cystadenomatoid malformation or congenital lobar emphysema, thoracotomy and lung resection for (Assist.)	49	24	110	90	9.1	6.6	6.8	342.6	4548.6	2141.7	7033
35670			Hysterectomy, abdominal, with radical excision of pelvic lymph glands, with or without removal of uterine adnexae (Assist.)	50	20	127	75	7.5	7.1	7.5	245.4	5301.0	1470.9	7017
43909			Tracheomalacia, aortopexy for (Assist.)	51	24	110	95	9.1	6.2	6.3	342.6	4338.3	2260.7	6941
43837			Congenital diaphragmatic hernia, repair by thoracic or abdominal approach, with diagnosis confirmed in the first 24	52	24	119	75	9.1	6.2	5.8	342.6	4601.9	1784.7	6729
35720			Radical or debulking operation for advanced gynaecological malignancy, with or without omentectomy (Assist.)	53	20	112	90	7.5	7.5	7.0	245.4	4717.2	1765.1	6728
43834			Bowel resection for necrotising enterocolitis stricture or strictures, including any anastomoses or stoma formation	54	16	147	60	7.4	6.2	5.8	194.3	5354.4	1161.1	6710

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
43954			Gastro-oesophageal reflux with or without hiatus hernia, laparotomy and fundoplication for, with gastrostomy (Assist.)	55	20	147	60	8.3	5.7	5.0	265.4	5138.5	1302.3	6706
43864			Gastroschisis, operation for (Assist.)	56	33	110	95	7.9	6.6	5.8	421.4	4205.3	1962.6	6589
37200			Prostatectomy, open (Assist.)	57	20	142	70	5.3	7.0	7.2	190.3	5408.1	970.2	6569
43984			Nephroblastoma, radical nephrectomy for (Assist.)	58	20	138	40	8.3	6.2	6.8	265.4	5402.5	868.2	6536
36603			Ureters, transplantation of, into isolated intestinal segment, bilateral (Assist.)	59	16	110	90	7.2	7.6	7.0	190.3	4620.8	1694.5	6506
43852			Oesophageal atresia, thoracotomy for, and division of tracheo-oesophageal fistula without anastomosis (Assist.)	60	33	96	95	9.1	5.7	7.1	471.0	3766.6	2260.7	6498
37824			Hypospadias, proximal, 1 stage repair (Assist.)	61	16	165	30	7.4	5.7	5.0	194.3	5571.4	580.5	6346
36576			Kidney, exposure and exploration of, including repair or nephrectomy, for trauma, not being a service associated with Artificial urinary sphincter, insertion of cuff, abdominal approach=20 (Assist.)	62	16	110	90	6.7	7.6	7.0	180.3	4548.1	1576.8	6305
37384			Artificial urinary sphincter, insertion of cuff, abdominal approach=20 (Assist.)	63	29	138	60	6.7	6.4	5.2	326.8	4850.8	1051.2	6229
35753			Laparoscopically assisted hysterectomy, with salpingectomy, oophorectomy or excision of ovarian cyst, one or both sides, Intestinal malrotation with or without volvulus, laparotomy for, with bowel resection and anastomosis, with or without Laparoscopically assisted hysterectomy, including any associated laparoscopy (Assist.)	64	23	119	60	7.1	7.1	7.0	270.7	4812.9	1114.0	6198
43804			Intestinal malrotation with or without volvulus, laparotomy for, with bowel resection and anastomosis, with or without Laparoscopically assisted hysterectomy, including any associated laparoscopy (Assist.)	65	16	119	60	9.1	5.7	6.3	228.4	4522.9	1427.8	6179
35750			Laparoscopically assisted hysterectomy, including any associated laparoscopy (Assist.)	67	21	119	60	7.1	6.7	7.5	247.2	4767.9	1114.0	6129
35756			Laparoscopically assisted hysterectomy, when procedure is completed by open hysterectomy, including any associated Pyeloplasty in congenitally abnormal kidney or solitary kidney, by open exposure=20 (Assist.)	67	21	119	60	7.1	6.7	7.5	247.2	4767.9	1114.0	6129
36567			Pyeloplasty in congenitally abnormal kidney or solitary kidney, by open exposure=20 (Assist.)	68	20	110	60	7.2	7.6	7.6	237.9	4722.1	1129.7	6090
36591			Ureter, reimplantation into bladder with psoas hitch or Boari flap or both=20 (Assist.)	69	16	101	85	6.2	8.5	7.8	170.3	4493.3	1378.1	6042
43816			Ileal atresia, colonic atresia or meconium ileus not being a service associated with a service to which item 43813 applies, Urethra, repair of rupture of prostatic or membranous segment (Assist.)	70	16	119	70	8.3	5.7	5.8	212.3	4305.8	1519.3	6037
37309			Urethra, repair of rupture of prostatic or membranous segment (Assist.)	71	16	110	60	6.7	8.2	7.0	180.3	4737.0	1051.2	5969
37375			Urethral sphincter, reconstruction by bladder tubularisation technique or similar procedure (Assist.)	72	16	165	70	5.7	5.2	4.1	160.3	4736.7	1043.4	5940
36516			Nephrectomy, complete (Assist.)	73	20	103	75	6.7	7.6	7.8	225.4	4385.1	1314.0	5925
36600			Ureter, transplantation of, into isolated intestinal segment, unilateral (Assist.)	74	16	110	75	6.2	7.6	7.0	170.3	4475.4	1216.0	5862
35561			Vaginectomy, radical, for proven invasive malignancy - 1 surgeon (Assist.)	75	15	138	70	6.0	5.8	5.6	155.9	4570.8	1098.3	5825
13200			Assisted reproductive services (such as in vitro fertilisation, gamete intra-fallopian transfer or similar procedures) involving Retro-peritoneal lymph node biopsies from above the level of the aortic bifurcation, for staging or restaging of gynaecological Anorectal malformation, perineal anoplasty of (Assist.)	76	16	129	40	6.7	6.7	6.6	180.3	4922.3	700.8	5803
35723			Retro-peritoneal lymph node biopsies from above the level of the aortic bifurcation, for staging or restaging of gynaecological Anorectal malformation, perineal anoplasty of (Assist.)	77	21	113	60	7.1	6.7	6.6	247.2	4371.5	1114.0	5733
43960			Anorectal malformation, perineal anoplasty of (Assist.)	78	24	110	80	7.4	5.7	5.5	291.5	3798.7	1548.1	5638
35551			Pelvic lymph glands, excision of (radical)=20 (Assist.)	79	16	172	70	4.9	4.6	4.6	144.2	4592.3	896.9	5633
35667			Radical hysterectomy without gland dissection (with or without excision of uterine adnexae) for proven malignancy including Nephrolithotomy or pyelolithotomy, or both, through the same skin incision, for 1 or 2 stones=20 (Assist.)	80	19	93	80	7.5	7.1	7.0	233.1	3810.5	1569.0	5613
36540			Nephrolithotomy or pyelolithotomy, or both, through the same skin incision, for 1 or 2 stones=20 (Assist.)	81	16	104	60	6.2	8.2	7.0	170.3	4409.9	972.8	5553

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
37845			Ambiguous genitalia with urogenital sinus, reduction clitoroplasty, with or without endoscopy (Assist.)	82	16	138	30	7.4	6.2	4.6	194.3	4772.5	580.5	5547
36639			Nephroscopy, percutaneous, with destruction and extraction of 1 or 2 stones using ultrasound or electrohydraulic shock waves	83	16	110	60	6.2	7.0	7.3	170.3	4337.1	972.8	5480
43807			Duodenal atresia or stenosis, duodenojejunostomy or duodenojejunostomy for (Assist.)	84	16	110	70	7.4	5.7	5.8	194.3	3849.3	1354.6	5398
37444			Ureterolithotomy complicated by previous surgery at the same site of the same ureter (Assist.)	85	16	110	50	6.2	7.0	7.6	170.3	4387.8	810.7	5369
36627			Nephroscopy, percutaneous, with or without any 1 or more of: stone extraction, biopsy or diathermy, not being a service to	86	20	117	60	5.3	7.0	6.4	190.3	4312.4	831.6	5334
43870			Exomphalos containing small bowel only, operation for (Assist.)	87	33	83	95	8.3	5.4	5.0	438.0	2830.1	2061.9	5330
43951			Gastro-oesophageal reflux with or without hiatus hernia, laparotomy and fundoplication for, without gastrectomy (Assist.)	88	20	110	50	8.3	5.7	5.0	265.4	3845.2	1085.2	5196
36519			Nephrectomy, complete, complicated by previous surgery on the same kidney (Assist.)	89	20	101	60	6.5	6.9	6.8	220.4	3916.0	1019.9	5156
37411			Penis, repair of avulsion (Assist.)	90	16	110	75	5.3	7.3	5.2	152.2	3946.4	1039.5	5138
35726			Infra-colic omentectomy with multiple peritoneal biopsies for staging or restaging of gynaecological malignancy (Assist.)	91	21	94	75	6.7	6.7	6.6	236.6	3586.8	1314.0	5137
35661			Hysterectomy, abdominal, requiring extensive retroperitoneal dissection with or without exposure of 1 or both ureters, for the	92	19	94	65	7.1	6.7	7.0	223.6	3694.2	1206.8	5125
161			Professional attendance for a period of not less than 2 hours but less than 3 hours (not being a service to which any other	93	9	135	18	8.6	4.1	7.0	122.8	4568.6	404.8	5096
43867			Gastroschisis, secondary operation for, with removal of silo and closure of abdominal wall (Assist.)	94	24	83	90	7.9	5.7	5.5	306.5	2921.1	1859.3	5087
35697			Microsurgical tuboplasty (salpingostomy, salpingolysis or tubal implantation into uterus), unilateral or bilateral, 1 or more	95	19	105	50	6.4	6.7	6.6	207.0	3964.9	836.8	5009
37029			Vesico-vaginal fistula, closure of by abdominal approach (Assist.)	96	16	101	70	5.4	7.5	6.1	154.3	3834.1	988.5	4977
36618			Reduction ureteroplasty=20 (Assist.)	97	15	115	60	5.5	6.3	5.9	146.5	3950.5	863.0	4960
36564			Pyeloplasty, by open exposure (Assist.)	98	20	106	65	6.2	6.2	5.8	212.8	3692.8	1053.8	4960
43936			Intussusception, laparotomy and resection with anastomosis (Assist.)	99	33	110	45	7.4	5.7	4.6	400.8	3646.8	870.8	4918
36609			Intestinal urinary conduit or ureterostomy, revision of=20 (Assist.)	100	16	110	60	5.7	6.2	6.4	160.3	3860.7	894.3	4915
43858			Oesophageal atresia, cervical oesophagostomy for (Assist.)	101	33	64	90	8.8	5.7	5.8	458.6	2358.0	2071.1	4888
36648			Nephroscopy, being a service to which item 36645 applies, where, after a substantial portion of the procedure has been	102	16	138	50	5.3	5.1	4.7	152.2	3976.1	693.0	4821
45036			Angioma (haemangioma or lymphangioma or both) of neck, deep, excision of (Assist.)	103	16	110	30	7.4	6.2	5.8	194.3	4006.7	580.5	4782
37000			Bladder, partial excision of (Assist.)	104	16	110	60	5.3	6.3	6.1	152.2	3783.4	831.6	4767
43840			Congenital diaphragmatic hernia, repair by thoracic or abdominal approach, diagnosed after the first day of life and	105	16	101	60	7.4	5.4	5.5	194.3	3401.1	1161.1	4757
37390			Artificial urinary sphincter, revision or removal of, with or without replacement (Assist.)	106	29	110	60	5.3	5.8	5.8	276.0	3575.4	831.6	4683
43825			Neonatal alimentary obstruction, laparotomy for, not being a service to which any other item in this Subgroup applies	107	24	101	40	7.4	5.7	5.8	291.5	3534.3	774.0	4600
37836			Epispadias, staged repair, first stage (Assist.)	109	12	110	20	8.3	5.7	5.8	159.3	3980.2	434.1	4574

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
37839			Epispadias, staged repair, second stage (Assist.)	109	12	110	20	8.3	5.7	5.8	159.3	3980.2	434.1	4574
37050			Bladder exstrophy closure, not involving sphincter reconstruction (Assist.)	110	16	138	60	3.2	5.4	5.0	110.2	3775.0	502.1	4387
37053			Bladder transection and re-anastomosis to trigone (Assist.)	111	16	138	60	4.8	4.1	4.7	142.2	3490.0	753.1	4385
43801			Intestinal malrotation with or without volvulus, laparotomy for, not involving bowel resection (Assist.)	112	16	83	65	8.3	4.9	5.0	212.3	2711.3	1410.8	4334
36573			Divided ureter, repair of (Assist.)	113	16	101	60	5.3	5.8	6.2	152.2	3344.8	831.6	4329
43819			Hirschsprung's disease, laparotomy for, with or without frozen section biopsies and formation of stoma (Assist.)	114	16	92	60	7.4	4.9	5.5	194.3	2966.4	1161.1	4322
45421			Free grafting (split skin) to burns, including excision of burnt tissue, on eyelid, nose, lip, neck, hand, thumb, finger or genitals	115	27	114	30	6.6	5.4	4.2	300.9	3491.0	517.8	4310
35562			Vaginectomy, radical, for proven invasive malignancy, conjoint surgery - abdominal surgeon (including aftercare) (Assist.)	116	15	92	70	6.0	5.8	5.6	155.9	3047.2	1098.3	4301
37426			Penis, artificial erection device, insertion of, into 1 or both corpora (Assist.)	117	29	98	40	5.3	6.3	6.6	276.0	3445.8	554.4	4276
36588			Ureter, reimplantation into bladder (Assist.)	118	18	86	60	6.0	6.6	6.1	187.1	3111.4	941.4	4240
43822			Anorectal malformation, laparotomy and colostomy for (Assist.)	119	16	83	60	7.9	4.9	5.0	204.3	2667.4	1239.5	4111
37342			Urethroplasty - single stage operation (Assist.)	120	12	87	45	6.7	6.6	5.6	135.2	3161.3	788.4	4085
35700			Fallopian tubes, unilateral microsurgical anastomosis of, using operating microscope, for other than reversal of previous	121	14	100	40	5.6	5.8	5.6	138.5	3259.3	585.8	3984
35548			Vulvectomy, radical, for malignancy (Assist.)	122	19	81	70	6.0	5.8	5.6	197.4	2682.9	1098.3	3979
35653			Hysterectomy, abdominal, sub total or total, with or without removal of uterine adnexae (Assist.)	123	18	75	60	6.7	6.3	6.1	202.8	2718.4	1051.2	3972
36633			Nephroscopy, percutaneous, with incision of any 1 or more of; renal pelvis, calyx or calyces or ureter and including antegrade	124	20	83	65	5.3	6.2	6.2	190.3	2843.7	900.9	3935
36594			Ureter, transplantation of, into intestine=20 (Assist.)	125	16	78	75	5.3	6.3	6.1	152.2	2682.8	1039.5	3874
37423			Penis, lengthening by translocation of corpora (Assist.)	126	19	118	30	5.3	4.7	4.7	180.8	3264.8	415.8	3861
36579			Ureterectomy, complete or partial, with or without associated bladder repair, not being a service associated with a service to	127	16	92	45	6.0	5.6	5.4	166.3	2966.3	706.1	3839
35673			Hysterectomy, vaginal, (with or without uterine curettage) with salpingectomy, oophorectomy or excision of ovarian cyst, 1 or	128	17	71	60	6.7	6.3	6.1	191.6	2573.4	1051.2	3816
36642			Nephroscopy, being a service to which item 36639 applies, where, after a substantial portion of the procedure has been	129	16	92	60	5.2	5.6	5.2	150.2	2840.8	815.9	3807
36537			Kidney or perinephric area, exploration of, with or without drainage of, by open exposure, not being a service to which	130	16	83	75	5.2	5.5	5.6	150.2	2590.1	1019.9	3760
44111			Obstructed or strangulated inguinal hernia, repair of, at age less than 3 months, including orchidopexy when performed (Assist.)	131	24	74	20	7.4	7.6	6.4	291.5	3060.0	387.0	3739
36636			Nephroscopy, percutaneous, with incision of any 1 or more of; renal pelvis, calyx or calyces or ureter and including antegrade	132	16	101	50	5.2	4.9	5.1	150.2	2900.9	679.9	3731
37429			Penis, artificial erection device, insertion of pump and pressure regulating reservoir =20 (Assist.)	133	29	85	50	4.8	5.8	5.8	257.8	2706.6	627.6	3592
36624			Nephrostomy, percutaneous, using interventional imaging techniques (Assist.)	134	16	99	45	3.5	6.3	5.0	116.2	3002.4	411.9	3530
36597			Ureter, transplantation of, into another ureter=20 (Assist.)	135	16	78	50	5.3	6.3	6.1	152.2	2682.8	693.0	3528

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
37004			Bladder, repair of rupture (Assist.)	136	16	110	60	4.8	3.9	4.1	142.2	2617.6	753.1	3513
36615			Ureterolysis, with or without repositioning of ureter, for retroperitoneal fibrosis, ovarian vein syndrome or similar	137	16	85	40	5.8	5.7	5.3	162.3	2729.5	606.7	3498
43945			Patent vitello intestinal duct, excision of (Assist.)	138	20	83	30	7.1	5.4	5.0	235.4	2698.4	557.0	3491
37396			Priapism, shunt operation for, not being a service to which item 37393 applies (Assist.)	139	8	115	15	4.8	5.4	4.1	71.1	3230.3	188.3	3490
35602			Stress incontinence, combined synchronous abdomino-vaginal operation for; abdominal procedure (including after-care)	140	16	85	60	5.0	5.5	4.9	146.2	2538.7	784.5	3469
36585			Ureter, transplantation of, into skin=20 (Assist.)	141	15	87	35	5.1	6.1	5.6	139.0	2852.8	466.8	3459
16515			Management of vaginal delivery as an independent procedure where the patient's care has been transferred by another	142	23	67	50	6.7	5.8	5.6	259.2	2281.2	876.0	3416
35565			Vaginal reconstruction for congenital absence, gynatresia or urogenital sinus (Assist.)	143	21	75	52	5.6	5.8	5.6	207.7	2444.5	761.5	3414
37830			Hypospadias, staged repair, second stage (Assist.)	144	16	83	30	6.6	5.7	5.0	178.3	2714.8	517.8	3411
37333			Urethro-vaginal fistula, closure of (Assist.)	145	16	83	45	5.3	5.7	5.2	152.2	2597.6	623.7	3374
37336			Urethro-rectal fistula, closure of (Assist.)	146	16	92	30	5.2	5.6	5.0	150.2	2812.6	407.9	3371
36612			Ureter, exploration of, with or without drainage of, as an independent procedure=20 (Assist.)	147	16	83	60	5.2	5.2	4.7	150.2	2404.2	815.9	3370
37203			Prostatectomy (endoscopic, using diathermy or cold punch), with or without cystoscopy, and with or without urethroscopy,	148	15	45	35	8.1	9.9	9.8	195.3	2433.4	741.4	3370
35658			Uterus (at least equivalent in size to a 10 week gravid uterus), debulking of, prior to vaginal removal at hysterectomy (Assist.)	149	17	69	50	6.4	5.8	5.6	185.2	2321.9	836.8	3344
36558			Renal cyst or cysts, excision or unroofing of=20 (Assist.)	150	16	83	60	5.1	5.2	4.1	148.2	2316.9	800.2	3265
35649			Hysterotomy or uterine myomectomy, abdominal (Assist.)	151	18	67	50	6.0	5.8	5.6	187.1	2219.2	784.5	3191
13206			Assisted reproductive services (such as in vitro fertilisation, gamete intra-fallopian transfer or similar procedures), using	152	15	77	25	6.4	5.8	5.6	163.4	2591.1	418.4	3173
13203			Ovulation monitoring services, for superovulated treatment cycles of less than 9 days duration and artificial insemination -	153	16	76	25	6.4	5.8	5.6	174.3	2557.5	418.4	3150
37020			Bladder diverticulum, excision or obliteration of (Assist.)	154	16	74	45	5.5	5.8	5.0	156.3	2334.0	647.2	3137
37432			Penis, artificial erection device, complete or partial revision or removal of components, with or without replacement =20	155	28	87	40	5.3	4.6	4.1	266.4	2302.1	554.4	3123
35599			Stress incontinence, sling operation for (Assist.)	156	17	76	60	5.2	4.8	4.9	159.6	2137.8	815.9	3113
37207			Prostate, endoscopic non-contact (side firing) visual laser ablation, with or without cystoscopy and with or without	157	20	62	15	5.0	8.5	8.4	182.8	2717.0	196.1	3096
35657			Hysterectomy, vaginal, with or without uterine curettage, not being a service to which item 35673 applies (Assist.)	158	17	63	50	6.0	5.8	5.6	176.7	2086.7	784.5	3048
37821			Hypospadias, distal, 1 stage repair (Assist.)	159	16	67	30	7.4	5.7	5.0	194.3	2262.3	580.5	3037
43849			Oesophageal atresia, gastrostomy for (Assist.)	160	20	55	50	7.1	5.7	5.0	235.4	1835.3	928.3	2999
36549			Ureterolithotomy=20 (Assist.)	161	16	61	60	5.3	5.8	6.1	152.2	2010.8	831.6	2995
37381			Artificial urinary sphincter, insertion of cuff, perineal approach=20 (Assist.)	162	29	51	60	5.3	7.2	5.8	276.0	1862.0	831.6	2970

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.

Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
37348			Urethroplasty - 2 stage operation - second stage (Assist.)	163	16	83	30	5.1	5.1	5.0	148.2	2407.7	400.1	2956
37619			Vaso-vasostomy or vaso-epididymostomy, unilateral, for other than reversal of previous sterilisation (Assist.)	164	16	118	20	3.4	4.1	4.0	114.2	2639.1	177.8	2931
16520			Caesarean section and post-operative care for 7 days where the patient's care has been transferred by another medical	165	27	39	64	6.7	6.7	6.1	304.2	1458.2	1121.3	2884
36809			Ureteroscopy being a service to which item 36803 applies, plus destruction of stone with ultrasound, electrohydraulic shock	166	10	44	30	6.2	9.9	9.8	106.4	2268.8	486.4	2862
37306			Urethra, repair of rupture of distal section (Assist.)	167	16	78	40	5.3	5.0	4.1	152.2	2153.3	554.4	2860
43933			Idiopathic intussusception, laparotomy and manipulative reduction of (Assist.)	168	24	60	30	7.4	5.7	4.2	291.5	1952.3	580.5	2824
45035			Angioma (haemangioma or lymphangioma or both) large and deep, involving muscles or nerves, excision of (Assist.)	169	19	61	27	7.4	5.7	5.0	230.8	2059.7	522.5	2813
37044			Bladder stress incontinence, suprapubic procedure for, not being a service to which item 35599 applies (Assist.)	170	19	66	40	5.6	5.3	5.3	187.9	2026.3	585.8	2800
35584			Donald-Fothergill or Manchester operation for genital prolapse (Assist.)	171	15	72	40	5.2	5.0	4.7	140.9	2044.4	543.9	2729
43831			Acute neonatal necrotising enterocolitis where no definitive procedure is possible, laparotomy for (Assist.)	172	24	55	30	9.1	3.1	5.8	342.6	1639.0	713.9	2695
37809			Undescended testis, revision orchidopexy for (Assist.)	173	16	64	20	6.6	6.2	4.6	178.3	2145.7	345.2	2669
35590			Operation involving abdominal approach for repair of enterocele or suspension of vaginal vault or enterocele and suspension of	174	15	69	40	5.2	5.0	4.7	140.9	1959.2	543.9	2644
36509			Renal transplant, performed by vascular surgeon and urologist operating together - ureterovesical anastomosis, including after-	175	20	55	75	5.1	4.7	4.1	185.3	1456.6	1000.2	2642
37854			Urethral valve, destruction of, including cystoscopy and urethroscopy (Assist.)	176	16	55	30	7.9	5.4	4.6	204.3	1812.5	619.8	2637
35564			Vaginectomy, radical, for proven invasive malignancy, conjoint surgery - perineal surgeon (Assist.)	177	15	46	60	6.0	5.8	5.6	155.9	1523.6	941.4	2621
16519			Management of labour and delivery by any means (including Caesarean section) including post-partum care for 5 days	178	26	33	60	6.7	7.1	6.1	293.0	1271.7	1051.2	2616
36630			Nephroscopy, being a service to which item 36627 applies, where, after a substantial portion of the procedure has been	179	16	64	30	4.8	6.4	5.2	142.2	2088.9	376.6	2608
35717			Laparotomy, involving oophorectomy, salpingectomy, salpingo-oophorectomy, removal of ovarian, parovarian, fimbrial or broad	180	16	65	40	5.2	5.0	5.2	150.2	1895.5	543.9	2590
35638			Complicated operative laparoscopy, including use of laser when required, for 1 or more of the following procedures;	181	15	61	30	5.6	5.8	5.6	148.4	1988.2	439.3	2576
37023			Vesical fistula, cutaneous, operation for	182	15	83	30	4.5	4.7	3.8	127.7	2094.1	353.0	2575
43981			Nephroblastoma, neuroblastoma or other malignant tumour, laparotomy (exploratory), including associated biopsies, where	183	16	69	30	7.9	3.1	3.8	204.3	1735.0	619.8	2559
37345			Urethroplasty - 2 stage operation - first stage (Assist.)	184	16	83	30	2.7	5.4	5.0	100.2	2215.6	211.8	2528
36546			Extracorporeal shock wave lithotripsy (ESWL) to urinary tract and post-treatment care for 3 days, including pre-treatment	185	26	67	23	5.3	5.2	4.7	247.4	1949.6	318.8	2516
16525			Management of second trimester labour, with or without induction, for intrauterine foetal death, gross foetal abnormality	186	15	69	30	5.2	5.0	4.7	140.9	1959.2	407.9	2508
35560			Vagina, partial or complete removal of (Assist.)	187	15	60	40	5.2	5.4	5.2	140.9	1818.4	543.9	2503
35012			Sacral or pre-sacral sympathectomy (Assist.)	188	15	58	40	5.2	5.4	5.6	140.9	1793.3	543.9	2478
35623			Hysteroscopic resection of myoma or uterine septum followed by endometrial ablation by laser or diathermy	189	14	64	20	5.6	5.8	5.2	138.5	2046.7	292.9	2478

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.

Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
35567			Vaginal repair including 1 or more of anterior, posterior or enterocele repair, with sacrospinous colpopexy (Assist.)	190	14	59	40	5.2	5.4	5.2	131.5	1788.1	543.9	2463
37387			Artificial urinary sphincter, insertion of pressure regulating balloon and pump=20 (Assist.)	191	29	74	30	4.7	4.1	4.1	254.2	1793.5	368.7	2416
35680			Bicornuate uterus, plastic reconstruction for (Assist.)	193	15	57	40	5.2	5.4	5.2	140.9	1727.4	543.9	2412
35729			Ovarian transposition out of the pelvis, in conjunction with radical hysterectomy for invasive malignancy	193	15	57	40	5.2	5.4	5.2	140.9	1727.4	543.9	2412
35678			Ectopic pregnancy, laparoscopic removal of (Assist.)	194	15	58	30	5.6	5.4	5.2	148.4	1788.4	439.3	2376
35593			Vaginal repair of enterocele with or without repair of rectocele, not being a service associated with a service to which item	195	15	57	40	5.2	5.4	4.7	140.9	1683.7	543.9	2368
37206			Prostatectomy (endoscopic, using diathermy or cold punch), with or without cystoscopy, and with or without urethroscopy,	196	19	42	30	5.2	7.9	8.4	178.4	1779.5	407.9	2366
30314			Thyroglossal cyst or fistula or both, radical removal of, including thyroglossal duct and portion of hyoid bone (Assist.)	197	16	56	26	7.4	4.9	3.8	194.3	1659.6	503.1	2357
37330			Urethrectomy, partial or complete, for removal of tumour (Assist.)	198	16	64	60	4.1	4.4	4.3	128.2	1575.0	643.3	2346
35713			Laparotomy, involving oophorectomy, salpingectomy, salpingo-oophorectomy, removal of ovarian, parovarian, fimbrial or broad	199	17	56	40	5.2	5.0	5.2	159.6	1633.0	543.9	2337
16627			Foeto-amniotic shunt, insertion of, into foetal fluid filled cavity, including neuromuscular blockade and amniocentesis	200	16	83	20	4.4	4.2	3.8	134.2	1964.3	230.1	2329
35580			Anterior vaginal repair and posterior vaginal repair (involving repair of rectocele or enterocele or both) not being a service to	201	16	62	40	4.8	5.0	4.2	142.2	1680.1	502.1	2324
16570			Acute inversion of the uterus, vaginal correction of, as an independent procedure	202	15	54	40	5.2	5.4	5.2	140.9	1636.5	543.9	2321
36604			Ureteric stent, passage of through percutaneous nephrostomy tube, using interventional imaging techniques	203	16	96	30	3.8	3.5	3.0	122.2	1885.7	298.1	2306
35530			Clitoris, amputation of, where medically indicated (Assist.)	204	15	57	30	5.2	5.4	5.2	140.9	1727.4	407.9	2276
91081			Home visit exceeding 75 minutes duration with a new patient where the clinical record demonstrates that the consultation	205	6	75	15	4.0	5.1	4.9	47.3	2055.1	156.9	2259
35600			Stress incontinence, vaginal procedure for (Assist.)	206	15	55	40	5.2	5.0	4.7	140.9	1561.7	543.9	2246
36806			Ureteroscopy being a service to which item 36803 applies, plus 1 or more of extraction of stone, biopsy or diathermy (Assist.)	207	16	35	30	6.2	8.5	8.4	170.3	1589.3	486.4	2246
37616			Vaso-vasostomy or vaso-epididymostomy, unilateral, using the operating microscope, for other than reversal of previous	208	15	68	15	4.8	4.9	4.8	133.3	1885.8	188.3	2207
90881			Consultation in a nursing home exceeding 75 minutes duration with a new patient where the clinical record demonstrates that	210	5	75	10	4.0	5.1	4.9	39.4	2055.1	104.6	2199
90981			Consultation in an institution exceeding 75 minutes duration with a new patient where the clinical record demonstrates that	210	5	75	10	4.0	5.1	4.9	39.4	2055.1	104.6	2199
91281			Consultation in a hospital exceeding 75 minutes duration with a new patient where the clinical record demonstrates that the	210	5	75	10	4.0	5.1	4.9	39.4	2055.1	104.6	2199
36552			Nephrostomy or pyelostomy, open, as an independent procedure=20 (Assist.)	212	16	55	30	4.3	5.8	5.8	132.2	1715.0	337.3	2185
90781			Consultation in rooms exceeding 75 minutes duration with a new patient where the clinical record demonstrates that the	213	3	75	15	3.5	5.1	4.9	21.8	2005.5	137.3	2165
36803			Ureteroscopy, with or without any 1 or more of; cystoscopy, ureteric meatotomy, ureteric dilatation and pyelostomy, not	214	12	36	30	5.6	8.5	8.4	118.7	1606.2	439.3	2164
91082			Home visit exceeding 75 minutes duration with an existing patient where the clinical record demonstrates that the	215	6	75	15	3.2	5.1	4.9	41.3	1975.7	125.5	2143
37402			Penis, partial amputation of =20 (Assist.)	216	16	64	45	3.4	4.7	4.7	114.2	1610.0	400.1	2124

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
35612			Cervix, residual stump, removal of, by abdominal approach (Assist.)	217	15	55	20	5.2	5.4	5.6	140.9	1700.6	272.0	2113
36811			Cystoscopy with insertion of urethral prosthesis	218	16	51	20	5.1	6.4	5.2	148.2	1684.8	266.7	2100
35694			Tuboplasty (salpingostomy, salpingolysis or tubal implantation into uterus), unilateral or bilateral, 1 or more procedures	219	15	35	50	6.0	5.8	5.6	155.9	1159.3	784.5	2100
37351			Urethroplasty, not being a service to which another item in this Group applies (Assist.)	220	16	78	20	4.1	4.1	3.5	128.2	1756.8	214.4	2099
90882			Consultation in a nursing home exceeding 75 minutes duration with an existing patient where the clinical record demonstrates	222	5	75	10	3.2	5.1	4.9	34.4	1975.7	83.7	2094
90982			Consultation in an institution exceeding 75 minutes duration with an existing patient where the clinical record demonstrates	222	5	75	10	3.2	5.1	4.9	34.4	1975.7	83.7	2094
91282			Consultation in a hospital exceeding 75 minutes duration with an existing patient where the clinical record demonstrates	222	5	75	10	3.2	5.1	4.9	34.4	1975.7	83.7	2094
35605			Stress incontinence, combined synchronous abdomino-vaginal operation for; vaginal procedure (including after-care) (Assist.)	224	16	54	40	4.8	4.6	4.7	142.2	1442.9	502.1	2087
37827			Hypospadias, staged repair, first stage (Assist.)	225	16	55	15	7.4	4.9	3.3	194.3	1587.8	290.3	2072
37806			Undescended testis in inguinal canal close to deep inguinal ring or within abdominal cavity, orchidopexy for (Assist.)	226	13	41	20	6.6	7.3	5.8	144.9	1579.1	345.2	2069
37372			Urethral diverticulum, excision of (Assist.)	227	12	55	15	4.8	6.3	5.0	106.7	1762.5	188.3	2057
90782			Consultation in rooms exceeding 75 minutes duration with an existing patient where the clinical record demonstrates that the	228	3	75	15	2.7	5.1	4.9	18.8	1926.2	105.9	2051
35710			Fallopiscopy, unilateral or bilateral, including hysteroscopy and tubal catheterization (Assist.)	229	16	57	20	5.2	5.0	4.7	150.2	1618.5	272.0	2041
16567			Management of postpartum haemorrhage by special measures such as packing of uterus, as an independent procedure	230	19	48	30	6.0	4.2	5.6	197.4	1370.1	470.7	2038
44114			Inguinal hernia repair at age less than 3 months when orchidopexy also required (Assist.)	231	16	41	20	7.4	6.2	5.0	194.3	1443.1	387.0	2024
44130			Lymphadenectomy, for atypical mycobacterial infection or other granulomatous disease (Assist.)	232	12	46	20	7.1	5.7	4.6	141.2	1506.8	371.3	2019
37408			Penis, repair of laceration of cavernous tissue, or fracture involving cavernous tissue (Assist.)	233	16	64	30	3.4	4.7	4.7	114.2	1610.0	266.7	1991
13218			Preparation and transfer of frozen or donated embryos or both ova and sperm, to the female reproductive system, by any	234	15	54	20	5.2	5.0	5.2	140.9	1574.7	272.0	1988
16609			Foetal intravascular blood transfusion, using blood already collected, including neuromuscular blockade, amniocentesis	235	13	92	20	3.6	3.3	2.8	96.0	1701.9	188.3	1986
37221			Prostatic abscess, endoscopic drainage of (Assist.)	236	16	37	30	5.3	6.9	6.6	152.2	1364.5	415.8	1933
35536			Vulva, wide local excision of suspected malignancy or hemivulvectomy, 1 or both procedures (Assist.)	237	15	40	40	5.2	5.4	5.6	140.9	1236.8	543.9	1922
45406			Free grafting (split skin) to burns, including excision of burnt tissue - involving not more than 3% of total body surface	238	23	46	40	5.8	4.0	2.6	233.3	1062.8	606.7	1903
35677			Ectopic pregnancy, removal of (Assist.)	239	17	44	35	5.6	4.2	5.2	168.2	1205.6	512.5	1886
30614			Femoral or inguinal hernia or infantile hydrocele, repair of, not being a service to which item 30403 or 30615 applies (Assist.)	240	19	42	37	6.6	4.0	2.9	211.7	1034.1	638.6	1884
32131			Rectocele, perineal repair of (Assist.)	241	14	51	30	5.2	4.2	4.7	131.5	1331.3	407.9	1871
37800			Patent urachus, excision of (Assist.)	242	8	55	15	7.4	4.0	3.3	97.2	1446.1	290.3	1834
16573			Third degree tear, involving anal sphincter muscles and rectal mucosa, repair of, as an independent procedure	243	16	49	25	5.2	4.6	4.7	150.2	1335.2	340.0	1825

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
43930			Hypertrophic pyloric stenosis, pyloromyotomy for (Assist.)	244	24	32	30	7.4	4.9	3.3	291.5	923.8	580.5	1796
36621			Closure of cutaneous ureterostomy (Assist.)	245	16	60	30	3.4	4.3	4.1	114.2	1385.4	266.7	1766
36845			Cystoscopy, with diathermy, resection or visual laser destruction of multiple tumours in more than 2 quadrants of the Litholapaxy, with or without cystoscopy (Assist.)	246	13	25	30	5.5	9.3	9.1	127.0	1196.2	431.5	1755
36863			Cystoscopy, with diathermy, resection or visual laser destruction of multiple tumours in more than 2 quadrants of the Litholapaxy, with or without cystoscopy (Assist.)	247	16	30	30	5.3	7.3	7.2	152.2	1168.3	415.8	1736
90771			Consultation in rooms of approximately 60 minutes duration with a new patient where the clinical record demonstrates that Hypospadias, repair of post operative urethral fistula (Assist.)	248	3	60	15	5.5	3.8	4.0	29.3	1457.0	215.7	1702
37833			Consultation in rooms of approximately 60 minutes duration with a new patient where the clinical record demonstrates that Hypospadias, repair of post operative urethral fistula (Assist.)	249	16	37	20	6.6	5.4	5.0	178.3	1178.5	345.2	1702
91271			Consultation in a hospital of approximately 60 minutes duration with a new patient where the clinical record demonstrates that Foetal intraperitoneal blood transfusion, using blood already collected, including neuromuscular blockade, amniocentesis Cervix, residual stump, removal of, by vaginal approach (Assist.)	250	5	60	10	5.7	3.8	4.2	50.1	1491.2	149.1	1690
16612			Consultation in a hospital of approximately 60 minutes duration with a new patient where the clinical record demonstrates that Foetal intraperitoneal blood transfusion, using blood already collected, including neuromuscular blockade, amniocentesis Cervix, residual stump, removal of, by vaginal approach (Assist.)	251	12	55	25	4.4	4.2	3.8	100.7	1301.7	287.7	1690
35613			Consultation in a hospital of approximately 60 minutes duration with a new patient where the clinical record demonstrates that Foetal intraperitoneal blood transfusion, using blood already collected, including neuromuscular blockade, amniocentesis Cervix, residual stump, removal of, by vaginal approach (Assist.)	252	15	41	20	5.2	5.4	5.6	140.9	1267.7	272.0	1681
91071			Home visit of approximately 60 minutes duration with a new patient where the clinical record demonstrates that the Branchial fistula, removal of (Assist.)	253	6	60	15	3.2	4.7	4.9	41.3	1511.9	125.5	1679
30289			Home visit of approximately 60 minutes duration with a new patient where the clinical record demonstrates that the Branchial fistula, removal of (Assist.)	254	12	41	20	6.6	4.9	4.2	133.7	1196.9	345.2	1676
37417			Penis, correction of chordee, with or without excision of fibrous plaque or plaques and with or without grafting=20 (Assist.)	255	16	40	20	5.1	5.6	5.6	148.2	1254.4	266.7	1669
37818			Hypospadias, glanuloplasty incorporating meatal advancement (Assist.)	256	16	41	15	7.4	4.9	3.3	194.3	1183.6	290.3	1668
37026			Cutaneous vesicostomy, establishment of (Assist.)	257	8	55	10	6.6	4.0	3.3	89.1	1387.9	172.6	1650
35684			Uterus, suspension or fixation of, as an independent procedure (Assist.)	258	14	39	30	5.2	5.0	4.7	131.5	1107.4	407.9	1647
90871			Consultation in a nursing home of approximately 60 minutes duration with a new patient where the clinical record	260	5	60	10	3.2	4.7	4.9	34.4	1511.9	83.7	1630
90971			Consultation in an institution of approximately 60 minutes duration with a new patient where the clinical record	260	5	60	10	3.2	4.7	4.9	34.4	1511.9	83.7	1630
91072			Home visit of approximately 60 minutes duration with an existing patient where the clinical record demonstrates that the	261	6	60	15	2.7	4.7	4.9	37.6	1472.2	105.9	1616
35576			Anterior vaginal repair or posterior vaginal repair (involving repair of rectocele or enterocele or both) not being a service to	262	14	41	30	5.2	4.2	4.7	131.5	1070.3	407.9	1610
36857			Endoscopic manipulation or extraction of ureteric calculus	263	15	37	30	4.3	5.9	5.5	124.0	1147.3	337.3	1609
35687			Sterilisation by transection or resection of fallopian tubes, via abdominal or vaginal routes or via laparoscopy using diathermy	264	13	46	20	5.2	4.2	4.7	122.1	1200.8	272.0	1595
35587			Urethrocele, operation for	265	13	42	30	5.2	4.2	4.2	122.1	1064.2	407.9	1594
30644			Exploration of spermatic cord, inguinal approach, with or without testicular biopsy and with or without excision of	266	18	38	30	4.3	5.0	5.9	148.7	1103.7	337.3	1590
35566			Vaginal septum, excision of, for correction of double vagina (Assist.)	267	15	45	20	5.2	4.2	4.7	140.9	1174.7	272.0	1588
37208			Prostate, endoscopic non-contact (side firing) visual laser ablation, with or without cystoscopy and with or without	268	16	28	30	5.3	7.1	5.9	152.2	1018.6	415.8	1587
90872			Consultation in a nursing home of approximately 60 minutes duration with an existing patient where the clinical record	270	5	60	10	2.7	4.7	4.9	31.3	1472.2	70.6	1574
90972			Consultation in an institution of approximately 60 minutes duration with an existing patient where the clinical record	270	5	60	10	2.7	4.7	4.9	31.3	1472.2	70.6	1574

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
91272			Consultation in a hospital of approximately 60 minutes duration with an existing patient where the clinical record demonstrates	270	5	60	10	2.7	4.7	4.9	31.3	1472.2	70.6	1574
35533			Vulvoplasty or labioplasty, where medically indicated, not being a service associated with a service to which item 35536 applies	272	14	46	20	4.8	4.6	4.2	124.5	1193.9	251.0	1569
90772			Consultation in rooms of approximately 60 minutes duration with an existing patient where the clinical record demonstrates	273	3	60	15	2.3	4.7	4.9	17.3	1440.5	90.2	1548
36848			Cystoscopy with resection of ureterocele	274	16	28	30	4.3	7.5	7.2	132.2	1069.4	337.3	1539
13292			Semen, collection of, from a patient with spinal injuries or medically induced impotence, for the purposes of analysis,	275	14	43	20	5.2	4.2	4.7	131.5	1122.5	272.0	1526
37438			Scrotum, partial excision of =20 (Assist.)	276	16	55	30	3.8	3.5	3.2	122.2	1097.2	298.1	1518
16624			Foetal fluid filled cavity, drainage of	277	8	41	25	4.4	5.4	4.2	67.1	1136.3	287.7	1491
36821			Cystoscopy with 1 or more of; ureteric dilatation, insertion of ureteric stent, or brush biopsy of ureter or of renal pelvis,	278	15	26	30	4.8	7.5	6.1	133.3	966.4	376.6	1476
16636			Procedure on multiple pregnancies relating to items 16600, 16603, 16618, 16621 and 16624	279	14	42	10	5.2	5.0	4.7	131.5	1192.6	136.0	1460
37420			Penis, surgery to inhibit rapid penile drainage causing impotence, by ligation of veins deep to Buck's fascia including 1	280	8	46	20	4.3	4.3	4.6	66.1	1152.2	224.9	1443
13209			Planning and management of a referred patient by a specialist for the purpose of treatment by assisted reproductive	281	14	36	20	5.2	5.0	4.7	131.5	1022.2	272.0	1426
30000			Operative procedure on tissue, organ or region (not being a service to which another item in this Group applies), including	282	15	36	30	4.8	4.6	3.8	133.3	912.2	376.6	1422
37008			Cystostomy or cystotomy, suprapubic, not being a service to which item 37011 applies and not being a service associated	283	16	37	45	3.4	4.9	3.9	114.2	906.5	400.1	1421
13212			Oocyte retrieval by any means including laparoscopy or ultrasound-guided ova flushing, for the purposes of assisted	284	12	34	20	5.2	5.4	5.2	112.7	1030.4	272.0	1415
35637			Laparoscopy, involving puncture of cysts, diathermy of endometriosis, ventrosuspension, division of adhesions or	285	13	39	20	5.2	4.2	4.7	122.1	1018.1	272.0	1412
16511			Cervix, purse string ligation of	286	13	24	30	6.0	5.8	5.6	135.1	794.9	470.7	1401
37212			Prostate, open perineal biopsy or open drainage of abscess (Assist.)	287	16	37	30	4.3	4.6	4.1	132.2	930.2	337.3	1400
37803			Undescended testis, orchidopexy for, not being a service to which item 37806 applies (Assist.)	288	9	32	20	7.4	4.0	4.2	109.3	885.6	387.0	1382
30641			Orchidectomy, simple or subcapsular, unilateral with or without insertion of testicular prosthesis=20 (Assist.)	289	16	32	30	4.3	5.2	5.0	132.2	903.6	337.3	1373
36842			Cystoscopy with lavage of blood clots from bladder including any associated diathermy of prostate or bladder and not being a	290	15	31	30	4.3	5.0	6.1	124.0	909.9	337.3	1371
35622			Endometrium, endoscopic ablation of, by laser or diathermy, for chronic refractory menorrhagia including any hysteroscopy	291	14	36	20	5.2	4.2	5.2	131.5	967.4	272.0	1371
37223			Prostatic coil, insertion of, under ultrasound control	292	16	28	30	4.3	5.8	6.1	132.2	886.0	337.3	1356
36854			Cystoscopy with endoscopic incision or resection of external sphincter, bladder neck or both	293	16	16	30	5.9	8.5	8.4	164.3	720.2	462.9	1347
37339			Periurethral or transurethral injection of materials for the treatment of urinary incontinence, including cystoscopy and	294	15	32	20	4.0	6.3	5.0	118.3	991.6	209.2	1319
16633			Procedure on multiple pregnancies relating to items 16606, 16609, 16612, 16615 and 16627	295	12	41	20	4.4	4.2	3.8	100.7	970.3	230.1	1301
16606			Foetal blood sampling, using interventional techniques from umbilical cord or foetus, including foetal neuromuscular	296	17	32	20	5.2	4.2	5.2	159.6	859.9	272.0	1291
37812			Impalpable testis, exploration of groin for, not being a service associated with a service to which items 37803 to 37809 apply	297	8	37	20	7.4	3.1	1.7	97.2	786.7	387.0	1271

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
16618			Amniocentesis, therapeutic, when indicated because of polyhydramnios with at least 500ml being aspirated	299	8	55	20	3.6	3.3	2.8	59.1	1017.4	188.3	1265
16621			Amnioinfusion, for diagnostic or therapeutic purposes in the presence of severe oligohydramnios	299	8	55	20	3.6	3.3	2.8	59.1	1017.4	188.3	1265
44108			Inguinal hernia repair at age less than 3 months (Assist.)	300	14	22	20	6.6	6.2	5.0	156.0	751.1	345.2	1252
37219			Prostate, transrectal needle biopsy of, using transrectal prostatic ultrasound techniques and obtaining 1 or more	301	12	32	15	4.5	5.8	4.7	102.2	952.3	176.5	1231
35636			Hysteroscopy, and laparoscopy where performed, under general anaesthesia involving either myomectomy or resection	302	13	31	20	5.2	4.2	5.2	122.1	833.0	272.0	1227
90761			Consultation in rooms of approximately 45 minutes duration with a new patient where the clinical record demonstrates that	303	3	45	15	5.1	3.5	3.1	27.8	968.2	200.0	1196
37613			Epididymectomy	304	14	39	20	4.1	3.8	3.4	112.2	838.9	214.4	1166
13319			Central vein catheterisation in a neonate via peripheral vein	305	8	36	9	6.6	4.0	3.3	89.1	908.5	155.3	1153
91061			Home visit of approximately 45 minutes duration with a new patient where the clinical record demonstrates that the	306	6	45	15	2.7	4.2	4.4	37.6	1005.3	105.9	1149
37215			Prostate, biopsy of, endoscopic, with or without cystoscopy (Assist.)	307	17	20	15	5.0	7.5	7.2	155.4	782.4	196.1	1134
35508			Vulval or vaginal warts, removal of under general anaesthesia, or under regional or field nerve block (excluding pudendal block)	308	12	41	20	4.4	3.3	2.8	100.7	801.8	230.1	1133
90762			Consultation in rooms of approximately 45 minutes duration with an existing patient where the clinical record demonstrates	309	3	45	15	4.5	3.5	2.9	25.5	918.7	176.5	1121
30635			Varicocele, surgical correction of, not being a service associated with a service to which items 30638, 30641 and	310	15	38	20	3.2	4.1	4.1	103.3	845.7	167.4	1116
91261			Consultation in a hospital of approximately 45 minutes duration with a new patient seen on a referred basis.	311	5	45	10	4.8	3.2	3.6	44.4	946.2	125.5	1116
90861			Consultation in a nursing home of approximately 45 minutes duration with a new patient where the clinical record	313	5	45	10	2.7	4.2	4.4	31.3	1005.3	70.6	1107
90961			Consultation in an institution of approximately 45 minutes duration with a new patient where the clinical record	313	5	45	10	2.7	4.2	4.4	31.3	1005.3	70.6	1107
91062			Home visit of approximately 45 minutes duration with an existing patient where the clinical record demonstrates that the	314	6	45	15	2.3	4.2	4.4	34.6	981.5	90.2	1106
37369			Urethra, excision of prolapse of	315	16	51	15	3.4	3.0	2.4	114.2	854.9	133.4	1102
30104			Pre-auricular sinus, excision of	316	11	29	20	5.8	4.4	2.1	111.6	681.0	303.3	1096
36830			Cystoscopy, with ureteric meatotomy	317	16	23	20	5.3	4.9	4.9	152.2	656.6	277.2	1086
35674			Ultrasound guided needling and injection of ectopic pregnancy	318	11	32	20	4.4	4.2	3.8	92.3	757.3	230.1	1080
16564			Evacuation of retained products of conception (placenta, membranes or mole) as a complication of confinement, with or	319	16	17	30	5.2	5.0	6.1	150.2	519.2	407.9	1077
90862			Consultation in a nursing home of approximately 45 minutes duration with an existing patient where the clinical record	321	5	45	10	2.3	4.2	4.4	28.8	981.5	60.1	1070
90962			Consultation in an institution of approximately 45 minutes duration with an existing patient where the clinical record	321	5	45	10	2.3	4.2	4.4	28.8	981.5	60.1	1070
37318			Urethroscopy, with any 1 or more of - biopsy, diathermy, visual laser destruction of stone or removal of foreign body or stone	322	16	18	30	4.3	6.3	6.1	132.2	595.3	337.3	1065
16571			Cervix, repair of extensive laceration or lacerations	323	14	28	20	4.8	4.2	3.8	124.5	677.5	251.0	1053
30390			Laparoscopy, diagnostic	324	18	27	20	4.4	4.6	3.8	151.0	669.9	230.1	1051

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
16615			Foetal intraperitoneal blood transfusion, using blood already collected, including neuromuscular blockade, amniocentesis	325	12	28	25	4.4	4.2	3.8	100.7	662.7	287.7	1051
14212			Intussusception, management of fluid or gas reduction for	326	20	23	20	7.4	1.5	2.6	242.9	415.5	387.0	1045
91262			Consultation in a hospital of approximately 45 minutes duration with an existing patient seen on a referred basis.	327	5	45	10	3.2	3.6	3.9	34.4	923.2	83.7	1041
13318			Central vein catheterisation (via jugular or subclavian vein) - by open exposure, in a person under 12 years of age=20	328	7	37	15	4.1	4.1	3.3	56.1	822.0	160.8	1039
13290			Semen, collection of, from a patient with spinal injuries or medically induced impotence, for the purposes of analysis,	329	12	30	18	4.4	4.2	3.3	100.7	687.0	207.1	995
35688			Sterilisation by transection or resection of fallopian tubes, via abdominal or vaginal routes or via laparoscopy using diathermy	330	13	23	20	5.2	4.2	4.7	122.1	600.4	272.0	994
37327			Urethrotomy, optical, for urethral stricture (Assist.)	331	15	16	30	4.3	5.9	6.1	124.0	510.8	337.3	972
36860			Endoscopic examination of intestinal conduit or reservoir	332	16	28	15	3.6	4.9	3.9	118.2	693.4	141.2	953
36824			Cystoscopy with ureteric catheterisation, unilateral or bilateral, not being a service associated with a service to which item	333	16	24	15	3.6	5.8	4.9	118.2	693.0	141.2	952
44133			Torticollis, open division of sternomastoid muscle for (Assist.)	334	12	37	20	5.0	2.2	1.7	109.7	574.0	261.5	945
42573			Dermoid, periorbital, excision of	335	10	26	17	5.0	5.0	2.0	91.4	623.7	222.3	937
37601			Spermatocele or epididymal cyst, excision of, 1 or more of, on 1 side =20	336	18	29	18	3.4	4.1	3.8	128.5	639.7	160.0	928
36851			Cystoscopy with injection into bladder wall	337	16	23	15	3.6	5.8	4.9	118.2	664.1	141.2	924
30617			Umbilical, epigastric or linea alba hernia, repair of, in a person under 10 years of age	338	8	27	20	5.8	3.1	2.1	81.1	533.6	303.3	918
37604			Exploration of scrotal contents, with or without fixation and with or without biopsy, unilateral=20	339	13	30	20	4.3	3.3	2.8	107.4	582.7	224.9	915
36818			Cystoscopy, with ureteric catheterisation including fluoroscopic imaging of the upper urinary tract, unilateral or bilateral, not	340	15	21	30	3.4	5.2	4.0	107.1	535.8	266.7	910
35518			Ovarian cyst aspiration, for cysts of at least 4cm in diameter in premenopausal women and at least 2cm in diameter in	342	14	23	20	4.4	4.2	3.3	117.4	526.7	230.1	874
35626			Hysteroscopy, including biopsy, performed by a specialist in the practice of his or her specialty where the patient is referred to	342	14	23	20	4.4	4.2	3.3	117.4	526.7	230.1	874
35557			Vagina, removal of simple tumour - (including Gartner duct cyst)	343	12	31	20	4.0	3.3	2.3	94.7	566.1	209.2	870
36839			Cystoscopy, with resection, diathermy or visual laser destruction of bladder tumour or other lesion of the bladder or	344	15	18	20	3.5	6.3	6.1	108.9	576.3	183.1	868
35633			Hysteroscopy with uterine adhesiolysis or polypectomy or tubal catheterisation or removal of IUD which cannot be removed by	345	12	18	20	4.8	5.0	4.7	106.7	501.6	251.0	859
37324			Urethrotomy or urethrostomy, internal or external	346	15	19	30	3.6	4.7	4.1	110.8	465.5	282.4	859
30631			Hydrocele, removal of, not being a service associated with a service to which items 30638, 30641 and 30644 apply	347	19	30	30	2.4	4.0	1.9	111.8	526.1	188.3	826
35643			Evacuation of the contents of the gravid uterus by curettage or suction curettage not being a service to which item 35639 or	348	11	21	20	4.4	3.8	3.3	92.3	456.8	230.1	779
30660			Circumcision of a male 10 years of age or over=20	349	13	27	18	3.7	3.3	2.9	97.7	507.2	174.2	779
30656			Circumcision of a male under 10 years of age but not less than 6 months of age=20	350	13	21	20	5.0	2.8	2.8	118.8	397.3	261.5	778
36836			Cystoscopy with biopsy of bladder, not being a service associated with a service to which item 36812, 36830, 36839,	351	15	18	15	3.6	5.8	4.9	110.8	519.8	141.2	772

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
35542			Colposcopically directed CO=FD laser therapy for previously confirmed intraepithelial neoplastic changes of the cervix,	352	11	24	20	4.0	3.3	3.3	86.8	475.1	209.2	771
13215			Transfer of embryos or both ova and sperm to the female reproductive system, by any means but excluding artificial	353	12	19	20	4.4	4.2	3.3	100.7	435.1	230.1	766
35618			Cervix, cone biopsy, amputation or repair of, not being a service to which item 35583 or 35584 applies	354	12	23	20	4.0	3.3	3.3	94.7	455.3	209.2	759
43999			Hirschsprung's disease, anal sphincterotomy as an independent procedure for (Assist.)	355	14	15	12	6.6	4.4	2.6	156.0	379.6	207.1	743
35645			Cervix, electrocoagulation diathermy with colposcopy, for previously confirmed intraepithelial neoplastic changes of the Vulval or vaginal warts, removal of under general anaesthesia, or under regional or field nerve block (excluding pudendal block)	356	12	23	20	4.0	3.3	2.8	94.7	437.6	209.2	741
35507			Colposcopically directed CO=FD laser therapy for previously confirmed intraepithelial neoplastic changes of the cervix,	357	11	23	20	4.0	3.3	2.8	86.8	437.6	209.2	734
35539			Cystoscopy, with or without urethroscopy, for the treatment of penile warts or urethral warts, not being a service associated	358	11	22	20	4.0	3.3	3.3	86.8	435.5	209.2	731
36815			Consultation in a hospital of approximately 30 minutes duration with a new patient where the clinical record demonstrates that	359	13	17	15	3.6	5.8	4.9	96.0	490.9	141.2	728
91251			Home visit of approximately 30 minutes duration with a new patient where the clinical record demonstrates that more than	360	1	30	5	5.1	3.5	3.1	9.3	645.4	66.7	721
91051			Colposcopically directed CO=FD laser therapy for condylomata, unsuccessfully treated by other methods	361	5	30	10	2.3	4.2	3.9	28.8	631.3	60.1	720
35545			Cervix, colposcopy with radical diathermy of, with or without cervical biopsy, for previously confirmed intraepithelial	362	11	23	20	4.0	3.3	2.3	86.8	420.0	209.2	716
35646			Rectum, examination of, under general anaesthesia with full thickness biopsy or removal of polyp or similar lesion (Assist.)	363	12	23	20	3.6	3.3	2.8	88.6	425.5	188.3	702
44102			Hypospadias, meatotomy and hemi-circumcision (Assist.)	364	12	28	20	5.0	1.5	0.6	109.7	331.1	261.5	702
37354			Chorionic villus sampling, by any route	365	16	28	15	3.0	2.9	3.1	106.2	476.6	117.7	700
16603			Cervix, electrocoagulation diathermy with colposcopy, for previously confirmed intraepithelial neoplastic changes of the	367	11	22	20	4.0	3.3	2.3	86.8	401.7	209.2	698
35644			Home visit of approximately 30 minutes duration with an existing patient where the clinical record demonstrates that	367	11	22	20	4.0	3.3	2.3	86.8	401.7	209.2	698
91052			Bladder washout test for localisation of urinary infection - not including bacterial counts for organisms in specimens	368	5	30	10	2.3	3.8	3.9	28.8	597.0	60.1	686
11921			Sterilisation by interruption of fallopian tubes when performed in conjunction with Caesarean section	369	16	37	10	2.4	2.8	1.9	94.2	521.7	62.8	679
35691			Cystometrography, not being a service associated with a service to which item 11012-11027, 11912, 11915, 11918,	370	11	23	20	3.6	3.3	2.3	81.3	407.8	188.3	677
11903			Consultation in a nursing home of approximately 30 minutes duration with a new patient where the clinical record	371	12	32	15	1.5	3.6	3.3	57.1	555.1	58.8	671
90851			Consultation in an institution of approximately 30 minutes duration with a new patient where the clinical record	373	1	30	5	2.3	4.2	3.9	5.8	631.3	30.1	667
90951			Cystometrography in conjunction with imaging, with measurement of any 1 or more of urine flow rate, urethral	373	1	30	5	2.3	4.2	3.9	5.8	631.3	30.1	667
11918			Colpotomy, not being a service to which another item in this Group applies	374	11	20	15	3.0	5.2	3.2	73.0	475.1	117.7	666
35572			Bartholin's cyst, excision of	375	11	20	20	4.0	3.3	2.3	86.8	365.2	209.2	661
35513			Consultation in rooms of approximately 30 minutes duration with a new patient seen on a referred basis.	376	11	22	20	3.6	3.3	2.3	81.3	390.1	188.3	660
90751			Abdominal wall vitello intestinal remnant, excision of	377	2	30	10	4.1	2.9	2.7	16.0	535.9	107.2	659
43942				378	12	23	20	5.0	1.5	1.0	109.7	286.1	261.5	657

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
46464			Amputation of a supernumerary complete digit	379	12	22	23	4.1	2.2	1.4	96.2	305.0	246.6	648
35627			Hysteroscopy with dilatation of the cervix performed in the operating theatre of a hospital or approved day-hospital facility -	380	12	18	20	4.0	3.3	2.8	94.7	342.5	209.2	646
90752			Consultation in rooms of approximately 30 minutes duration with an existing patient seen on a referred basis.	381	2	30	10	4.0	2.8	2.6	15.8	518.7	104.6	639
91252			Consultation in a hospital of approximately 30 minutes duration with an existing patient where the clinical record demonstrates	382	1	30	2	4.7	3.3	2.9	8.8	603.2	24.6	637
35648			Cervix, large loop excision diathermy for previously confirmed intraepithelial neoplastic changes of the cervix, including any	383	12	15	20	4.4	3.3	3.3	100.7	304.9	230.1	636
35569			Plastic repair to enlarge vaginal orifice	384	11	13	20	4.4	4.2	3.8	92.3	307.7	230.1	630
44136			Ingrown toe nail, operation for, under general anaesthesia	385	8	23	20	5.0	1.5	1.0	73.1	286.1	261.5	621
90852			Consultation in a nursing home of approximately 30 minutes duration with an existing patient where the clinical record	387	1	30	2	2.3	3.8	3.9	5.8	597.0	12.0	615
90952			Consultation in an institution of approximately 30 minutes duration with an existing patient where the clinical record	387	1	30	2	2.3	3.8	3.9	5.8	597.0	12.0	615
35639			Uterus, curettage of, with or without dilatation (including curettage for incomplete miscarriage) under general	388	12	13	20	4.4	3.8	3.3	100.7	282.8	230.1	614
36833			Cystoscopy with removal of foreign body (Assist.)	389	15	13	15	3.4	5.7	4.6	107.1	362.2	133.4	603
36827			Cystoscopy, with controlled hydro-dilatation of the bladder	390	15	14	15	3.4	4.7	4.6	107.1	350.0	133.4	590
35517			Bartholin's cyst or gland, marsupialisation of	392	11	17	20	3.6	3.3	2.8	81.3	314.5	188.3	584
35647			Cervix, large loop excision of transformation zone together with colposcopy for previously confirmed intraepithelial neoplastic	392	11	17	20	3.6	3.3	2.8	81.3	314.5	188.3	584
35630			Hysteroscopy, with endometrial biopsy, performed in the operating theatre of a hospital or approved day- hospital facility -	393	11	12	20	4.4	3.8	3.3	92.3	261.1	230.1	583
37393			Priapism, decompression by glanular stab caverno- spongiosum shunt or penile aspiration with or without	394	11	20	20	3.2	2.8	3.0	75.8	336.9	167.4	580
36649			Nephrostomy drainage tube, exchange of - but not including imaging (Assist.)	396	12	23	15	2.1	3.4	3.6	66.1	414.7	82.4	563
37303			Urethral stricture, dilatation of	396	12	23	15	2.1	3.4	3.6	66.1	414.7	82.4	563
13948			Cytotoxic agent, instillation of, into a body cavity	397	11	22	11	3.2	3.0	2.8	75.8	376.5	92.0	544
37623			Vasotomy or vasectomy, unilateral or bilateral=20	398	16	21	18	1.9	3.5	3.3	84.1	369.4	89.4	543
35640			Uterus, curettage of, with or without dilatation (including curettage for incomplete miscarriage) under general	399	11	10	20	4.4	3.8	3.3	92.3	217.5	230.1	540
44105			Rectal prolapse, submucosal or perirectal injection for, under general anaesthesia	400	8	14	20	5.0	2.2	1.0	73.1	202.2	261.5	537
36812			Cystoscopy with urethroscopy, with or without urethral dilatation, not being a service associated with any other	401	13	10	15	3.6	5.7	4.9	96.0	285.9	141.2	523
30663			Haemorrhage, arrest of, following circumcision requiring general anaesthesia	402	15	20	18	2.1	3.3	3.0	82.6	336.5	98.8	518
35614			Examination of lower female genital tract by a Hinselmann-type colposcope in a patient with a previous abnormal cervical	403	8	17	20	3.6	2.5	1.9	59.1	252.1	188.3	499
35608			Cervix, cauterisation (other than by chemical means), ionisation, diathermy or biopsy of, with or without dilatation of cervix	404	12	19	10	3.6	2.9	1.9	88.6	303.5	94.1	486
35527			Urethral caruncle, excision of	405	12	20	15	2.7	2.3	2.3	75.1	273.6	105.9	455

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
37321			Urethral meatotomy, external	406	12	18	15	2.9	2.6	1.9	78.1	255.4	113.8	447
35703			Hydrotubation of fallopian tubes as a non-repetitive procedure, not being a service associated with a service to which another	407	11	18	10	3.6	2.5	1.9	81.3	266.9	94.1	442
91240			Consultation in a hospital of approximately 20 minutes duration where the clinical record demonstrates that more than two of	408	1	20	5	4.5	2.9	2.9	8.5	373.9	58.8	441
35554			Vagina, dilatation of, as an independent procedure including any associated consultation	409	11	12	17	3.6	2.9	2.3	81.3	199.0	160.0	440
91043			Home visit of approximately 20 minutes duration where the clinical record demonstrates that more than two of the	410	5	20	7	2.3	3.3	3.9	28.8	369.4	42.1	440
35620			Endometrial biopsy where malignancy is suspected in patients with abnormal uterine bleeding or post menopausal bleeding	411	8	20	10	2.8	2.9	2.3	51.1	310.6	73.2	435
37011			Suprapubic stab cystotomy, not being a service associated with a service to which items 37200 to 37221 apply	412	4	21	15	2.5	2.7	2.3	24.0	305.8	98.1	428
90740			Consultation in rooms of approximately 20 minutes duration where the clinical record demonstrates that more than two of	413	2	20	7	3.9	2.7	2.4	15.5	331.3	71.4	418
90843			Consultation in a nursing home of approximately 20 minutes duration where the clinical record demonstrates that more than two of	415	1	20	5	2.3	3.3	3.9	5.8	369.4	30.1	405
90943			Consultation in an institution of approximately 20 minutes duration where the clinical record demonstrates that more than two of	415	1	20	5	2.3	3.3	3.9	5.8	369.4	30.1	405
91243			Consultation in a hospital of approximately 20 minutes duration where the clinical record demonstrates that more than two of	415	1	20	5	2.3	3.3	3.9	5.8	369.4	30.1	405
90743			Consultation in rooms of approximately 20 minutes duration where the clinical record demonstrates that more than two of	417	2	20	7	1.9	3.3	3.9	10.5	358.8	34.8	404
37218			Prostate, needle biopsy of, or injection into	418	12	14	15	2.4	3.0	3.4	70.6	237.6	94.1	402
37300			Urethral sounds, passage of, as an independent procedure	419	12	14	15	2.4	3.0	3.3	70.6	235.5	94.1	400
91040			Home visit of approximately 20 minutes duration where the clinical record demonstrates that more than two of the	420	5	20	7	1.5	3.3	3.9	23.8	348.2	27.5	399
37315			Urethroscopy, as an independent procedure	421	16	9	15	2.4	4.4	4.1	94.2	198.5	94.1	387
35520			Bartholin's abscess, incision of	422	11	13	17	2.8	2.5	1.9	70.2	179.0	124.5	374
90840			Consultation in a nursing home of approximately 20 minutes duration where the clinical record demonstrates that more than two of	424	1	20	5	1.5	3.3	3.9	4.8	348.2	19.6	373
90940			Consultation in an institution of approximately 20 minutes duration where the clinical record demonstrates that more than two of	424	1	20	5	1.5	3.3	3.9	4.8	348.2	19.6	373
30666			Paraphimosis, reduction of, under general anaesthesia, with or without dorsal incision, not being a service associated with a	425	14	20	14	1.0	3.0	2.4	57.8	271.8	36.6	366
30653			Circumcision of a male under 6 months of age=20	426	4	14	13	4.1	1.5	2.6	32.1	191.8	139.4	363
35509			Hymenectomy	427	11	17	15	2.8	1.7	1.4	70.2	182.1	109.8	362
37435			Penis, frenuloplasty as an independent procedure=20	428	7	20	10	2.7	1.7	1.7	43.8	220.9	70.6	335
37815			Hypospadias, examination under anaesthesia with erection test	429	8	14	10	4.5	0.7	1.7	68.1	147.8	117.7	334
16600			Amniocentesis, diagnostic	430	11	16	10	2.8	2.1	1.4	70.2	189.8	73.2	333
30281 =	52084		Tongue tie, mandibular frenulum or maxillary frenulum, repair of, in a person aged not less than 2 years, under general	431	7	8	16	4.1	1.5	1.7	56.1	98.6	171.5	326
35615			Vulva, biopsy of, when performed in conjunction with a service to which item 35614 applies	432	7	16	10	2.8	2.5	1.4	44.7	208.1	73.2	326

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.

Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
91030			Home visit of approximately 15 minutes duration where the clinical record demonstrates that more than two of the following	433	5	15	5	4.1	2.3	2.2	40.1	230.7	53.6	324
30278			Tongue tie, repair of, not being a service to which another item in this Group applies	434	4	14	10	4.1	1.5	1.7	32.1	172.5	107.2	312
91230			Consultation in a hospital of approximately 15 minutes duration where the clinical record demonstrates that more than two of	435	1	15	5	4.1	2.3	2.7	8.0	242.2	53.6	304
35523			Urethra or urethral caruncle, cauterisation of	436	12	17	15	2.0	1.6	1.4	64.6	159.3	78.5	302
90730			Consultation in rooms of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	437	2	15	5	3.8	2.4	2.5	15.3	235.9	49.7	301
35500			Gynaecological examination under anaesthesia, not being a service associated with a service to which another item in this	438	8	15	10	2.8	1.7	0.9	51.1	149.2	73.2	274
16512			Cervix, removal of purse string ligature of	439	11	14	5	2.8	2.1	1.4	70.2	166.0	36.6	273
37415			Penis, injection of, for the investigation and treatment of impotence - 2 services only in a period of 36 consecutive	440	4	5	19	3.0	3.0	2.6	26.5	82.7	149.1	258
18264			Pudendal nerve, injection of an anaesthetic agent	441	7	13	10	2.8	1.7	1.4	44.7	139.3	73.2	257
90830			Consultation in a nursing home of approximately 15 minutes duration where the clinical record demonstrates that more than	443	1	15	5	1.5	2.6	3.9	4.8	231.1	19.6	255
90930			Consultation in an institution of approximately 15 minutes duration where the clinical record demonstrates that more than	443	1	15	5	1.5	2.6	3.9	4.8	231.1	19.6	255
35709			Fallopian tubes, hydrotubation of, as a repetitive post-operative procedure	444	10	16	5	2.4	1.7	1.4	58.8	163.0	31.4	253
36800			Bladder, catheterisation of, where no other procedure is performed=20	445	9	11	15	1.5	2.9	2.1	42.8	148.5	58.8	250
35611			Cervix, removal of polyp or polypi, with or without dilatation of cervix, not being a service associated with a service to which	446	11	14	10	2.4	1.3	0.9	64.7	115.8	62.8	243
35706			Rubin test for patency of fallopian tubes	447	11	15	5	2.4	1.7	0.9	64.7	141.3	31.4	237
91220			Consultation in a hospital of approximately 10 minutes duration where the clinical record demonstrates that more than one of	448	1	10	5	3.7	2.3	2.0	7.5	145.4	48.4	201
35503			Intra-uterine contraceptive device, introduction of, not being a service associated with a service to which another item in this	450	12	11	10	1.9	1.3	0.5	63.1	77.0	49.7	190
35506			Intra-uterine contraceptive device, removal of under general anaesthesia, not being a service associated with a service to	450	12	11	10	1.9	1.3	0.5	63.1	77.0	49.7	190
91020			Home visit of approximately 10 minutes duration where the clinical record demonstrates that more than one of the following	451	5	10	5	0.8	2.6	3.0	19.4	131.0	10.5	161
90820			Consultation in a nursing home of approximately 10 minutes duration where the clinical record demonstrates that more than	453	1	10	5	0.8	2.6	3.0	3.9	131.0	10.5	145
90920			Consultation in an institution of approximately 10 minutes duration where the clinical record demonstrates that more than	453	1	10	5	0.8	2.6	3.0	3.9	131.0	10.5	145
90720			Consultation in rooms of approximately 10 minutes duration where the clinical record demonstrates that more than one of	454	2	10	5	0.5	2.6	3.0	7.0	127.0	6.5	141
11900			Urine flow study including peak urine flow measurement, not being a service associated with a service to which item 11918	455	4	9	5	1.3	1.7	1.7	18.0	82.7	17.0	118
11912			Cystometrography with simultaneous measurement of rectal pressure, not being a service associated with a service to which	456	11	0	10	2.0	2.1	2.1	59.2	0.0	52.3	112
43948			Umbilical granuloma, excision of, under general anaesthesia	457	4	5	10	2.4	0.0	0.0	23.5	15.9	62.8	102
18262			Ilio-inguinal, iliohypogastric or genitofemoral nerves, 1 or more of, injection of an anaesthetic agent	458	2	8	3	4.1	0.3	0.3	16.0	53.9	32.2	102
13221			Preparation of semen for the purposes of assisted reproductive technologies or for artificial insemination	459	11	17	10	0.6	0.4	0.5	39.9	46.0	15.7	102

CG3,8&10 - OBSTETRICS AND GYNAECOLOGY/IVF, PAEDIATRIC SURGERY & UROLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
14203			Hormone or living tissue implantation, by direct implantation involving incision and suture	460	8	12	5	1.0	0.8	0.0	33.1	43.3	13.1	89
16514			Antenatal cardiotocography in the management of high risk pregnancy (not during the course of the confinement)	461	2	0	10	2.8	2.5	1.9	12.8	0.0	73.2	86
91010			Home visit of approximately 5 minutes duration, where the clinical record demonstrates the straightforward nature of the	462	5	5	5	0.8	1.9	3.0	19.4	55.5	10.5	85
11906			Urethral pressure profilometry, not being a service associated with a service to which item 11012-11027, 11909, 11918,	463	11	0	10	1.1	2.4	2.1	46.8	0.0	28.8	76
90810			Consultation in a nursing home of approximately 5 minutes duration, where the clinical record demonstrates the	465	1	5	5	0.8	1.9	3.0	3.9	55.5	10.5	70
90910			Consultation in an institution of approximately 5 minutes duration, where the clinical record demonstrates the	465	1	5	5	0.8	1.9	3.0	3.9	55.5	10.5	70
91210			Consultation in a hospital of approximately 5 minutes duration, where the clinical record demonstrates the straightforward	465	1	5	5	0.8	1.9	3.0	3.9	55.5	10.5	70
90710			Consultation in rooms of approximately 5 minutes duration, where the clinical record demonstrates the straightforward	467	2	5	5	0.5	1.9	3.0	7.0	53.5	6.5	67
11909			Urethral pressure profilometry with simultaneous measurement of urethral sphincter electromyography, not being a service	468	11	0	10	0.6	1.3	0.9	39.9	0.0	15.7	56
14206			Hormone or living tissue implantation - by cannula	469	7	7	3	0.6	0.8	0.0	25.4	21.6	4.7	52

**CG4 - Breast Surgery/Colorectal Surgery/General Surgery/Head and Neck Surgery/Laparoscopic Surgery/Upper Gastrointestinal Surgery.
Final time estimates, intensity ratings and rank**

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2.5intra + post) * (14 + cog + Tech + 2Stress)
					Pre	Intra	Post	Cog	Tech	Stress	
30554			Oesophagectomy with reconstruction by free jejunal graft - 1 surgeon (Assist.)	1	45	363	168	9.5	10.0	9.7	59274.5
30294			Cervical oesophagectomy with tracheostomy and oesophagostomy, with or without plastic reconstruction; or laryngopharyngectomy with	2	34	331	141	10.0	10.0	10.0	54135.0
30550			Oesophagectomy with colon or jejunal replacement (abdominal and thoracic mobilisation with anastomosis of pedicle in the neck) - 1	3	45	308	168	10.0	9.7	9.7	52197.3
30464			Radical resection of common hepatic duct and right and left hepatic ducts for carcinoma, involving more than 2 anastomoses or resection of	4	45	297	150	10.0	10.0	10.0	50625.0
30584			Pancreatico-duodenectomy, Whipple's operation, with or without preservation of pylorus (Assist.)	5	25	267	124	10.0	10.0	10.0	44091.0
30275			Radical excision of intra-oral tumour involving resection of mandible and lymph glands of neck (commando-type operation)=20 (Assist.)	6	37	276	88	10.0	10.0	10.0	44010.0
30545			Oesophagectomy with colon or jejunal anastomosis, (abdominal and thoracic mobilisation with thoracic anastomosis) - 1 surgeon (Assist.)	7	41	276	95	9.7	9.7	9.7	43612.8
30421			Liver, tri-segmental resection (extended lobectomy) of, other than for trauma (Assist.)	8	45	248	105	10.0	10.0	10.0	41580.0
30430			Liver, extended lobectomy (tri-segmental resection) of, for trauma (Assist.)	9	34	248	110	10.0	10.0	10.0	41256.0
32051			Total colectomy with excision of rectum and ileoanal anastomosis with formation of ileal reservoir, with or without creation of temporary	10.5	45	248	75	10.0	10.0	10.0	39960.0
32060			Ileostomy closure with rectal resection and mucosectomy and ileoanal anastomosis with formation of ileal reservoir, with or without temporary	10.5	45	248	75	10.0	10.0	10.0	39960.0
30556			Oesophagectomy with reconstruction by free jejunal graft - conjoint surgery, principal surgeon (including aftercare) (Assist.)	12	45	267	105	9.0	8	8	38422.5
30526			Gastrectomy, total, and including lower oesophagus, performed by left thoraco-abdominal incision or opening of diaphragmatic hiatus,	13	34	248	90	9.3	9.7	9.3	38390.4
30463			Radical resection of common hepatic duct and right and left hepatic ducts for carcinoma, with two duct anastomoses (Assist.)	14	45	228	110	9.5	9.5	9.5	37700.0
30593			Pancreatectomy, near total or total (including duodenum), with or without splenectomy (Assist.)	15	26	228	119	9.3	9.7	9.7	37466.0
30547			Oesophagectomy with colon or jejunal anastomosis, (abdominal and thoracic mobilisation with thoracic anastomosis) - conjoint surgery,	16	45	248	128	9.0	8.0	8.0	37271.0
30461			Radical resection of porta hepatis for gall bladder or common bile duct carcinoma with biliary-enteric anastomoses, not being a service	17	45	221	100	9.5	9.5	9.5	36270.0
30551			Oesophagectomy with colon or jejunal replacement (abdominal and thoracic mobilisation with anastomosis of pedicle in the neck) - conjoint	18	45	248	105	9.0	8.0	8.0	36190.0
32028			Rectum, low or ultra low restorative resection, with peranal sutured coloanal anastomosis, with or without covering stoma (Assist.)	19	45	221	85	9.5	9.5	10.0	36172.5
30536			Oesophagectomy, involving gastric reconstruction by abdominal mobilisation, thoracotomy and anastomosis in the neck - 1 surgeon	20	22	230	98	9.5	9.5	9.5	36140.0
32054			Total colectomy with excision of rectum and ileoanal anastomosis with formation of ileal reservoir, with or without creation of temporary	21	45	221	83	9.5	9.0	9.5	35045.8
30535			Oesophagectomy with gastric reconstruction by abdominal mobilisation and thoracotomy (Assist.)	22	24	220	109	9.0	10.0	9.0	34833.0
30469			Biliary stricture, repair of, after 1 or more operations on the biliary tree (Assist.)	23	34	221	100	9.0	9.0	9.2	34599.6
32063			Ileostomy closure with rectal resection and mucosectomy and ileoanal anastomosis with formation of ileal reservoir, with or without temporary	24	45	221	50	9.5	9.0	9.5	33346.3
30541			Oesophagectomy, by trans-hiatal oesophagectomy (cervical and abdominal mobilisation, anastomosis) with posterior or anterior	25	34	221	75	9.0	9.0	9.0	33075.0
30594			Pancreatectomy for pancreatitis following previously attempted drainage procedure or partial resection (Assist.)	26	30	207	88	8.5	9.5	9.5	32410.5
30323			Retroperitoneal neuroendocrine tumour, removal of, requiring complex and extensive dissection (Assist.)	27	43	205	60	9.5	9.5	9.5	32006.0
30470			Bile duct fistula, repair of, following previous bile duct surgery (Assist.)	28	34	202	100	9.0	9.0	9.0	31950.0

CG4 - Breast Surgery/Colorectal Surgery/General Surgery/Head and Neck Surgery/Laparoscopic Surgery/Upper Gastrointestinal Surgery.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2.5intra + post) * (14 + cog + Tech + 2Stress)
					Pre	Intra	Post	Cog	Tech	Stress	
30524			Gastrectomy, total radical, for carcinoma (including extended node dissection and distal pancreatectomy and splenectomy when	29	22	196	105	9.0	10.0	9.0	31467.0
30538			Oesophagectomy involving gastric reconstruction by abdominal mobilisation, thoracotomy and anastomosis in the neck - conjoint	30	45	221	95	8.7	8.0	7.0	30954.8
30418			Liver, lobectomy of, other than for trauma (Assist.)	31	45	193	80	9.0	9.0	9.3	30739.5
30428			Liver, lobectomy of, for trauma (Assist.)	32	45	184	85	9.0	9.0	9.5	30090.0
30521			Gastrectomy, total, for benign disease (Assist.)	33	34	184	110	8.3	8.7	8.7	29233.6
30388			Laparotomy for trauma involving 3 or more organs (Assist.)	34	22	172	150	8.5	8.5	8.5	28896.0
34533			Isolated limb perfusion, including cannulation of artery and vein at commencement of procedure, regional perfusion for chemotherapy, or	35	45	221	30	8.0	8.0	8.0	28865.0
30317			Cervical re-exploration for recurrent or persistent hyperparathyroidism (Assist.)	36	47	189	50	9.0	9.5	9.0	28759.8
30467			Intrahepatic bypass of right hepatic ductal system by Roux-en-Y loop to peripheral ductal system (Assist.)	37	34	184	110	8.5	8.5	8.3	28750.4
32039			Rectum and anus, abdomino-perineal resection of - 1 surgeon (Assist.)	38	47	168	100	9.0	8.7	8.5	27612.9
30542			Oesophagectomy, by trans-hiatal oesophagectomy (cervical and abdominal mobilisation, anastomosis) with posterior or anterior	39	26	207	60	7.5	8.0	8.0	27459.3
32018			Total colectomy with excision of rectum and ileostomy, combined synchronous operation; abdominal resection (including after-care)	40	45	166	110	8.5	8.5	8.5	27360.0
30590			Pancreatico-jejunostomy following previous pancreatic surgery (Assist.)	41	30	184	90	8.5	8.5	8.0	27260.0
30557			Oesophagectomy with reconstruction by free jejunal graft - conjoint surgery, co-surgeon (Assist.)	42	22	276	0	6.0	6.0	6.0	27056.0
32026			Rectum, ultra low restorative resection, with or without covering stoma, where the anastomosis is sited in the anorectal region and is 6cm or	43	47	146	100	9.5	9.5	9.5	26624.0
30328			Lymph glands of neck, radical excision of (Assist.)	44	33	178	60	8.3	9.5	8.5	26254.4
32036			Sacrococcygeal and presacral tumour - excision of (Assist.)	45	34	166	75	9.0	8.5	9.0	25938.0
30324			Adrenal gland tumour, excision of (Assist.)	46	39	170	70	8.0	8.5	9.0	25899.0
30250			Parotid gland, total extirpation of with preservation of facial nerve (Assist.)	47	25	168	60	8.7	9.5	9.5	25856.0
32069			Ileostomy reservoir, continent type, creation of, including conversion of existing ileostomy where appropriate	48	22	166	100	8.5	8.5	8.5	25776.0
30553			Oesophagectomy with colon or jejunal replacement (abdominal and thoracic mobilisation with anastomosis of pedicle in the neck) - conjoint	49	22	276	0	6.0	6.0	5.0	25632.0
32015			Total colectomy with excision of rectum and ileostomy - 1 surgeon (Assist.)	50	45	157	100	8.5	8.5	8.0	25262.5
30382			Enterocutaneous fistula, radical repair of, involving extensive dissection and resection of bowel (Assist.)	51.5	28	144	115	9.0	9.0	9.0	25150.0
30523			Gastrectomy, sub-total radical, for carcinoma, (including splenectomy when performed) (Assist.)	51.5	38	148	95	9.0	9.0	9.0	25150.0
30466			Intrahepatic biliary bypass of left hepatic ductal system by Roux-en-Y loop to peripheral ductal system (Assist.)	53	34	156	95	8.5	8.5	8.3	24704.4
30602			Portal hypertension, porto-caval shunt for (Assist.)	54	22	166	70	8.5	8.5	8.5	24336.0
30425			Liver, repair of deep multiple lacerations of, or debridement of, for trauma (Assist.)	55	34	166	91	7.0	8.0	8.0	24300.0
30529			Antireflux operation by fundoplasty, with oesophagoplasty for stricture or short oesophagus (Assist.)	56	26	166	65	8.5	8.5	8.5	24288.0

CG4 - Breast Surgery/Colorectal Surgery/General Surgery/Head and Neck Surgery/Laparoscopic Surgery/Upper Gastrointestinal Surgery.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2.5intra + post) * (14 + cog + Tech + 2Stress)
					Pre	Intra	Post	Cog	Tech	Stress	
30603			Portal hypertension, meso-caval shunt for (Assist.)	57.5	22	166	67	8.5	8.5	8.5	24192.0
30605			Portal hypertension, selective spleno-renal shunt for (Assist.)	57.5	22	166	67	8.5	8.5	8.5	24192.0
30449			Laparoscopic cholecystectomy with removal of common duct calculi via laparoscopic choledochotomy (Assist.)	59	34	166	60	8.0	8.5	8.5	24177.5
32025			Rectum, low restorative anterior resection with extraperitoneal anastomosis (of the rectum) less than 10 cm from the anal verge, with Restoration of bowel following Hartmann's or similar operation, including dismantling of the stoma (Assist.)	60	45	143	95	8.5	8.5	8.7	24079.0
32033			Rectum, low restorative anterior resection with extraperitoneal anastomosis (of the rectum) less than 10 cm from the anal verge, with Restoration of bowel following Hartmann's or similar operation, including dismantling of the stoma (Assist.)	61	34	141	90	9.0	9.0	9.0	23825.0
30415			Liver, segmental resection of, other than for trauma (Assist.)	62	34	146	90	8.5	9.0	8.5	23716.5
30577			Pancreatic necrosectomy for pancreatic necrosis or abscess formation requiring major pancreatic or retro-pancreatic dissection, excluding Morbid obesity, surgical reversal of procedure to which item 30511 or 30512 applies (Assist.)	63	20	147	105	8.5	8.5	8.5	23640.0
30514			Morbid obesity, surgical reversal of procedure to which item 30511 or 30512 applies (Assist.)	64	22	166	60	8.0	8.5	8.5	23607.5
30321			Retroperitoneal neuroendocrine tumour, removal of (Assist.)	65	49	166	60	8.0	7.5	7.5	23318.0
33836			Major artery or vein of abdomen, repair of wound of, with restoration of continuity by direct anastomosis (Assist.)	66	23	157	79	8.0	8.0	8.5	23241.5
30427			Liver, segmental resection of, for trauma (Assist.)	67	34	138	91	7.0	8.0	10.0	23030.0
30578			Endocrine tumour, exploration of pancreas or duodenum, followed by local excision of pancreatic tumour (Assist.)	68	30	147	95	8.3	8.3	8.0	22950.5
32024			Rectum, high restorative anterior resection with intraperitoneal anastomosis (of the rectum) greater than 10cm from the anal verge -	69	39	140	85	8.5	8.5	8.5	22752.0
30320			Mediastinum, exploration of, via mediastinotomy, for hyperparathyroidism (including thymectomy) (Assist.)	70	36	147	60	9.0	9.0	8.5	22711.5
30472			Hepatic or common bile duct, repair of, as the primary procedure subsequent to transection of bile duct or ducts (Assist.)	71	34	138	75	9.0	9.0	9.0	22700.0
30548			Oesophagectomy with colon or jejunal anastomosis, (abdominal and thoracic mobilisation with thoracic anastomosis) - conjoint surgery, co-	72	22	230	0	6.0	6.0	6.0	22686.0
32012			Total colectomy and ileo-rectal anastomosis (Assist.)	73	35	135	100	8.5	8.5	8.5	22680.0
30599			Splenectomy, for massive spleen (weighing more than 1500gms) or involving thoraco-abdominal incision (Assist.)	74	22	150	85	8.5	8.0	8.0	22413.0
30589			Pancreatico-jejunostomy for pancreatitis or trauma (Assist.)	75	24	147	90	8.3	8.0	8.0	22293.5
32042			Rectum and anus, abdomino-perineal resection of, combined synchronous operation, abdominal resection (Assist.)	76	34	138	115	8.0	8.0	7.5	22230.0
30457			Choledochotomy, intrahepatic, involving removal of intrahepatic bile duct calculi (Assist.)	77	22	138	90	8.5	8.5	8.5	21936.0
30458			Transduodenal operation on sphincter of Oddi, involving 1 or more of, removal of calculi, sphincterotomy, sphincteroplasty, biopsy, local	78	25	147	75	8.0	8.0	8.0	21505.0
30508			Bleeding peptic ulcer, control of, involving suture of bleeding point or wedge excision, and highly selective vagotomy (Assist.)	79	34	135	90	7.5	8.0	8.5	21459.8
30509			Bleeding peptic ulcer, control of, involving gastric resection (other than wedge resection) (Assist.)	80	34	133	80	8.3	8.5	8.5	21342.7
32004			Large intestine, subtotal colectomy (resection of right colon, transverse colon and splenic flexure) without anastomosis, not being a service	81	22	138	90	8.0	8.0	8.0	21022.0
30437			Hydatid cyst of liver, total excision of, by cysto- pericystectomy (membrane plus fibrous wall) (Assist.)	82.5	36	138	83	7.0	8.0	8.0	20880.0
30438			Hydatid cyst of liver, excision of, with drainage and excision of liver tissue (Assist.)	82.5	36	138	83	7.0	8.0	8.0	20880.0
32030			Rectosigmoidectomy - (Hartmann's operation) (Assist.)	84	34	118	105	8.0	8.5	8.0	20181.0

CG4 - Breast Surgery/Colorectal Surgery/General Surgery/Head and Neck Surgery/Laparoscopic Surgery/Upper Gastrointestinal Surgery.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2.5intra + post) * (14 + cog + Tech + 2Stress)
					Pre	Intra	Post	Cog	Tech	Stress	
30606			Portal hypertension, oesophageal transection via stapler or oversew of gastric varices with or without devascularisation (Assist.)	85	22	138	81	7.0	8.0	8.0	20160.0
30379			Laparotomy with division of extensive adhesions (duration greater than 2 hours) with or without insertion of long intestinal tube (Assist.)	86	25	143	105	6.5	6.5	7.0	19987.5
30518			Partial gastrectomy (Assist.)	87	27	125	95	8.0	8.0	8.0	19987.0
30539			Oesophagectomy involving gastric reconstruction by abdominal mobilisation, thoracotomy and anastomosis in the neck- conjoint	88	22	184	0	7.0	8.0	6.0	19762.0
32209			Anal or perineal graciloplasty with insertion of stimulator and electrodes (Assist.)	89	22	138	61	8.0	8.0	8.0	19688.0
32009			Total colectomy and ileostomy (Assist.)	90	36	118	100	8.5	8.0	7.5	19610.5
30503			Vagotomy or antrectomy, or both, for peptic ulcer following previous operation for peptic ulcer (Assist.)	91	23	135	65	8.0	8.0	8.0	19573.0
30506			Bleeding peptic ulcer, control of, involving suture of bleeding point or wedge excision, and vagotomy and pyloroplasty or gastroenterostomy	92	30	129	65	7.5	8.0	8.5	19413.8
30455			Choledochotomy (with or without cholecystectomy), with removal of calculi including biliary intestinal anastomosis (Assist.)	93	22	132	70	8.0	8.0	8.0	19412.0
30580			Endocrine tumour, exploration of pancreas or duodenum, followed by local excision of duodenal tumour (Assist.)	94	30	129	70	8.0	8.3	7.7	19308.3
30581			Endocrine tumour, exploration of pancreas or duodenum for, but no tumour found (Assist.)	95	35	147	54	8.0	8.0	6.0	19173.0
30544			Oesophagectomy, by trans-hiatal oesophagectomy (cervical and abdominal mobilisation, anastomosis) with posterior or anterior	96	11	193	0	6.0	6.0	6.0	18753.0
32005			Large intestine, subtotal colectomy (resection of right colon, transverse colon and splenic flexure) with anastomosis, not being a service	97	31	116	90	7.5	8.0	8.0	18700.5
32006			Left hemicolectomy, including the descending and sigmoid colon (including formation of stoma) (Assist.)	98	38	112	90	7.5	8.0	8.0	18564.0
30500			Vagotomy, highly selective with duodenoplasty for peptic stricture (Assist.)	99	24	129	75	7.5	7.5	7.5	18546.0
30559			Oesophagus, local excision for tumour of (Assist.)	100	45	110	81	8.0	8.0	8.0	18446.0
30583			Distal pancreatectomy (Assist.)	101	22	112	100	7.5	8.0	8.0	18291.0
30448			Laparoscopic cholecystectomy, involving removal of common duct calculi via the cystic duct (Assist.)	102	34	128	50	7.5	7.5	8.0	18180.0
30296			Thyroidectomy, total (Assist.)	103	31	125	50	8.0	8.0	8.0	18101.0
30417			Liver cysts, laparoscopic marsupialisation of 5 or more, including any cyst greater than 5cm in diameter (Assist.)	104	28	145	44	7.0	7.5	6.5	18031.8
36500			Adrenal gland, excision of - partial or total (Assist.)	105	21	131	60	7.0	7.5	7.5	17769.8
30436			Hydatid cyst of liver, peritoneum or viscus, complete removal of contents of, with or without suture of biliary radicles, with omentoplasty	106	28	124	60	7.0	7.5	8.0	17711.0
30533			Oesophagogastric myotomy (Heller's operation) via abdominal or thoracic approach, with fundoplasty, with or without closure of the	107	22	138	30	7.0	7.0	8.0	17468.0
30309			Thyroidectomy, subtotal for thyrotoxicosis (Assist.)	108	27	116	50	8.0	8.5	8.5	17432.5
30512			Morbid obesity, gastric bypass for, by any method including anastomosis (Assist.)	109	26	110	65	8.0	8.5	8.5	17385.0
30560			Oesophageal perforation, repair of, by thoracotomy (Assist.)	110	34	92	105	7.5	8.0	8.5	17158.5
30318			Mediastinum, exploration of, via the cervical route, for hyperparathyroidism (including thymectomy) (Assist.)	111	28	104	60	9.0	9.0	8.5	17052.0
30527			Antireflux operation by fundoplasty, via abdominal or thoracic approach, with or without closure of the diaphragmatic hiatus - not being a service	112	33	106	60	8.0	8.5	8.5	17005.0

CG4 - Breast Surgery/Colorectal Surgery/General Surgery/Head and Neck Surgery/Laparoscopic Surgery/Upper Gastrointestinal Surgery.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2.5intra + post) * (14 + cog + Tech + 2Stress)
					Pre	Intra	Post	Cog	Tech	Stress	
30497			Vagotomy and antrectomy (Assist.)	113	23	122	55	7.5	7.5	7.5	16852.0
32003			Large intestine, resection of, with anastomosis, including right hemicolectomy (Assist.)	114	27	103	85	7.5	8.0	8.0	16812.3
30419			Liver tumours, destruction of, by hepatic cryotherapy (Assist.)	115	37	138	47	6.5	5.5	6.5	16731.0
32108			Rectal tumour, trans-sphincteric excision of (Kraske or similar operation) (Assist.)	116	30	110	60	7.9	7.9	8.0	16717.0
30253			Parotid gland, superficial lobectomy or removal of tumour from, with exposure of facial nerve (Assist.)	117	26	121	40	7.5	8.5	7.5	16582.5
30330			Lymph glands of groin, radical excision of (Assist.)	118	26	110	75	7.5	7.5	7.5	16544.0
32057			Total colectomy with excision of rectum and ileoanal anastomosis with formation of ileal reservoir - conjoint surgery, perineal surgeon (Assist.)	119	11	147	0	7.0	8.0	7.0	16275.5
32000			Large intestine, resection of, without anastomosis, including right hemicolectomy (including formation of stoma) (Assist.)	120	26	100	90	7.5	7.5	7.5	16104.0
30384			Laparotomy for grading of lymphoma, including splenectomy, liver biopsies, lymph node biopsies and oophoropexy (Assist.)	121	30	99	80	8.0	8.0	7.5	16087.5
30502			Vagotomy, highly selective, with dilatation of pylorus (Assist.)	122	24	110	65	7.5	7.5	7.5	16016.0
30499			Vagotomy, highly selective (Assist.)	123	22	115	48	7.5	7.5	7.5	15730.0
30454			Choledochotomy (with or without cholecystectomy), with or without removal of calculi (Assist.)	124	22	102	80	7.5	7.5	7.5	15708.0
30434			Hydatid cyst of liver, peritoneum or viscus, complete removal of contents of, with or without suture of biliary radicles (Assist.)	125	28	101	67	7.0	7.0	8.0	15290.0
30460			Cholecystoduodenostomy, cholecystoenterostomy, choledochojejunostomy or Roux-en-Y as a bypass procedure when no	126	22	99	90	7.5	7.0	7.0	15278.8
30586			Pancreatic cyst - anastomosis to stomach or duodenum - by open or endoscopic means (Assist.)	127	25	98	85	7.0	7.0	7.5	15265.0
30414			Liver, subsegmental resection of, (local excision), other than for trauma (Assist.)	128	34	109	65	7.0	7.0	6.5	15231.5
32047			Perineal proctectomy (Assist.)	129.5	22	101	70	8.0	8.0	7.0	15158.0
32112			Rectal prolapse, perineal recto-sigmoidectomy for (Assist.)	129.5	22	101	70	8.0	8.0	7.0	15158.0
32117			Rectal prolapse, abdominal rectopexy of (Assist.)	131	22	98	80	7.0	7.5	7.5	15094.5
30517			Gastroenterostomy, pyloroplasty or gastroduodenostomy, reconstruction of (Assist.)	132	22	104	75	7.0	7.0	7.0	14994.0
30587			Pancreatic cyst, anastomosis to Roux loop of jejunum (Assist.)	133	26	98	77	7.0	7.0	7.5	14964.0
30532			Oesophagogastric myotomy (Heller's operation) via abdominal or thoracic approach, with or without closure of the diaphragmatic hiatus	134.5	22	110	70	6.0	6.5	7.0	14863.5
30565			Small intestine, resection of, without anastomosis (including formation of stoma) (Assist.)	134.5	22	100	95	6.5	7.0	6.5	14863.5
30446			Laparoscopic cholecystectomy when procedure is completed by laparotomy (Assist.)	136	32	92	65	7.5	7.5	8.0	14715.0
30496			Vagotomy, truncal or selective, with or without pyloroplasty or gastroenterostomy (Assist.)	137	25	98	80	7.0	7.0	7.0	14700.0
30315			Parathyroid operation for hyperparathyroidism (Assist.)	138	31	79	50	9.5	9.5	9.5	14482.0
30308			Bilateral subtotal thyroidectomy (Assist.)	139	29	101	50	7.0	7.5	7.0	14088.8
32066			Ileostomy closure with rectal resection and mucosectomy and ileoanal anastomosis with formation of ileal reservoir, with or without temporary	140	22	110	0	8.0	8.0	8.5	13959.0

CG4 - Breast Surgery/Colorectal Surgery/General Surgery/Head and Neck Surgery/Laparoscopic Surgery/Upper Gastrointestinal Surgery.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2.5intra + post) * (14 + cog + Tech + 2Stress)
					Pre	Intra	Post	Cog	Tech	Stress	
30359			Breast, radical or modified radical mastectomy with or without frozen section biopsy (Assist.)	141	28	85	65	7.5	8.0	8.0	13900.3
30396			Laparotomy for gross intra peritoneal sepsis requiring debridement of fibrin, with or without removal of foreign material or enteric contents, Thyroidectomy following previous thyroid surgery (Assist.)	142	29	75	100	7.0	7.5	7.5	13767.8
30297			Small bowel strictureplasty for chronic inflammatory bowel disease (Assist.)	143	26	82	50	8.5	9.0	8.5	13628.5
30564			Splenectomy (Assist.)	144	24	86	70	7.5	7.5	7.5	13596.0
30597			Liver abscess (multiple), open abdominal drainage of (Assist.)	145	27	82	80	7.0	7.5	7.5	13572.0
30433			Splenorrhaphy or partial splenectomy for trauma (Assist.)	146	22	83	75	7.5	7.0	8.0	13550.3
30596			Rectum and anus, abdomino-perineal resection of, combined synchronous operation - perineal resection where the perineal surgeon	147	22	97	70	6.5	6.5	6.7	13513.8
32046			Diaphragmatic hernia, traumatic, repair of (Assist.)	148	11	138	0	5.5	6.0	6.0	13350.0
30600			Fistula between genital and urinary or alimentary tracts, repair of, not being a service to which item 37029, 37333 or 37336 applies (Assist.)	149	30	78	75	7.7	7.7	7.0	13020.0
35596			Anal or perineal graciloplasty (Assist.)	150	25	101	60	6.0	6.5	6.0	12993.8
32203			Total hemithyroidectomy (Assist.)	151	22	92	54	7.0	7.0	7.0	12852.0
30306			Bleeding peptic ulcer, control of, involving suture of bleeding point or wedge excision (Assist.)	152	26	85	40	8.0	8.0	8.0	12811.0
30505			Liver abscess, open abdominal drainage of (Assist.)	153	20	76	70	7.0	7.0	8.5	12600.0
30431			Diaphragmatic hernia, congenital, repair of, by thoracic or abdominal approach) (Assist.)	154	22	69	125	7.0	6.0	6.0	12460.5
30601			Small intestine, resection of, with anastomosis (Assist.)	155	22	78	65	8.0	8.0	7.0	12408.0
30566			Morbid obesity, gastric reduction or gastroplasty for, by any method (Assist.)	156	25	71	90	7.0	7.0	7.0	12285.0
30511			Antireflux operation by cardiopexy, with or without fundoplasty (Assist.)	157	27	68	60	8.0	8.0	8.5	12079.0
30530			Cervical oesophagostomy; or closure of cervical oesophagostomy with or without plastic repair (Assist.)	158	22	92	60	6.0	6.0	6.0	11856.0
30293			Lymph glands of axilla, radical excision of (Assist.)	159	19	99	40	6.5	6.0	6.0	11800.3
30333			Gastroenterostomy (including gastroduodenostomy) or enterocolostomy or enteroenterostomy (Assist.)	160	28	70	60	7.5	7.5	7.5	11572.0
30515			Pancreatic abscess, laparotomy and external drainage of, not requiring retro-pancreatic dissection (Assist.)	161	26	75	80	6.0	6.0	6.5	11446.5
30575			Vesico-intestinal fistula, closure of, excluding bowel resection (Assist.)	162	22	67	90	7.0	6.5	6.5	11319.8
37038			Intra-abdominal artery or vein, cannulation of, for infusion chemotherapy, by open operation (excluding aftercare) (Assist.)	163	26	87	50	6.0	6.5	6.0	11299.8
34521			Total colectomy with excision of rectum and ileostomy, combined synchronous operation; perineal resection (Assist.)	164	37	83	20	7.0	7.5	7.0	11241.3
32021			Anal fistula, repair of by mucosal flap advancement (Assist.)	165	22	83	30	7.0	8.0	7.0	11158.5
32165			Cholecystectomy (Assist.)	166	19	69	50	8.0	8.0	8.0	11109.0
30443			Gastric tumour, removal of, by local excision, not being a service to which item 30518 applies (Assist.)	167	24	65	65	7.5	7.5	7.5	11066.0
30520				168	17	86	43	6.5	6.5	6.5	11000.0

CG4 - Breast Surgery/Colorectal Surgery/General Surgery/Head and Neck Surgery/Laparoscopic Surgery/Upper Gastrointestinal Surgery.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2.5intra + post) * (14 + cog + Tech + 2Stress)
					Pre	Intra	Post	Cog	Tech	Stress	
30422			Liver, repair of superficial laceration of, for trauma (Assist.)	169	34	69	75	6.0	5.0	7.0	10978.5
30445			Laparoscopic cholecystectomy (Assist.)	170	30	65	40	8.0	8.0	8.0	10695.0
30387			Laparotomy involving operation on abdominal viscera (including pelvic viscera), not being a service to which another item in this Group applies	171	24	70	75	6.5	6.5	6.0	10686.0
32126			Anal incontinence, Parks' intersphincteric procedure for (Assist.)	172	19	69	60	7.0	7.0	7.0	10563.0
32183			Intestinal sling procedure prior to radiotherapy (Assist.)	173	19	95	25	5.5	6.0	6.0	10556.3
30310			Thyroid, unilateral sub-total thyroidectomy or equivalent partial thyroidectomy (Assist.)	174	27	78	40	7.0	6.0	6.0	10218.0
30385			Laparotomy for control of post-operative haemorrhage, where no other procedure is performed (Assist.)	175	24	63	45	7.0	7.5	8.0	10079.3
30399			Laparostomy, final closure of wound made at previous operation, after removal of dressings or packs and removal of mesh or zipper if	176	22	69	85	5.0	5.0	6.0	10062.0
32045			Rectum and anus, abdomino-perineal resection of, combined synchronous operation - perineal resection (Assist.)	177	16	90	15	6.5	6.5	6.0	9984.0
30353			Breast, extended simple mastectomy with or without frozen section biopsy (Assist.)	178	27	67	60	6.5	6.5	6.0	9925.5
30375			Laparotomy involving caecostomy, enterostomy, colostomy, enterotomy, colotomy, cholecystostomy, gastrostomy, gastrotomy, Ventral, or incisional hernia, repair of requiring muscle transposition, mesh hernioplasty or resection of strangulated bowel (Assist.)	179	25	59	85	6.5	6.0	6.0	9913.8
30405			Ventral, or incisional hernia, repair of requiring muscle transposition, mesh hernioplasty or resection of strangulated bowel (Assist.)	180	23	61	60	7.0	7.0	7.0	9891.0
30400			Laparotomy with insertion of portacath for administration of cytotoxic therapy including placement of reservoir (Assist.)	181	22	64	60	6.5	7.0	6.5	9801.0
32029	+	00000	Colonic reservoir, construction of, being a service associated with a service to which any other item in this Subgroup applies (Assist.)	182	22	41	65	8.0	9.0	9.0	9285.5
30562			Enterostomy or colostomy, closure of - not involving resection of bowel (Assist.)	183	18	65	52	6.0	6.5	6.5	9183.8
30376			Laparotomy involving division of peritoneal adhesions (where no other intra-abdominal procedure is performed) (Assist.)	184	24	53	75	6.0	6.5	6.5	9144.3
32105			Anorectal carcinoma - per anal full thickness excision of (Assist.)	185	22	55	50	7.0	8.0	7.0	9008.5
30338			Simple mastectomy with or without frozen section biopsy (Assist.)	186	21	62	60	6.5	5.5	6.0	8968.0
30373			Laparotomy (exploratory), including associated biopsies, where no other intra-abdominal procedure is performed (Assist.)	187	26	53	75	6.5	5.5	6.0	8873.0
30609			Femoral or inguinal hernia, laparoscopic repair of, not being a service associated with a service to which item 30612 or 30614 applies	188	27	61	30	6.5	7.5	7.0	8799.0
32206			Stimulator and electrodes, insertion of, following previous graciloplasty (Assist.)	189	22	55	47	7.0	7.0	7.0	8673.0
30402			Retroperitoneal abscess, drainage of, not involving laparotomy (Assist.)	190	30	46	70	6.5	6.5	6.5	8600.0
30408			Peritoneo venous (Leveen) shunt, insertion of (Assist.)	191	22	51	70	6.5	6.5	6.0	8560.5
30394			Laparotomy for drainage of subphrenic abscess, pelvic abscess, appendiceal abscess, ruptured appendix or for peritonitis from any	192	28	46	65	7.5	6.5	6.5	8528.0
30452			Choledochoscopy with balloon dilatation of a stricture or passage of stent or extraction of calculi (Assist.)	193	22	64	30	6.5	6.5	6.5	8480.0
32123			Anal stricture, anoplasty for (Assist.)	194	19	55	40	7.0	8.0	7.0	8449.5
30563			Colostomy or ileostomy, refashioning of (Assist.)	195	18	61	45	6.0	6.0	6.5	8404.5
30572			Laparoscopic appendicectomy (Assist.)	196	27	60	40	6.0	6.5	6.0	8354.5

CG4 - Breast Surgery/Colorectal Surgery/General Surgery/Head and Neck Surgery/Laparoscopic Surgery/Upper Gastrointestinal Surgery.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2.5intra + post) * (14 + cog + Tech + 2Stress)
					Pre	Intra	Post	Cog	Tech	Stress	
32129			Anal sphincter, direct repair of (Assist.)	197	18	46	60	7.0	7.0	7.0	8106.0
30356			Subcutaneous mastectomy with or without frozen section biopsy (Assist.)	198	30	45	41	7.0	8.0	7.5	8074.0
30403			Ventral, incisional, or recurrent hernia or burst abdomen, repair of (Assist.)	199	23	53	50	6.5	6.5	6.0	8014.5
30256	=	52066	Submandibular gland, extirpation of (Assist.)	200	17	65	30	5.5	6.5	6.0	7961.0
31355			Malignant tumour of soft tissue, removal of by surgical excision, where histological proof of malignancy has been obtained, not being a service	201	21	38	55	8.0	8.0	8.0	7866.0
30378	+	00000	Laparotomy involving division of adhesions in association with another intra-abdominal procedure where the time taken to divide the	202	10	70	0	6.5	7.5	7.0	7770.0
30615			Strangulated, incarcerated or obstructed hernia, repair of, without bowel resection (Assist.)	203	25	45	40	7.0	7.0	7.0	7455.0
30494			Endoscopic biliary dilatation	204	14	59	23	6.0	7.0	6.5	7380.0
30020			Burns, excision of, under general anaesthesia, involving more than 10 per cent of body surface, where grafting is not carried out during the	205	22	64	45	4.0	4.0	5.0	7264.0
30416			Liver cyst, laparoscopic marsupialisation of, where the size of the cyst is greater than 5cm in diameter (Assist.)	206	28	49	30	7.0	7.0	6.0	7220.0
32111			Rectal prolapse, Delorme procedure for (Assist.)	207	17	53	40	6.0	6.0	6.0	7201.0
30314			Thyroglossal cyst or fistula or both, radical removal of, including thyroglossal duct and portion of hyoid bone (Assist.)	208	16	56	26	6.0	6.5	6.5	7189.0
30350			Partial mastectomy involving more than 25% of the breast tissue, with or without frozen section biopsy (Assist.)	209	26	44	40	6.5	6.5	6.5	7040.0
32210			Gracilis neosphincter pacemaker, replacement of	210	22	55	47	5.0	5.0	5.0	7021.0
30485			Endoscopic sphincterotomy with or without extraction of stones from common bile duct	211	13	54	25	6.5	7.0	6.5	7006.5
90781			Consultation in rooms exceeding 75 minutes duration with a new patient seen on a referred basis.	212.5	10	75	20	5.0	4.0	4.5	6960.0
90782			Consultation in rooms exceeding 75 minutes duration with an existing patient seen on a referred basis.	212.5	10	75	20	5.0	4.0	4.5	6960.0
32102			Rectal tumour of greater than 5cm in diameter, indicated by pathological examination, per anal submucosal excision of (Assist.)	214	16	37	50	7.0	8.0	7.0	6815.5
32120			Rectal prolapse, perineal repair of (Assist.)	215	19	46	40	6.0	6.0	6.0	6612.0
32508			Varicose veins, complete dissection at the sapheno-femoral or sapheno-popliteal junction, with or without either ligation or stripping, or	216	14	60	30	5.0	5.0	5.0	6596.0
30614			Femoral or inguinal hernia or infantile hydrocele, repair of, not being a service to which item 30403 or 30615 applies (Assist.)	217	19	42	37	6.5	6.5	6.5	6440.0
30450			Calculus of biliary or renal tract, extraction of, using interventional imaging techniques - not being a service associated with a service to	218	11	55	30	6.0	6.0	5.0	6426.0
91281			Consultation in a hospital of approximately 75 minutes duration with a new patient seen on a referred basis.	219	2	75	10	5.0	4.0	4.5	6384.0
30393	+	00000	Laparoscopic division of adhesions in association with another intra-abdominal procedure where the time taken to divide the adhesions	220	0	55	0	8.0	8.0	8.0	6325.0
91282			Consultation in a hospital of approximately 75 minutes duration with an existing patient seen on a referred basis.	221	0	75	5	5.0	4.0	4.5	6160.0
34524			Arterial cannulation for infusion chemotherapy by open operation, not being a service to which item 34521 applies (excluding after-care)	222	22	55	0	6.0	6.0	6.0	6061.0
34527			Central vein catheterisation by open technique, using subcutaneous tunnel with pump or access port as with Hickman or Broviac catheter or	223	15	49	17	5.0	6.0	7.0	6025.5
30286			Branchial cyst, removal of (Assist.)	224	19	48	30	6.0	5.5	5.0	5999.5

CG4 - Breast Surgery/Colorectal Surgery/General Surgery/Head and Neck Surgery/Laparoscopic Surgery/Upper Gastrointestinal Surgery.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV = (pre + 2.5intra + post) * (14 + cog + Tech + 2Stress)
					Final	Adjustment		Pre	Intra	Post	
30229			Muscle, excision of (extensive) (Assist.)	225	15	55	45	4.5	3.5	4.0	5925.0
90771			Consultation in rooms of approximately 60 minutes duration with a new patient seen on a referred basis.	226.5	10	60	20	5.0	4.0	4.5	5760.0
90772			Consultation in rooms of approximately 60 minutes duration with an existing patient seen on a referred basis.	226.5	10	60	20	5.0	4.0	4.5	5760.0
30391			Laparoscopy, with biopsy (Assist.)	228.5	26	35	40	6.0	6.0	5.5	5679.5
30571			Appendectomy, not being a service to which item 30574 applies (Assist.)	228.5	21	37	40	6.0	6.0	5.5	5679.5
30484			Endoscopic retrograde cholangio-pancreatography	230	10	46	24	6.0	5.5	6.0	5587.5
30269			Salivary gland, repair of cutaneous fistula of	231.5	22	41	30	7.0	5.0	5.0	5562.0
30397			Laparostomy, via wound previously made and left open or closed with zipper, involving change of dressings or packs, and with or without	231.5	22	41	30	5.5	5.5	5.5	5562.0
30168			Lipectomy - wedge excision of skin or fat (not being a service to which item 30165 applies) - 1 excision (Assist.)	233	20	62	30	3.5	3.5	3.0	5535.0
32200			Distal muscle, devascularisation of (Assist.)	234	22	41	20	6.0	6.0	6.0	5491.0
30313			Thyroglossal cyst, removal of (Assist.)	235	19	47	20	5.0	5.0	5.0	5321.0
30491			Bile duct, endoscopic stenting of (including endoscopy and dilatation)	236	15	35	30	6.0	7.0	6.5	5300.0
32099			Rectal tumour of 5cm or less in diameter, per anal submucosal excision of (Assist.)	237	21	38	30	6.0	6.0	5.0	5256.0
34528			Central vein catheterisation by percutaneous technique, using subcutaneous tunnel with pump or access port as with Hickman or	238	17	42	20	5.0	6.0	6.0	5254.0
30367			Breast central ducts, excision of, for benign condition (Assist.)	239	22	41	20	5.5	5.5	5.5	5202.0
32162			Anal fistula, excision of, involving the upper half of the anal sphincter mechanism (Assist.)	240	16	27	40	7.0	7.0	7.0	5187.0
91271			Consultation in a hospital of approximately 60 minutes duration with a new patient seen on a referred basis.	241	2	60	10	5.0	4.0	4.5	5184.0
30232			Muscle, ruptured, repair of (limited), not associated with external wound	242	22	41	60	4.0	4.0	3.0	5166.0
32094			Endoscopic dilatation of colorectal strictures including colonoscopy	243	13	45	24	5.0	5.0	5.0	5083.0
45203			Single stage local flap, where indicated to repair 1 defect, complicated or large, excluding flap for male pattern baldness (Assist.)	244	17	41	27	5.0	5.0	5.0	4981.0
91272			Consultation in a hospital of approximately 60 minutes duration with an existing patient seen on a referred basis.	245	0	60	5	5.0	4.0	4.5	4960.0
30493			Biliary manometry	246.5	14	60	23	3.0	3.0	3.0	4862.0
30644			Exploration of spermatic cord,inguinal approach,with or without testicular biopsy and with or without excision of spermatic cord and	246.5	18	38	30	5.0	5.0	5.0	4862.0
30621			Umbilical, epigastric or linea alba hernia, repair of, in a person 10 years of age or over (Assist.)	248	21	30	30	6.0	6.0	6.0	4788.0
30325			Lymph glands of neck, limited excision of (Assist.)	249	16	33	30	6.0	5.5	5.5	4690.3
30366			Breast, microdochotomy of, for benign or malignant condition (Assist.)	250	20	34	20	5.5	5.5	5.5	4500.0
30346			Breast, excision of cyst, fibro adenoma or other local lesion or segmental resection for any other reason, where frozen section biopsy	251	21	29	20	6.5	6.0	6.5	4483.3
90761			Consultation in rooms of approximately 45 minutes duration with a new patient seen on a referred basis.	252.5	5	45	20	5.0	4.0	4.5	4400.0

CG4 - Breast Surgery/Colorectal Surgery/General Surgery/Head and Neck Surgery/Laparoscopic Surgery/Upper Gastrointestinal Surgery.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2.5intra + post) * (14 + cog + Tech + 2Stress)
					Pre	Intra	Post	Cog	Tech	Stress	
90762			Consultation in rooms of approximately 45 minutes duration with an existing patient seen on a referred basis.	252.5	5	45	20	5.0	4.0	4.5	4400.0
32081			Sigmoidoscopic examination with diathermy or resection of 1 or more polyps where the time taken is greater than 45 minutes	254	19	44	30	3.0	3.5	3.5	4372.5
30272	=	52078	Tongue, partial excision of (Assist.)	255	16	35	25	5.0	5.0	5.0	4369.0
30058			Post-operative haemorrhage, control of, under general anaesthesia, as an independent procedure	256	17	43	20	3.5	4.5	4.0	4335.0
30332			Lymph glands of axilla, limited excision of	257	18	35	30	4.0	4.5	4.5	4268.3
30096			Scalene node biopsy	258	14	34	20	5.5	5.5	5.0	4165.0
45451			Free grafting (full thickness) to 1 defect, excluding grafts for male pattern baldness (Assist.)	259	14	36	30	5.0	5.0	3.5	4154.0
31335			Malignant melanoma, appendageal carcinoma, malignant fibrous tumour of skin, merkel cell carcinoma of skin or Hutchinson's	260	21	31	25	5.0	4.7	4.5	4038.5
31245			Skin and subcutaneous tissue, extensive excision of, in the treatment of suppurative hydradenitis (excision from axilla, groin or natal cleft) or	261	17	24	37	5.0	5.0	5.5	3990.0
91261			Consultation in a hospital of approximately 45 minutes duration with a new patient seen on a referred basis.	262	2	45	10	5.0	4.0	4.5	3984.0
31350			Benign tumour of soft tissue, removal of by surgical excision, where specimen is sent for histological confirmation of diagnosis, not being a	263	18	33	21	5.0	5.0	4.0	3888.0
30441	+	00000	Intra operative ultrasound for staging of intra abdominal tumours	264	0	55	0	5.0	3.0	3.0	3850.0
30329			Lymph glands of groin, limited excision of	265	18	25	40	4.0	4.5	4.5	3795.8
31330			Malignant melanoma, appendageal carcinoma, malignant fibrous tumour of skin, merkel cell carcinoma of skin or Hutchinson's	266	17	28	24	5.0	5.0	5.0	3774.0
31310			Malignant melanoma, appendageal carcinoma, malignant fibrous tumour of skin, merkel cell carcinoma of skin or Hutchinson's	267	17	30	24	5.0	4.5	4.5	3770.0
91262			Consultation in a hospital of approximately 45 minutes duration with an existing patient seen on a referred basis.	268	0	45	5	5.0	4.0	4.5	3760.0
30451			Biliary drainage tube, exchange of, using interventional techniques - but not including imaging (Assist.)	269	11	28	30	6.0	5.0	4.0	3663.0
13112			Peritoneal dialysis, establishment of, by abdominal puncture and insertion of temporary catheter (including associated consultation)	270	21	29	37	4.0	4.0	3.0	3654.0
30631			Hydrocele, removal of, not being a service associated with a service to which items 30638, 30641 and 30644 apply	271	19	30	30	4.0	4.0	3.5	3596.0
32180			Anal warts, removal of, under general anaesthesia, or under regional or field nerve block (excluding pudendal block) requiring admission to a	272	14	46	27	2.5	2.5	2.0	3588.0
32138			Haemorrhoidectomy including excision of anal skin tags when performed	273	18	24	50	3.5	3.5	3.5	3584.0
30010			Localised burns, dressing of, under general anaesthesia (not involving grafting)	274	13	55	20	2.0	2.0	1.5	3580.5
32139			Haemorrhoidectomy involving third or fourth degree haemorrhoids, including excision of anal skin tags when performed (Assist.)	275	19	26	40	3.5	3.5	3.5	3472.0
30390			Laparoscopy, diagnostic	276	18	27	20	4.5	5.0	4.5	3428.8
32114			Rectal stricture, per anal release of	277	19	23	30	4.5	4.5	4.5	3408.0
31275			Basal cell carcinoma or squamous cell carcinoma (including keratocanthoma), removal from face, neck (anterior to the sternomastoid	278	16	31	20	4.0	4.0	4.0	3405.0
32093			Fibreoptic colonoscopy - examination of colon beyond the hepatic flexure with removal of 1 or more polyps	279	7	26	17	6.0	6.0	6.0	3382.0
30283	=	52087	Ranula or mucous cyst of mouth, removal of	280	14	31	20	4.0	4.3	4.0	3378.5

CG4 - Breast Surgery/Colorectal Surgery/General Surgery/Head and Neck Surgery/Laparoscopic Surgery/Upper Gastrointestinal Surgery.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2.5intra + post) * (14 + cog + Tech + 2Stress)
					Pre	Intra	Post	Cog	Tech	Stress	
30180			Axillary hyperhidrosis, wedge excision for	281	15	35	24	3.0	3.5	3.0	3352.3
30676			Pilonidal sinus or cyst, or sacral sinus or cyst, excision of	282	18	26	30	4.0	4.0	3.5	3277.0
30103	=	52033	Sinus, excision of, involving muscle and deep tissue	283	15	29	38	3.0	3.0	3.0	3263.0
32159			Anal fistula, excision of, involving lower half of the anal sphincter mechanism (Assist.)	284	17	21	30	4.5	4.5	4.5	3184.0
30266	=	52075	Salivary gland, removal of calculus from duct or meatotomy or marsupialisation, 1 or more such procedures	285	15	28	18	4.0	4.3	4.0	3120.9
30075	=	52027	Biopsy of lymph gland, muscle or other deep tissue or organ, as an independent procedure	286	16	26	29	3.5	3.5	3.5	3080.0
30238			Fascia, deep, repair of, for herniated muscle	287	12	37	18	3.0	3.0	2.5	3062.5
45439			Free grafting (split skin) to 1 defect, including elective dissection, small	288	13	27	35	3.0	3.5	3.0	3060.8
30342			Breast, excision of cyst, fibro adenoma or other local lesion or segmental resection for any other reason (Assist.)	289	20	26	20	4.0	4.0	3.5	3045.0
37601			Spermatocele or epididymal cyst, excision of, 1 or more of, on 1 side	290	18	29	18	4.0	4.0	3.0	3038.0
31345			Lipoma, excision of, where lesion is subcutaneous and greater than 50mm in diameter, or is sub-fascial	291	17	28	25	3.5	3.5	3.0	3024.0
31325			Malignant melanoma, appendageal carcinoma, malignant fibrous tumour of skin, merkel cell carcinoma of skin or Hutchinson's	292	14	26	20	5.0	4.5	3.5	3019.5
31260			Basal cell carcinoma or squamous cell carcinoma (including keratocanthoma), removal from nose, eyelid, lip, ear, digit or genitalia,	293	18	28	20	3.0	3.5	3.5	2970.0
30187			Palmar or plantar warts, removal of, by carbon dioxide laser, requiring admission to a hospital or day hospital facility, or when performed by a	294	17	39	20	2.0	2.0	2.0	2959.0
30369			Accessory breast tissue, excision of (Assist.)	295	15	29	20	3.5	3.5	3.0	2902.5
30104			Pre-auricular sinus, excision of	296	11	29	20	3.5	3.5	3.5	2898.0
11830			Diagnosis of abnormalities of the pelvic floor involving anal manometry or measurement of anorectal sensation or measurement of the	297.5	11	30	15	4.0	4.0	3.3	2888.6
11833			Diagnosis of abnormalities of the pelvic floor and sphincter muscles involving electromyography or measurement of pudendal and spinal	297.5	11	30	15	4.0	4.0	3.3	2888.6
90751			Consultation in rooms of approximately 30 minutes duration with a new patient seen on a referred basis.	299.5	5	30	10	5.0	4.0	4.5	2880.0
90752			Consultation in rooms of approximately 30 minutes duration with an existing patient seen on a referred basis.	299.5	5	30	10	5.0	4.0	4.5	2880.0
31290			Basal cell carcinoma or squamous cell carcinoma (including keratocanthoma), removal from areas of the body not covered by items	301	16	29	22	3.0	3.0	3.0	2873.0
32096			Rectal biopsy, full thickness, under general anaesthesia, or under epidural or spinal (intrathecal) nerve block where undertaken in a	302	15	20	30	4.0	4.0	4.0	2850.0
30042			Skin and subcutaneous tissue or mucous membrane, repair of recent wound of, other than on face or neck, large (more than 7cm long),	303	15	34	28	2.0	2.0	2.0	2816.0
91251			Consultation in a hospital of approximately 30 minutes duration with a new patient seen on a referred basis.	304	2	30	10	5.0	4.0	4.5	2784.0
30068	=	52018	Foreign body in muscle, tendon or other deep tissue, removal of, as an independent procedure (Assist.)	305	17	23	20	3.5	4.5	3.5	2740.5
30107			Ganglion or small bursa, excision of, not being a service associated with a service to which an item in this Group applies	306	19	23	20	3.5	3.5	3.5	2702.0
30656			Circumcision of a male under 10 years of age but not less than 6 months of age	307	13	21	20	5.0	4.0	4.0	2650.5
32087			Flexible fiberoptic sigmoidoscopy or fiberoptic colonoscopy up to the hepatic flexure with removal of 1 or more polyps - not being a service to	308	8	21	17	5.0	5.0	5.0	2635.0

CG4 - Breast Surgery/Colorectal Surgery/General Surgery/Head and Neck Surgery/Laparoscopic Surgery/Upper Gastrointestinal Surgery.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2.5intra + post) * (14 + cog + Tech + 2Stress)
					Pre	Intra	Post	Cog	Tech	Stress	
32090			Fibreoptic colonoscopy - examination of colon beyond the hepatic flexure with or without biopsy	309	8	20	15	5.5	5.5	5.5	2628.0
39331			Carpal tunnel release (division of transverse carpal ligament), by any method	310.5	20	19	20	4.0	4.0	4.0	2625.0
30364			Breast, exploration and drainage of haematoma, seroma or inflammatory condition including abscess, granulomatous mastitis or Temporal artery, biopsy of (Assist.)	310.5	15	30	15	3.0	3.0	2.5	2625.0
34109			Rectal stricture, dilatation of	312	12	29	20	3.0	3.0	2.5	2612.5
32115			Consultation in a hospital of approximately 30 minutes duration with an existing patient seen on a referred basis.	314	0	30	5	5.0	4.0	4.5	2560.0
91252			Percutaneous endoscopic gastrostomy (repeat procedure)	315	9	27	11	4.0	4.0	3.5	2537.5
30482			Sigmoidoscopic examination with diathermy or resection of 1 or more polyps where the time taken is less than or equal to 45 minutes	316	16	21	25	3.0	3.0	3.3	2487.1
32078			Choledochoscopy in conjunction with another procedure	317	0	28	0	5.5	6.0	5.0	2485.0
30442	+	00000	Tumours (other than viral verrucae [common warts] and seborrheic keratoses), cysts, ulcers or scars (other than scars removed during the Percutaneous endoscopic gastrostomy (initial procedure)	318	14	40	18	1.3	1.5	1.0	2481.6
31220			Percutaneous endoscopic gastrostomy (initial procedure)	319	8	21	17	4.5	4.5	4.5	2480.0
30481			Intraoperative enterotomy for visualisation of the small intestine by endoscopy (Assist.)	320	0	28	0	6.0	5.0	5.0	2450.0
30568	+	00000	Vasotomy or vasectomy, unilateral or bilateral	321	16	21	18	3.5	3.5	3.5	2422.0
37623			Small bowel intubation with biopsy	322	12	26	16	4.5	3.5	2.0	2418.0
30487			Hirschsprung's disease, anal sphincterotomy as an independent procedure for (Assist.)	323	14	15	12	6.0	6.0	6.0	2413.0
43999			Fistula-in-ano, subcutaneous, excision of	324	15	25	18	3.0	2.3	2.5	2320.7
32156			Oesophageal and anastomotic stricture, endoscopic dilatation of	325	8	16	18	5.0	5.0	5.5	2310.0
41819			Large haematoma, large abscess, carbuncle, cellulitis or similar lesion requiring a general anaesthetic, incision with drainage of (excluding Haemorrhage, arrest of, following circumcision requiring general anaesthesia	326	16	23	15	3.0	3.0	2.5	2212.5
30223	=	52057	Haemorrhage, arrest of, following circumcision requiring general anaesthesia	327	15	20	18	2.7	2.7	3.5	2191.2
30663			Ingrowing nail of toe, wedge resection for, including removal of segment of nail, unguis fold and portion of the nail bed	328	11	23	20	2.5	2.7	2.7	2177.1
47915			Ingrowing toenail, radical excision of nailbed	329	11	23	20	2.5	3.0	2.3	2132.9
47918			Consultation in rooms of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	330	5	20	10	5.0	4.0	4.5	2080.0
90740			Tumour (other than viral verrucae [common warts] and seborrheic keratoses), cyst, ulcer or scar (other than a scar removed during the Fistula wound, review of, under general or regional anaesthetic, as an independent procedure	331	9	25	16	2.0	2.0	2.5	2012.5
31215			Accessory nipple, excision of	332	15	18	20	3.0	3.0	2.5	2000.0
32168			Intra-anal, perianal or ischio-rectal abscess, draining of, undertaken in the operating theatre of a hospital or approved day-hospital facility	333	12	21	20	2.5	2.5	2.0	1943.5
30372			Ingrowing nail of finger or thumb, wedge resection for, including removal of segment of nail, unguis fold and portion of the nail bed	334	11	19	20	2.5	2.7	2.7	1931.1
46528			Abscess drainage tube, exchange of using interventional techniques - but not including imaging	335	11	28	15	2.0	2.0	1.0	1920.0
30225			Intra-anal, perianal or ischio-rectal abscess, draining of, undertaken in the operating theatre of a hospital or approved day-hospital facility	336	15	18	17	2.7	2.7	2.5	1878.8
32175											

CG4 - Breast Surgery/Colorectal Surgery/General Surgery/Head and Neck Surgery/Laparoscopic Surgery/Upper Gastrointestinal Surgery.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2.5intra + post) * (14 + cog + Tech + 2Stress)
					Pre	Intra	Post	Cog	Tech	Stress	
32150			Operation for fissure-in-ano, including excision or sphincterotomy but excluding dilatation only (Assist.)	337	17	12	20	3.5	3.5	3.5	1876.0
32084			Flexible fibreoptic sigmoidoscopy or fibreoptic colonoscopy up to the hepatic flexure, with or without biopsy	338	7	17	9	4.5	4.5	4.5	1872.0
34530			Hickman or broviac catheter, or other chemotherapy device, removal of, by open surgical procedure in the operating theatre of a hospital or	339	14	19	16	3.0	3.0	2.0	1860.0
32186	+	00000	Colonic lavage, total, intra-operative (Assist.)	340	0	28	0	2.0	4.0	3.0	1820.0
91240			Consultation in a hospital of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	341	0	20	5	5.0	4.0	4.5	1760.0
30203			Cancer of skin or mucous membrane proven by histopathology or confirmed by specialist opinion, removal of, by liquid nitrogen	342	8	26	11	2.0	1.5	1.5	1722.0
32212			Ano-rectal application of formalin in the treatment of radiation proctitis, where performed in the operating theatre of a hospital or approved day-	343	11	18	20	3.0	1.5	2.0	1710.0
30078			Drill biopsy of lymph gland, deep tissue or organ, as an independent procedure	344	13	18	17	2.5	2.0	2.0	1687.5
32095			Endoscopic examination of small bowel with flexible endoscope passed by stoma, with or without biopsies	345	8	17	9	3.5	3.5	3.5	1666.0
30360			Fine needle breast biopsy, imaging guided - but not including imaging	346.5	7	18	10	3.5	2.5	3.0	1612.0
30363			Breast, core biopsy of solid tumour or tissue of, using mechanical biopsy device, for histological examination	346.5	7	18	10	3.5	2.5	3.0	1612.0
32500			Varicose veins where varicosity measures 2.5mm or greater in diameter, multiple injections using continuous compression	348	11	18	14	2.0	2.5	2.0	1575.0
30099	=	52030	Sinus, excision of, involving superficial tissue only	349	10	20	14	2.0	2.0	1.5	1554.0
30666			Paraphimosis, reduction of, under general anaesthesia, with or without dorsal incision, not being a service associated with a service to which	350	14	20	14	1.3	1.5	1.5	1544.4
11810			Clinical assessment of gastro-oesophageal reflux disease involving 24 hour pH monitoring, including analysis, interpretation and report and	351	7	15	8	4.0	4.0	3.5	1522.5
31210			Tumour (other than viral verrucae [common warts] and seborrheic keratoses), cyst, ulcer or scar (other than a scar removed during the	352	9	20	15	2.0	2.0	1.0	1480.0
32177			Anal warts, removal of, under general anaesthesia, or under regional or field nerve block (excluding pudendal block) requiring admission to a	353	12	14	20	2.0	2.0	2.0	1474.0
32171			Anorectal examination, with or without biopsy, under general anaesthetic, not being a service associated with a service to which	354	15	15	20	1.5	1.5	1.5	1450.0
90730			Consultation in rooms of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	355	2	15	5	5.0	4.0	4.5	1424.0
32142			Anal skin tags or anal polyps, excision of 1 or more of	356	11	17	17	1.5	1.5	1.5	1410.0
30473			Oesophagoscopy (not being a service to which item 41816 or 41822 applies), gastroscopy, duodenoscopy or panendoscopy (1 or more	357	6	11	11	4.5	4.0	4.5	1401.8
30189			Warts or molluscum contagiosum, removal of, by any method (other than by chemical means), where undertaken in the operating theatre of	358	13	16	20	1.5	1.5	1.0	1387.0
32145			Anal skin tags or anal polyps, excision of 1 or more of, undertaken in the operating theatre of a hospital or approved day-hospital facility	359	16	14	17	1.5	1.7	1.5	1373.6
32166			Anal fistula - readjustment of Seton	360	11	18	13	1.5	1.5	1.0	1311.0
30574	+	00000	Appendectomy, when performed in conjunction with any other intra-abdominal procedure through the same incision	361	0	15	0	5.0	4.0	5.0	1237.5
30262	=	52072	Salivary gland, dilatation or diathermy of duct	362	8	14	10	2.0	3.0	2.0	1219.0
91230			Consultation in a hospital of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	363	0	15	0	5.0	4.0	4.5	1200.0
32075			Sigmoidoscopic examination (with rigid sigmoidoscope), under general anaesthesia, with or without biopsy, not being a service associated	364	8	16	10	1.5	2.5	1.3	1194.8

CG4 - Breast Surgery/Colorectal Surgery/General Surgery/Head and Neck Surgery/Laparoscopic Surgery/Upper Gastrointestinal Surgery.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV = (pre + 2.5intra + post) * (14 + cog + Tech + 2Stress)
					Pre	Intra	Post	Cog	Tech	Stress	
32153			Anus, dilatation of, under general anaesthesia, with or without disimpaction of faeces, not being a service associated with a service to	365	15	15	10	1.5	1.5	1.0	1187.5
32174			Intra-anal, perianal or ischio-rectal abscess, drainage of (excluding aftercare)	366	10	16	3	2.0	2.0	2.0	1166.0
30483			Gastrostomy button, non-endoscopic insertion of, or non-endoscopic replacement of	367	4	14	7	3.0	3.0	2.5	1150.0
30439	+	00000	Operative cholangiography or operative pancreatography or intra operative ultrasound of the biliary tract (including 1 or more	368	0	14	0	4.5	6.0	4.0	1137.5
30679			Pilonidal sinus, injection of sclerosant fluid under anaesthesia	369	4	14	20	1.0	1.0	1.0	1062.0
30213			Telangiectases or starburst vessels on the head or neck where lesions are visible from 4 metres, diathermy or sclerosant injection of, including	370	6	16	5	2.0	2.0	1.0	1020.0
30411	+	00000	Liver biopsy by wedge excision when performed in association with another intra-abdominal procedure	371	0	14	0	4.0	4.0	3.5	1015.0
90720			Consultation in rooms of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	372	2	10	5	4.5	4.0	4.5	1008.0
32135			Haemorrhoids or rectal prolapse - rubber band ligation of, with or without sclerotherapy, cryosurgery or infrared therapy for	373	7	14	5	1.5	1.5	1.5	940.0
32147			Perianal thrombosis, incision of=20	374	9	11	6	1.5	1.7	1.5	858.5
91220			Consultation in a hospital of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	375	0	10	0	4.5	4.0	4.5	787.5
32072			Sigmoidoscopic examination (with rigid sigmoidoscope), with or without biopsy	376	4	10	9	1.5	2.5	1.0	760.0
30412	+	00000	Liver biopsy by core needle, when performed in conjunction with another intra-abdominal procedure	377	0	11	0	2.5	3.0	3.5	728.8
32132			Haemorrhoids or rectal prolapse - sclerotherapy for	378	7	9	5	1.5	1.5	1.5	690.0
30216			Haematoma, aspiration of	379	4	9	2	2.0	1.5	1.5	584.3
11800			Oesophageal motility test, manometric	380	7	0	8	4.0	4.0	3.5	435.0

CG5&11 - CARDIOTHORACIC SURGERY & VASCULAR SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
38565			Aortic arch and ascending thoracic aorta, repair or replacement of, with aortic valve replacement or repair, and implantation of	1	24	432	70	10.0	10.0	10.0	422.4	16492.0	1270.4	18185
33148			Ruptured thoraco-abdominal aortic aneurysm, replacement by graft (Assist.)	2	24	450	105	6.2	10.0	8.8	261.9	15545.9	1291.1	17099
33151			Ruptured suprarenal abdominal aortic aneurysm, replacement by graft (Assist.)	3	24	420	150	7.1	10.0	8.8	299.9	14717.4	2039.1	17056
38562			Aortic arch and ascending thoracic aorta, repair or replacement of, with aortic valve replacement or repair, without implantation	4	24	405	100	9.7	9.6	9.2	409.7	14732.2	1746.8	16889
38559			Aortic arch and ascending thoracic aorta, repair or replacement of, not involving valve replacement or repair or coronary artery	5	24	351	105	9.7	9.5	9.3	409.7	12759.5	1837.4	15007
34166			Aorto-duodenal fistula, repair of, by oversewing of abdominal aorta, repair of duodenum and axillo bifemoral grafting (Assist.)	6	24	300	145	8.0	9.4	8.3	337.9	10194.5	2136.8	12669
38556			Ascending thoracic aorta, repair or replacement of, with aortic valve replacement or repair, and implantation of coronary	7	24	270	90	9.8	9.7	8.9	414.0	9773.5	1576.7	11764
38455			Tracheal excision and repair of, with cardiopulmonary bypass (Assist.)	8	16	243	126	10.0	9.1	9.5	281.6	8788.0	2267.2	11337
34163			Aorto-duodenal fistula, repair of, by insertion of aortic graft and repair of duodenum (Assist.)	9	24	270	118	8.0	10.0	7.8	337.9	9248.4	1720.5	11307
38680			Cardiac tumour arising from ventricular myocardium, full thickness excision of including repair or reconstruction (Assist.)	10	24	270	71	9.8	9.3	9.0	414.0	9643.8	1246.0	11304
38754			Intraventricular baffle or conduit, insertion of, for congenital heart disease=20 (Assist.)	11	24	243	90	10.0	10.0	9.5	422.4	9120.9	1619.4	11163
38509			Ischaemic ventricular septal rupture, repair of (Assist.)	12	24	243	80	9.8	9.9	10.0	414.0	9213.1	1428.8	11056
38553			Ascending thoracic aorta, repair or replacement of, with aortic valve replacement or repair, without implantation of coronary	13	24	243	90	9.6	9.3	9.1	405.5	8683.8	1556.3	10646
38489			Valve replacement with allograft (subcoronary or cylindrical implant), or unstented xenograft (Assist.)	14	24	240	90	9.4	9.4	8.9	397.1	8525.2	1524.8	10447
38550			Ascending thoracic aorta, repair or replacement of, not involving valve replacement or repair or coronary artery implantation	15	24	243	85	9.6	9.1	8.9	405.5	8547.5	1464.6	10418
33145			Ruptured thoracic aortic aneurysm, replacement by graft (Assist.)	16	24	240	118	7.1	10.0	8.8	299.9	8409.9	1604.1	10314
38449			Pericardiectomy via sternotomy or anterolateral thoracotomy with cardiopulmonary bypass (Assist.)	17	16	240	87	9.6	9.0	8.4	270.3	8251.5	1485.5	10007
38497			Coronary artery bypass using saphenous vein graft or grafts only, including harvesting of vein graft material where performed	18	30	239	90	8.9	9.1	8.1	469.9	8069.5	1437.5	9977
38736			Systemic pulmonary or cavo-pulmonary shunt, creation of, with cardiopulmonary bypass, for congenital heart disease (Assist.)	19	24	216	110	8.9	9.1	9.5	375.9	7680.9	1804.8	9862
38481			Valve repair, 2 or more leaflets (Assist.)	20	24	240	80	9.4	8.7	8.4	397.1	8115.5	1342.9	9855
38618			Left and right ventricular assist device, insertion of (Assist.)	21	24	162	189	9.8	9.1	9.9	414.0	5924.0	3369.8	9708
38571			Descending thoracic aorta, repair or replacement of, using shunt or cardiopulmonary bypass (Assist.)	22	24	243	71	9.1	8.6	8.4	384.4	8139.9	1161.1	9685
38751			Ventricular septal defect, closure by direct suture or patch, for congenital heart disease=20 (Assist.)	23	24	240	75	9.1	9.1	7.8	384.4	8037.3	1212.5	9634
38724			Vena cava, anastomosis or repair of, with cardiopulmonary bypass, for congenital heart disease=20 (Assist.)	24	24	243	60	9.1	8.7	8.5	384.4	8208.0	983.1	9575
38757			Extracardiac conduit, insertion of, for congenital heart disease (Assist.)	25	24	240	60	9.4	8.7	8.5	397.1	8146.3	1009.0	9552
38615			Left or right ventricular assist device, insertion of (Assist.)	26	24	180	145	9.8	9.1	9.5	414.0	6489.8	2567.2	9471

CG5&11 - CARDIOTHORACIC SURGERY & VASCULAR SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
38748			Ventricular septectomy, for congenital heart disease (Assist.)	27	24	216	87	9.8	8.8	8.9	414.0	7522.9	1524.1	9461
38730			Intrathoracic vessels, anastomosis or repair of, with cardiopulmonary bypass, not being a service to which item	28	24	216	75	9.4	9.3	8.9	397.1	7639.8	1270.6	9307
34160			Aorto-duodenal fistula, repair of, by suture of aorta and repair of duodenum=20 (Assist.)	29	24	210	118	8.0	10.0	7.8	337.9	7193.2	1720.5	9252
38503			Coronary artery bypass using 2 or more arterial grafts, with or without vein graft or grafts, including harvesting of internal	30	30	216	85	8.9	9.4	8.1	469.9	7391.5	1357.6	9219
38709			Aorta, anastomosis or repair of, with cardiopulmonary bypass, for congenital heart disease=20 (Assist.)	31	24	216	70	9.4	9.1	8.9	397.1	7574.0	1185.9	9157
30536			Oesophagectomy involving gastric reconstruction by abdominal mobilisation, thoracotomy and anastomosis in the neck - 1	32	22	230	98	8.3	8.4	7.8	321.4	7356.1	1471.3	9149
38766			Ventricular augmentation, right or left, for congenital heart disease (Assist.)	33	24	216	87	9.1	8.7	8.4	384.4	7268.3	1422.8	9075
38453			Tracheal excision and repair without cardiopulmonary bypass (Assist.)	34	16	216	60	9.8	9.1	9.2	276.0	7704.7	1056.7	9037
30535			Oesophagectomy with gastric reconstruction by abdominal mobilisation and thoracotomy (Assist.)	35	24	220	109	8.3	8.3	7.8	350.6	7002.8	1636.5	8990
38677			Cardiac tumour arising from ventricular myocardium, partial thickness excision of (Assist.)	36	24	216	71	9.6	9.1	8.1	405.5	7376.1	1205.7	8987
38500			Coronary artery bypass using single arterial graft, with or without vein graft or grafts, including harvesting of internal	37	30	211	85	8.9	9.2	8.1	469.9	7156.2	1357.6	8984
38763			Ventricular myectomy, for relief of ventricular obstruction, right or left, for congenital heart disease=20 (Assist.)	38	24	216	70	9.1	9.1	8.4	384.4	7399.8	1144.8	8929
38447			Pericardiectomy via sternotomy or anterolateral thoracotomy without cardiopulmonary bypass (Assist.)	39	16	216	70	9.6	9.1	8.4	270.3	7459.2	1195.2	8925
38718			Main pulmonary artery, banding, debanding or repair of, with cardiopulmonary bypass, for congenital heart disease (Assist.)	40	24	216	80	9.2	8.3	8.5	388.6	7176.4	1322.3	8887
38712			Aortic interruption, repair of, for congenital heart disease (Assist.)	41	24	189	65	10.0	10.0	9.6	422.4	7118.3	1171.6	8712
33160			Ruptured infrarenal abdominal aortic aneurysm, replacement by bifurcation graft to 1 or both femoral arteries (Assist.)	42	24	210	150	6.2	8.9	7.8	261.9	6633.7	1797.8	8693
33136			False aneurysm, repair of, at aortic anastomosis following previous aortic surgery (Assist.)	43	24	200	105	8.0	9.4	8.3	337.9	6796.3	1547.3	8682
38760			Extracardiac conduit, replacement of, for congenital heart disease=20 (Assist.)	44	24	216	71	8.9	8.7	8.0	375.9	7133.7	1131.8	8641
38673			Cardiac tumour, excision of, involving the wall of the atrium or inter-atrial septum, requiring reconstruction with patch or	45	24	216	71	8.9	8.7	7.8	375.9	7078.3	1127.4	8582
34154			Recurrent carotid body tumour, resection of, with or without repair or replacement of portion of common or internal carotid	46	24	240	60	6.2	8.9	7.8	261.9	7581.4	719.1	8562
38507			Left ventricular aneurysm resection with primary repair (Assist.)	47	24	216	71	8.9	8.6	7.8	375.9	7045.4	1127.4	8549
38727			Intrathoracic vessels, anastomosis or repair of, without cardiopulmonary bypass, not being a service to which item	48	24	216	60	9.0	8.7	8.0	380.2	7145.6	965.1	8491
33103			Thoracic aneurysm, replacement by graft (Assist.)	49	16	225	70	7.3	9.1	7.8	205.6	7312.2	950.0	8468
33112			Suprarenal abdominal aortic aneurysm, replacement by graft including re-implantation of arteries (Assist.)	50	30	210	100	7.1	8.9	7.8	374.9	6737.7	1328.3	8441
38469			Sternum and mediastinum, reoperation for infection of, involving muscle advancement flaps and greater omentum (Assist.)	51	16	216	95	8.3	7.8	8.0	233.7	6766.5	1432.2	8432
38721			Vena cava, anastomosis or repair of, without cardiopulmonary bypass, for congenital heart disease (Assist.)	52	24	216	45	9.1	8.7	8.4	384.4	7268.3	735.9	8389

CG5&11 - CARDIOTHORACIC SURGERY & VASCULAR SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
38624			Left and right ventricular assist device, removal of, as an independent procedure (Assist.)	53	24	180	95	9.4	8.3	10.0	397.1	6346.5	1642.0	8386
38670			Cardiac tumour, excision of, involving the wall of the atrium or inter-atrial septum, without patch or conduit reconstruction	54	24	216	71	8.6	8.3	7.8	363.3	6911.1	1096.7	8371
38508			Left ventricular aneurysm resection with patch reconstruction of the left ventricle (Assist.)	55	24	216	45	8.9	8.7	8.4	375.9	7244.6	722.9	8343
38441			Radical lobectomy or pneumonectomy including resection of chest wall, diaphragm, pericardium, or formal mediastinal node	56	16	202	80	8.9	8.2	8.7	250.6	6699.0	1292.7	8242
33533			Coeliac and superior mesenteric artery, endarterectomy of (Assist.)	57	24	240	118	5.4	7.8	6.8	228.1	6766.1	1241.4	8236
33157			Ruptured infrarenal abdominal aortic aneurysm, replacement by bifurcation graft to iliac arteries (with or without excision or	58	24	210	85	6.2	9.4	8.3	261.9	6928.3	1032.0	8222
38480			Valve repair, 1 leaflet (Assist.)	59	24	189	80	9.0	8.7	8.4	380.2	6349.4	1296.8	8026
38745			Intra-atrial baffle, insertion of, for congenital heart disease (Assist.)	60	24	189	75	9.2	8.7	8.5	388.6	6394.4	1239.7	8023
38488			Valve replacement with bioprosthesis or mechanical prosthesis (Assist.)	61	30	184	80	9.0	8.8	8.5	475.2	6233.0	1299.2	8007
38478			Valve annuloplasty with insertion of ring performed in conjunction with item 38480 or 38481 (Assist.)	62	24	189	75	9.1	8.5	8.4	384.4	6302.2	1226.5	7913
34169			Infected bypass graft from trunk, excision of, including closure of arteries (Assist.)	63	24	180	135	7.1	8.9	7.8	299.9	5775.2	1793.2	7868
38487			Mitral valve, open valvotomy of (Assist.)	64	24	189	80	9.2	8.4	7.9	388.6	6162.6	1307.4	7859
33109			Thoraco-abdominal aneurysm, replacement by graft including re-implantation of arteries (Assist.)	65	24	171	120	8.0	9.0	8.4	337.9	5728.7	1772.1	7839
38600 +	00000		Central cannulation for cardiopulmonary bypass excluding post-operative management, not being a service associated with a	66	0	300	0	7.8	7.4	4.6	0.0	7824.2	0.0	7824
38506			Left ventricular aneurysm, plication of (Assist.)	67	24	189	85	8.9	8.3	7.8	375.9	6078.4	1349.7	7804
38477			Valve annuloplasty with insertion of ring not being a service to which item 38478 applies (Assist.)	68	24	189	71	9.1	8.3	8.4	384.4	6244.7	1161.1	7790
38706			Aorta, anastomosis or repair of, without cardiopulmonary bypass, for congenital heart disease=20 (Assist.)	69	24	189	60	8.9	8.7	8.0	375.9	6242.0	956.4	7574
33527			Renal arteries (both), endarterectomy of (Assist.)	70	24	210	75	6.2	7.8	7.8	261.9	6282.2	898.9	7443
33154			Ruptured infrarenal abdominal aortic aneurysm, replacement by tube graft (Assist.)	71	19	180	105	6.2	9.4	8.3	207.3	5938.5	1274.8	7421
33524			Renal artery, endarterectomy of (Assist.)	72	24	210	118	5.4	7.8	6.8	228.1	5920.3	1241.4	7390
38742			Atrial septal defect, closure by direct suture or patch, for congenital heart disease=20 (Assist.)	73	24	189	65	8.9	7.8	7.8	375.9	5934.6	1032.1	7343
38427			Thoracoplasty (complete) - 3 or more ribs (Assist.)	74	16	202	90	6.7	8.3	6.7	188.7	5967.0	1112.8	7268
38483			Aortic valve leaflet or leaflets, decalcification of, not being a service to which item 38475, 38477, 38480, 38481, 38488 or	75	24	189	40	8.4	8.3	8.4	354.8	6171.9	613.8	7141
38568			Descending thoracic aorta, repair or replacement of, without shunt or cardiopulmonary bypass (Assist.)	76	24	180	75	8.0	8.3	7.8	337.9	5699.9	1093.6	7131
33530			Coeliac or superior mesenteric artery, endarterectomy of (Assist.)	77	24	210	90	5.4	7.8	6.8	228.1	5920.3	946.9	7095
38650			Myomeotomy or myotomy for hypertrophic obstructive cardiomyopathy (Assist.)	78	24	162	90	9.2	8.3	7.8	388.6	5236.8	1468.0	7093

CG5&11 - CARDIOTHORACIC SURGERY & VASCULAR SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
38733			Systemic pulmonary or cavo-pulmonary shunt, creation of, without cardiopulmonary bypass, for congenital heart disease	79	24	162	60	8.9	9.1	8.9	375.9	5636.0	973.2	6985
38739			Atrial septectomy, with or without cardiopulmonary bypass, for congenital heart disease=20 (Assist.)	80	24	162	71	9.4	8.3	7.8	397.1	5254.6	1178.6	6830
32724			Renal arteries (both), bypass grafting to (Assist.)	81	24	180	120	6.2	7.8	6.8	261.9	5153.8	1400.9	6817
33515			Aorto-femoral endarterectomy (1 or both femoral arteries) or bilateral ilio-femoral endarterectomy, including closure by	82	24	210	85	5.4	7.8	5.9	228.1	5677.8	870.5	6776
34151			Carotid body tumour, resection of, with or without repair or reconstruction of internal or common carotid arteries, when	83	24	210	40	6.2	7.8	6.8	261.9	6012.7	467.0	6742
38475			Valve annuloplasty without insertion of ring, not being a service associated with a service to which item 38480 or 38481 applies	84	24	162	71	8.9	8.3	7.8	375.9	5210.1	1127.4	6713
32733			Mesenteric vessels (multiple), bypass grafting to (Assist.)	85	24	180	95	6.2	7.8	6.8	261.9	5153.8	1109.0	6525
38457			Pectus excavatum or pectus carinatum, repair or radical correction of (Assist.)	86	16	162	60	8.7	8.3	7.8	245.0	5192.3	935.4	6373
34148			Carotid body tumour, resection of, with or without repair or reconstruction of internal or common carotid arteries, when	87	24	180	47	5.4	8.9	7.8	228.1	5606.9	509.1	6344
36506			Renal transplant, performed by vascular surgeon and urologist operating together - vascular anastomosis, including after-care	88	24	179	101	6.2	6.7	6.8	261.9	4825.4	1179.1	6266
34127			Arterio-venous fistula of the abdomen, dissection and repair of, with restoration of continuity (Assist.)	89	24	180	75	5.4	7.8	6.8	228.1	5074.6	789.0	6092
32710			Aortic bypass for occlusive disease using a bifurcated graft with 1 or both anastomoses to the iliac arteries (Assist.)	90	24	180	80	6.2	6.7	6.8	261.9	4852.4	933.9	6048
33166			Ruptured aneurysm of visceral artery, replacement by anastomosis or graft (Assist.)	91	24	150	95	5.4	8.9	7.8	228.1	4672.4	1029.0	5929
34157			Neck, excision of infected bypass graft, including closure of vessel or vessels (Assist.)	92	24	180	60	5.4	6.7	7.8	228.1	5004.1	649.9	5882
33121			Infrarenal abdominal aortic aneurysm, replacement by bifurcation graft to 1 or both femoral arteries (with or without	93	24	198	85	4.5	6.7	5.9	190.1	4923.9	760.1	5874
33512			Aorto-iliac endarterectomy (1 or both iliac arteries), including closure by suture not being a service associated with a service	94	24	180	75	5.4	7.8	5.9	228.1	4866.7	768.1	5863
33169			Ruptured aneurysm of visceral artery, simple ligation of (Assist.)	95	24	150	95	5.4	8.9	7.3	228.1	4576.2	1014.2	5818
32711			Aortic bypass for occlusive disease using a bifurcated graft with 1 or both anastomoses to the common femoral or profunda	96	24	180	75	5.4	6.7	6.8	228.1	4773.2	789.0	5790
38438			Pneumonectomy or lobectomy or segmentectomy not being a service associated with a service to which Item 38418 applies	97	20	132	80	8.7	7.8	8.0	306.2	4164.2	1252.2	5723
34803			Inferior vena cava, reconstruction of or bypass by vein or synthetic material (Assist.)	98	24	150	90	5.4	8.9	6.8	228.1	4479.9	946.9	5655
38468			Sternum and mediastinum, reoperation for infection of, involving muscle advancement flaps or greater omentum (Assist.)	99	20	137	89	8.3	7.0	7.4	292.2	4019.5	1325.1	5637
33178			Ruptured aneurysm in the neck, ligation, suture closure or excision of, without bypass grafting (Assist.)	100	24	150	95	5.4	7.8	7.3	228.1	4325.0	1014.2	5567
32721			Renal artery, bypass grafting to (Assist.)	101	24	150	85	6.2	7.8	6.8	261.9	4294.8	992.3	5549
32730			Mesenteric vessel (single), bypass grafting to (Assist.)	102	24	150	80	6.2	7.8	6.8	261.9	4294.8	933.9	5491
33175			Ruptured aneurysm in the extremities, ligation, suture closure or excision of, without bypass grafting (Assist.)	103	24	150	95	5.4	7.8	6.8	228.1	4228.8	999.5	5456
33509			Aortic endarterectomy, including closure by suture, not being a service associated with another procedure on the aorta (Assist.)	104	24	150	60	7.1	7.8	6.8	299.9	4369.1	778.3	5447

CG5&11 - CARDIOTHORACIC SURGERY & VASCULAR SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
34118			Arterio-venous fistula of the abdomen, dissection and ligation (Assist.)	105	24	150	90	5.4	7.8	6.8	228.1	4228.8	946.9	5404
36503			Renal transplant, not being a service to which item 36506 or 36509 applies (Assist.)	106	26	145	75	6.2	7.8	6.8	283.7	4151.6	875.6	5311
32708			Aortic bypass for occlusive disease using a straight non-bifurcated graft (Assist.)	107	24	150	85	6.2	6.7	6.8	261.9	4043.7	992.3	5298
33115			Infrarenal abdominal aortic aneurysm, replacement by tube graft (Assist.)	108	30	153	85	5.4	6.7	6.8	285.1	4057.2	894.3	5237
33139			False aneurysm, repair of, in iliac artery and restoration of arterial continuity (Assist.)	109	24	150	79	4.5	7.8	6.8	190.1	4154.6	728.6	5073
32754			Femoral artery bypass grafting, using a composite graft (synthetic material and vein) with lower anastomosis above or	110	24	174	90	5.4	5.6	4.9	228.1	3898.6	893.7	5020
33836			Major artery or vein of abdomen, repair of wound of, with restoration of continuity by direct anastomosis (Assist.)	111	23	157	79	5.4	6.7	5.9	218.6	3982.0	809.0	5010
33163			Ruptured iliac artery aneurysm, replacement by graft (Assist.)	112	24	150	65	5.4	6.7	7.3	228.1	4073.9	693.9	4996
32745			Femoral artery bypass grafting using vein, including harvesting of vein (when it is the ipsilateral long saphenous vein) with	113	19	175	90	5.4	5.6	4.9	180.6	3921.0	893.7	4995
33118			Infrarenal abdominal aortic aneurysm, replacement by bifurcation graft to iliac arteries (with or without excision of	114	30	160	80	4.5	6.7	5.9	237.6	3978.9	715.4	4932
38715			Main pulmonary artery, banding, debanding or repair of, without cardiopulmonary bypass, for congenital heart disease (Assist.)	115	24	108	63	9.2	8.3	7.8	388.6	3491.2	1027.6	4907
33833			Major artery or vein of abdomen, repair of wound of, with restoration of continuity by lateral suture (Assist.)	116	24	150	80	5.4	6.7	5.9	228.1	3804.5	819.3	4852
38621			Left or right ventricular assist device, removal of, as an independent procedure (Assist.)	117	24	108	60	9.1	6.5	9.1	384.4	3369.5	994.3	4748
33124			Aneurysm of iliac artery (common, external or internal), replacement by graft - unilateral (Assist.)	118	24	135	95	5.4	6.7	6.4	228.1	3510.6	987.6	4726
38446			Thoracotomy or sternotomy, for removal of thymus or mediastinal tumour (Assist.)	119	12	135	60	7.8	6.5	6.7	164.7	3699.7	837.0	4701
38421			Thoracotomy, with pulmonary decortication (Assist.)	120	12	120	75	6.7	8.3	6.7	141.5	3544.8	927.3	4614
32742			Femoral artery bypass grafting using vein, including harvesting of vein (when it is the ipsilateral long saphenous vein) with	121	18	158	85	5.4	5.6	4.9	171.1	3540.1	844.0	4555
33821			Major artery or vein of extremity, repair of wound of, with restoration of continuity, by interposition graft of synthetic	122	24	150	50	4.5	6.7	6.8	190.1	3903.4	461.1	4555
34172			Infected axillo-femoral or femoro-femoral graft, excision of, including closure of arteries (Assist.)	123	24	150	90	4.5	6.7	4.9	190.1	3537.8	776.9	4505
32748			Femoral artery bypass grafting using vein, including harvesting of vein (when it is the ipsilateral long saphenous vein) with	124	24	150	90	5.4	5.6	4.9	228.1	3360.9	893.7	4483
33811			Inferior vena cava or iliac vein, open removal of thrombus or tumour (Assist.)	125	24	150	60	5.4	6.7	4.9	228.1	3612.0	595.8	4436
32739			Femoral artery bypass grafting using vein, including harvesting of vein (when it is the ipsilateral long saphenous vein) with	126	30	150	75	5.4	5.6	4.9	285.1	3360.9	744.7	4391
33827			Major artery or vein of neck, repair of wound of, with restoration of continuity, by direct anastomosis (Assist.)	127	24	120	60	6.2	6.7	7.8	261.9	3388.9	719.1	4370
33830			Major artery or vein of neck, repair of wound of, with restoration of continuity, by interposition graft of synthetic material or vein	128	24	135	63	3.6	7.8	6.8	152.1	3672.3	499.3	4324
38521			Automatic defibrillator, insertion of patches for (Assist.)	129	24	108	60	7.8	6.5	7.8	329.5	3112.2	857.5	4299
33130			Aneurysm of visceral artery, excision and repair by direct anastomosis or replacement by graft (Assist.)	130	24	120	60	5.4	7.8	6.8	228.1	3383.0	631.2	4242

CG5&11 - CARDIOTHORACIC SURGERY & VASCULAR SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
33839			Major artery or vein of abdomen, repair of wound of, with restoration of continuity by means of interposition graft (Assist.)	131	24	150	95	5.4	3.3	5.9	228.1	3028.2	972.9	4229
33824			Major artery or vein of neck, repair of wound of, with restoration of continuity, by lateral suture (Assist.)	132	16	105	90	6.2	6.7	7.8	174.6	2965.3	1078.7	4219
33172			Aneurysm of major artery, replacement by graft, not being a service to which another item in this Sub- group applies	133	24	135	75	4.5	6.7	5.9	190.1	3357.2	670.7	4218
33536			Inferior mesenteric artery, endarterectomy of, not being a service associated with a service to which another item in this	134	24	150	79	4.5	5.6	4.9	190.1	3286.6	681.9	4159
33133			Aneurysm of visceral artery, dissection and ligation of arteries without restoration of continuity (Assist.)	136	24	120	63	4.5	7.8	6.8	190.1	3323.6	581.0	4095
34115			Arterio-venous fistula of the neck, dissection and ligation (Assist.)	136	24	120	63	4.5	7.8	6.8	190.1	3323.6	581.0	4095
38647 +	00000		Thoracotomy or sternotomy involving division of extensive adhesions where the time taken to divide the adhesions	137	0	120	0	8.9	9.2	8.1	0.0	4069.9	0.0	4070
34175			Infected bypass graft from extremities, excision of including closure of arteries (Assist.)	138	24	135	90	4.5	4.4	6.8	190.1	3040.5	830.1	4061
33080			Intra-abdominal or pelvic aneurysm, ligation, suture closure or excision of, without bypass grafting (Assist.)	139	24	135	79	5.4	5.6	4.9	228.1	3024.8	784.4	4037
38656			Thoracotomy or median sternotomy for post-operative bleeding (Assist.)	140	12	77	65	9.4	9.2	9.1	198.5	2731.5	1105.3	4035
33815			Major artery or vein of extremity, repair of wound of, with restoration of continuity, by lateral suture (Assist.)	141	24	120	50	4.5	7.8	6.8	190.1	3323.6	461.1	3975
33500			Artery or arteries of neck, endarterectomy of, including closure by suture (where endarterectomy of 1 or more arteries is	142	20	110	60	5.6	7.6	7.0	197.1	3108.0	652.3	3957
32751			Femoral artery bypass grafting using synthetic graft, with lower anastomosis above or below the knee (Assist.)	143	18	130	85	5.4	5.6	4.9	171.1	2912.8	844.0	3928
38466			Sternum, reoperation on for dehiscence or infection involving reopening of the mediastinum, with or without rewiring (Assist.)	144	12	108	75	7.3	4.8	7.3	154.2	2733.8	1006.2	3894
33506			Innominate or subclavian artery, endarterectomy of, including closure by suture (Assist.)	145	24	135	60	4.5	6.7	4.9	190.1	3184.0	517.9	3892
32712			Ilio-femoral bypass grafting (Assist.)	146	24	137	75	4.5	5.6	4.9	190.1	3001.8	647.4	3839
33518			Iliac endarterectomy, including closure by suture, not being a service associated with another procedure on the iliac artery	147	24	130	65	4.5	6.7	4.9	190.1	3066.1	561.1	3817
43915			Eventration, plication of diaphragm for (Assist.)	148	12	108	59	6.7	6.5	6.7	141.5	2894.4	729.5	3765
38572 +	00000		Operative management of acute rupture or dissection, in conjunction with procedures on the thoracic aorta (Assist.)	149	24	90	0	9.7	9.6	9.2	409.7	3273.8	0.0	3684
33521			Ilio-femoral endarterectomy (1 side), including closure by suture (Assist.)	150	24	115	70	4.5	6.7	5.9	190.1	2859.8	626.0	3676
32757			Femoral artery sequential bypass grafting (using a vein or synthetic material) where an additional anastomosis is made to	151	24	120	71	5.4	5.6	4.9	228.1	2688.7	705.0	3622
33845			Laparotomy for control of post operative bleeding or thrombosis after intra-abdominal vascular procedure, where no other	152	24	91	60	5.4	7.8	7.8	228.1	2682.2	649.9	3560
33100			Aneurysm of common or internal carotid artery, or both, replacement by graft of vein or synthetic material (Assist.)	153	24	120	70	4.5	5.6	4.9	190.1	2629.3	604.2	3424
32715			Axillary or subclavian to femoral bypass grafting to 1 or both femoral arteries (Assist.)	154	24	120	65	4.5	5.6	4.9	190.1	2629.3	561.1	3380
33050			Bypass grafting to replace a popliteal aneurysm using vein, including harvesting vein (when it is the ipsilateral long	156	24	105	71	5.4	5.6	4.9	228.1	2352.6	705.0	3286
33055			Bypass grafting to replace a popliteal aneurysm using a synthetic graft (Assist.)	156	24	105	71	5.4	5.6	4.9	228.1	2352.6	705.0	3286

CG5&11 - CARDIOTHORACIC SURGERY & VASCULAR SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
34142			Coeliac artery, decompression of, for coeliac artery compression syndrome, as an independent procedure (Assist.)	157	24	120	70	3.6	5.6	4.9	152.1	2569.9	513.4	3235
38440			Lung, wedge resection of (Assist.)	158	12	90	70	7.8	5.7	4.6	164.7	2114.4	930.8	3210
34806			Cross leg bypass grafting, saphenous to iliac or femoral vein (Assist.)	160	24	120	90	3.6	5.6	3.9	152.1	2415.9	632.1	3200
34809			Saphenous vein anastomosis to femoral or popliteal vein for femoral vein bypass (Assist.)	160	24	120	90	3.6	5.6	3.9	152.1	2415.9	632.1	3200
32703			Internal carotid artery, transection and reanastomosis of, or resection of small length and reanastomosis of - with or without	161	16	86	60	4.5	7.8	7.8	126.7	2492.3	572.0	3191
32763			Arterial bypass grafting, using vein or synthetic material, not being a service to which another item in this Sub-group applies	162	24	112	60	5.4	5.6	3.9	228.1	2365.8	577.1	3171
32718			Femoro-femoral or ilio-femoral cross-over bypass grafting (Assist.)	163	24	104	80	4.5	5.6	4.9	190.1	2278.7	690.6	3159
35006			Cervical or upper thoracic sympathectomy, where operation is a reoperation for previous incomplete sympathectomy by any	164	24	105	40	3.6	6.7	6.8	152.1	2680.4	317.0	3149
33818			Major artery or vein of extremity, repair of wound of, with restoration of continuity, by direct anastomosis (Assist.)	165	24	135	45	3.6	4.4	4.9	152.1	2644.6	330.0	3127
32700			Artery of neck, bypass using vein or synthetic material (Assist.)	166	24	120	60	4.5	4.4	4.9	190.1	2410.1	517.9	3118
34800			Inferior vena cava, plication, ligation, or application of caval clip (Assist.)	167	24	135	45	5.4	3.3	3.9	228.1	2379.0	432.8	3040
38700			Patent ductus arteriosus, shunt, collateral or other single large vessel, division or ligation of, without cardiopulmonary bypass,	168	24	60	55	8.3	7.8	6.7	350.6	1779.5	806.9	2937
38424			Thoracotomy, with pleurectomy or pleurodesis, or enucleation of hydatid cysts (Assist.)	169	15	73	70	6.7	5.7	5.6	176.9	1764.5	841.5	2783
44373			Hindquarter=20 (Assist.)	170	24	150	118	2.7	2.2	2.9	114.0	1977.0	638.9	2730
38470			Permanent myocardial electrode, insertion of, by thoracotomy or sternotomy (Assist.)	171	8	81	60	6.7	5.7	4.6	94.3	1853.9	702.7	2651
33800			Embolus, removal of, from artery of neck (Assist.)	172	24	100	40	3.6	5.6	4.9	152.1	2141.6	293.4	2587
33070			Aneurysm in the extremities, ligation, suture closure or excision of, without bypass grafting (Assist.)	173	24	90	47	4.5	5.6	4.9	190.1	1972.0	405.7	2568
33539			Artery of extremities, endarterectomy of, including closure by suture (Assist.)	174	24	108	60	3.6	4.4	3.9	152.1	1977.1	421.4	2551
34136			First rib, resection of portion of=20 (Assist.)	175	24	90	60	4.5	4.4	4.9	190.1	1807.6	517.9	2516
33075			Aneurysm in the neck, ligation, suture closure or excision of, without bypass grafting (Assist.)	176	24	100	71	2.7	5.6	3.9	114.0	1963.8	406.5	2484
33142			False aneurysm, repair of, in femoral artery and restoration of arterial continuity (Assist.)	177	19	90	60	3.6	4.4	5.9	120.4	1878.5	458.7	2458
33542			Extended deep femoral endarterectomy where the endarterectomy is at least 7cms long (Assist.)	179	24	90	60	3.6	5.6	3.9	152.1	1812.0	421.4	2385
33803			Embolectomy or thrombectomy, by abdominal approach, of an artery or bypass graft of trunk (Assist.)	179	24	90	60	3.6	5.6	3.9	152.1	1812.0	421.4	2385
38418			Thoracotomy, exploratory, with or without biopsy (Assist.)	180	10	77	65	5.6	4.8	4.6	98.6	1610.3	658.1	2367
33842			Artery of neck, re-operation for bleeding or thrombosis after carotid or vertebral artery surgery (Assist.)	181	24	58	70	4.5	6.7	6.8	190.1	1509.3	645.6	2345
34518			Stenosis of arteriovenous fistula or prosthetic arteriovenous access device, correction of (Assist.)	182	21	81	40	4.5	6.7	3.9	166.3	1806.5	332.8	2306

CG5&11 - CARDIOTHORACIC SURGERY & VASCULAR SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
33810			Inferior vena cava or iliac vein, closed thrombectomy by catheter via the femoral vein (Assist.)	183	24	90	30	4.5	4.4	4.9	190.1	1807.6	259.0	2257
34812			Venous stenosis or occlusion, vein bypass for, using vein or synthetic material, not being a service associated with a service	184	24	90	60	4.5	3.3	3.9	190.1	1541.5	499.3	2231
34145			Popliteal artery, exploration of, for popliteal entrapment, with or without division of fibrous tissue and muscle (Assist.)	185	24	100	50	3.6	3.3	3.9	152.1	1663.2	351.2	2166
34112			Arterio-venous fistula of an extremity, dissection and ligation (Assist.)	186	24	60	50	6.2	4.4	4.9	261.9	1261.2	554.2	2077
34821			Vein transplant to restore valvular function (Assist.)	187	12	120	71	2.7	3.3	2.0	57.0	1644.0	364.5	2066
33848			Extremity, re-operation on, for control of bleeding or thrombosis after vascular procedure, where no other procedure is	188	24	90	60	2.7	3.3	4.9	114.0	1567.8	362.2	2044
38643 +	00000		Thoracotomy or sternotomy involving division of adhesions where the time taken to divide the adhesions exceeds 45	189	0	60	0	8.9	9.2	8.1	0.0	2034.9	0.0	2035
38613			Intra-aortic balloon pump, removal of, with closure of artery by patch graft (Assist.)	190	12	60	60	6.7	4.8	3.5	141.5	1206.4	682.1	2030
33812			Thrombus, removal of, from femoral or other similar large vein (Assist.)	191	24	90	50	3.6	3.3	2.9	152.1	1381.4	335.6	1869
34139			Cervical rib, removal of, or other operation for removal of thoracic outlet compression, not being a service to which	192	22	102	35	1.9	4.4	2.9	73.6	1641.0	149.1	1864
35330			Insertion of inferior vena caval filter, percutaneous or by open exposure, excluding associated radiological services or	193	24	70	60	2.7	6.7	2.9	114.0	1402.0	324.9	1841
38603 +	00000		Peripheral cannulation for cardiopulmonary bypass excluding post-operative management (Assist.)	194	0	50	0	9.7	9.5	9.3	0.0	1817.6	0.0	1818
38430			Thoracoplasty (in stages) - each stage=20 (Assist.)	195	67	15	60	6.7	4.8	4.6	790.1	322.8	702.7	1816
34130			Surgically created arterio-venous fistula of an extremity, closure of (Assist.)	196	24	90	40	3.6	3.3	2.9	152.1	1381.4	268.5	1802
38448			Mediastinum, cervical exploration of, with or without biopsy (Assist.)	197	15	50	30	5.6	5.7	7.8	147.8	1319.4	333.6	1801
38452			Pericardium, sub-xyphoid drainage of (Assist.)	198	12	54	60	5.6	3.9	4.6	118.3	1055.4	607.5	1781
34103			Great artery or great vein (including subclavian, axillary, iliac, femoral or popliteal), ligation of, or exploration of, not being a	199	24	60	40	5.4	4.4	3.9	228.1	1157.8	384.7	1771
33806			Embolectomy or thrombectomy, from an artery or bypass graft of extremities, or embolectomy of abdominal artery via the	200	23	78	60	3.6	3.3	2.9	145.7	1197.2	402.7	1746
34121			Arterio-venous fistula of an extremity, dissection and repair of, with restoration of continuity (Assist.)	201	24	90	30	3.6	3.3	2.9	152.1	1381.4	201.4	1735
38450			Pericardium, transthoracic drainage of (Assist.)	202	12	40	65	5.6	4.8	5.6	118.3	887.9	678.3	1684
41905			Trachea or bronchus, dilatation of stricture and endoscopic insertion of stent (Assist.)	203	12	40	30	7.8	4.8	7.8	164.7	1049.2	428.8	1643
35306			Transluminal stent insertion including associated balloon dilatation for 1 peripheral artery or vein of 1 limb, percutaneous	205	49	68	40	3.6	3.3	2.9	310.5	1043.8	268.5	1623
35309			Transluminal stent insertion including associated balloon dilatation for visceral arteries or veins, or more than 1 peripheral	205	49	68	40	3.6	3.3	2.9	310.5	1043.8	268.5	1623
38436			Thoracoscopy, with or without division of pleural adhesions, including insertion of intercostal catheter, with or without	206	10	65	65	4.4	3.9	2.4	77.4	1044.0	501.2	1623
41901			Endoscopic laser resection of endobronchial tumours for relief of obstruction including any associated endoscopic procedures	207	7	60	31	4.4	4.8	5.6	54.2	1292.2	269.9	1616
38612			Intra-aortic balloon pump, removal of, with closure of artery by direct suture (Assist.)	208	12	50	40	6.7	3.9	3.5	141.5	936.9	454.8	1533

CG5&11 - CARDIOTHORACIC SURGERY & VASCULAR SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
38640 +	00000		Re-operation via median sternotomy, for any procedure, including any divisions of adhesions where the time taken to	209	0	45	0	8.9	9.2	8.1	0.0	1526.2	0.0	1526
44370			At hip (Assist.)	210	24	90	60	1.9	3.3	2.0	80.3	1193.4	238.8	1512
32517			Varicose veins, ligation of the long and short saphenous vein, with or without stripping, by re- operation for recurrent veins in	211	8	82	30	3.6	3.3	2.9	50.7	1258.6	201.4	1511
32514			Varicose veins, ligation of the long or short saphenous vein, with or without stripping, by re- operation for recurrent veins in	212	9	71	30	2.7	4.4	3.9	42.8	1264.6	171.8	1479
35202 +	00000		Major arteries or veins in the neck, abdomen or extremities, access to, as part of re-operation after prior surgery on these	213	0	60	0	0.1	7.8	5.9	0.0	1447.3	0.0	1447
34133			Scalenotomy (Assist.)	214	18	78	29	1.9	4.4	2.9	60.2	1254.9	123.6	1439
34815			Vein stenosis, patch angioplasty for, (excluding vein graft stenosis) - using vein or synthetic material (Assist.)	215	24	90	40	1.9	3.3	2.0	80.3	1193.4	159.2	1433
34509			Arteriovenous anastomosis of upper or lower limb, not in conjunction with another venous or arterial operation (Assist.)	216	19	66	40	3.6	3.3	2.9	120.4	1013.1	268.5	1402
38473			Permanent pacemaker electrode, insertion by sub- xyphoid approach (Assist.)	217	8	60	40	3.3	4.8	3.5	46.5	1094.2	258.6	1399
38485 +	00000		Mitral annulus, reconstruction of, after decalcification, when performed in association with valve surgery (Assist.)	218	0	40	0	9.4	8.7	8.4	0.0	1352.6	0.0	1353
35009			Lumbar sympathectomy, where operation is following chemical sympathectomy or for previous incomplete surgical	219	24	75	40	1.9	3.3	2.9	80.3	1081.1	170.4	1332
41895			Bronchus, removal of foreign body in (Assist.)	220	15	34	25	7.8	5.7	3.5	205.9	750.8	323.9	1281
32511			Varicose veins, complete dissection at the sapheno- femoral and sapheno-popliteal junction, with or without either ligation or	221	9	71	30	2.7	3.3	2.9	42.8	1054.7	162.4	1260
38259			Permanent dual chamber transvenous electrodes, insertion, removal or replacement of	222	10	76	27	2.8	3.9	1.3	49.3	1046.5	136.6	1232
35303			Transluminal balloon angioplasty of aortic arch branches, aortic visceral branches, or more than 1 peripheral artery or vein of 1	223	24	60	40	2.7	3.3	2.9	114.0	891.3	216.6	1222
35003			Cervical or upper thoracic sympathectomy by any surgical approach (Assist.)	224	10	60	30	3.5	3.6	3.1	61.6	960.5	198.9	1221
32508			Varicose veins, complete dissection at the sapheno- femoral or sapheno-popliteal junction, with or without either ligation or	225	14	60	30	3.6	3.3	2.9	88.7	921.0	201.4	1211
38415			Empyema, radical operation for, involving resection of rib =20 (Assist.)	226	12	54	65	3.3	3.9	1.3	69.7	758.4	375.8	1204
32505			Varicose veins, sub-fascial ligation of 1 or more incompetent perforating veins - 1 leg - not being a service associated with a	227	9	60	30	3.6	3.3	2.9	57.0	921.0	201.4	1179
44367			Through thigh, at knee or below knee=20 (Assist.)	228	15	65	90	1.9	2.2	2.0	50.2	753.1	358.3	1161
41904			Bronchoscopy with dilatation of tracheal stricture	229	12	27	30	6.7	6.5	4.6	141.5	650.9	351.3	1144
35315			Peripheral laser angioplasty including associated balloon dilatation of 1 limb, percutaneous or by open exposure,	230	24	60	40	1.9	3.3	2.9	80.3	864.9	170.4	1116
35300			Transluminal balloon angioplasty of 1 peripheral artery or vein of 1 limb, percutaneous or by open exposure, excluding	231	29	50	40	2.7	3.3	2.9	137.8	742.7	216.6	1097
32766			Arterial or venous anastomosis, not being a service to which another item in this Sub-group applies, as an independent	232	24	45	5	5.4	4.4	2.9	228.1	810.6	46.5	1085
35312			Peripheral arterial atherectomy including associated balloon dilatation of 1 limb, percutaneous or by open exposure,	233	24	60	30	1.9	3.3	2.9	80.3	864.9	127.8	1073
44376			Amputation stump, reamputation of, to provide adequate skin and muscle cover=20 (Assist.)	234	12	75	60	1.9	2.2	1.0	40.1	772.7	220.2	1033

CG5&11 - CARDIOTHORACIC SURGERY & VASCULAR SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
38505 +	00000		Coronary endarterectomy, by open operation, including repair with 1 or more patch grafts, each vessel (Assist.)	236	0	30	0	8.9	9.2	8.1	0.0	1017.5	0.0	1017
38637 +	00000		Patent diseased coronary artery bypass vein graft or grafts, dissection, disconnection and oversewing of (Assist.)	236	0	30	0	8.9	9.2	8.1	0.0	1017.5	0.0	1017
38703 +	00000		Patent ductus arteriosus, shunt, collateral or other single large vessel, division or ligation of, with cardiopulmonary bypass, for	237	0	30	0	8.9	8.3	8.9	0.0	1007.2	0.0	1007
38524			Automatic defibrillator generator, insertion or replacement of (Assist.)	238	24	54	60	2.2	3.1	1.3	92.9	660.0	251.7	1005
38490 +	00000		Sub-valvular structures, reconstruction and re-implantation of, associated with mitral and tricuspid valve replacement (Assist.)	239	0	30	0	7.9	8.8	8.5	0.0	998.1	0.0	998
34106			Artery or vein (including brachial, radial, ulnar or tibial), ligation of, by elective operation, or exploration of, not being a service	240	23	47	34	2.7	3.3	2.9	109.3	698.2	184.1	992
38464			Sternotomy wound, debridement of, involving curettage of infected bone with or without removal of wires but not involving	241	12	55	55	2.2	3.1	1.3	46.5	672.2	230.8	949
38609			Intra-aortic balloon pump, insertion of, by arteriotomy (Assist.)	242	0	45	0	6.7	4.8	3.5	0.0	904.8	0.0	905
34818			Venous valve, plication or repair to restore valve competency (Assist.)	243	12	60	20	2.7	2.2	2.0	57.0	721.5	102.7	881
34512			Arteriovenous access device, insertion of (Assist.)	244	15	72	40	1.9	1.1	1.0	50.2	621.2	146.8	818
41883			Tracheostomy (Assist.)	245	13	54	33	2.0	2.6	1.6	45.8	633.7	132.0	812
44364			Foot, midtarsal or transmetatarsal =20 (Assist.)	246	12	60	60	1.9	1.1	1.0	40.1	517.7	220.2	778
34833			External stents, application of, to restore venous valve competency to deep vein or veins (more than 1 stent) (Assist.)	247	8	60	10	2.7	2.2	1.0	38.0	644.5	48.2	731
44354			5 digits of 1 foot=20 (Assist.)	248	12	60	47	1.9	1.1	1.0	40.1	517.7	172.5	730
38577 +	00000		Cannulation for, and supervision and monitoring of, the administration of retrograde cerebral perfusion during deep	249	0	20	0	9.7	9.5	9.3	0.0	727.0	0.0	727
38462			Sternotomy wound, debridement of, not involving reopening of the mediastinum	250	8	40	45	2.2	3.1	1.3	31.0	488.9	188.8	709
38496 +	00000		Artery harvesting (other than internal mammary), for coronary artery bypass (Assist.)	251	8	30	0	4.4	6.5	3.5	62.0	642.9	0.0	705
34515			Arteriovenous access device, thrombectomy of (Assist.)	252	12	60	40	1.9	1.1	1.0	40.1	517.7	146.8	705
44350			4 digits of 1 foot=20 (Assist.)	253	12	50	60	1.9	1.1	1.0	40.1	431.4	220.2	692
38250			Single chamber permanent transvenous electrode, insertion of	254	11	41	27	2.2	3.5	1.3	42.6	526.1	113.3	682
38606			Intra-aortic balloon pump, percutaneous insertion of	255	0	40	0	3.3	3.9	3.5	0.0	674.7	0.0	675
41892			Bronchoscopy with 1 or more endobronchial biopsies or other diagnostic or therapeutic procedures	256	8	23	19	6.7	3.9	1.3	94.3	366.0	203.0	663
90761			Consultation in rooms of approximately 45 minutes duration with a new patient where the clinical record demonstrates that	257	5	45	10	4.4	3.1	0.2	38.7	540.9	70.3	650
32736 +	00000		Inferior mesenteric artery, operation on, when performed in conjunction with another intra- abdominal vascular operation	258	0	30	0	3.6	5.6	4.9	0.0	642.5	0.0	642
91261			Consultation in a hospital of approximately 45 minutes duration with a new patient where the clinical record demonstrates that	259	5	45	10	4.5	2.1	1.1	39.6	526.9	74.5	641
35100			Ischaemic limb, debridement of necrotic material, gangrenous tissue, or slough in, in the operating theatre of a hospital, when	260	23	29	60	1.9	1.1	2.0	76.9	287.4	238.8	603

CG5&11 - CARDIOTHORACIC SURGERY & VASCULAR SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
35000			Lumbar sympathectomy (Assist.)	261	24	43	40	1.9	1.1	1.0	80.3	371.0	146.8	598
44346			3 digits of 1 foot=20 (Assist.)	262	12	45	45	1.9	1.1	1.0	40.1	388.3	165.1	594
34827			External stents, application of, to restore venous valve competency to superficial vein or veins - more than 1 stent	264	8	45	10	2.7	2.2	1.0	38.0	483.4	48.2	570
34830			External stent, application of, to restore venous valve competency to deep vein (1 stent) (Assist.)	264	8	45	10	2.7	2.2	1.0	38.0	483.4	48.2	570
35103			Ischaemic limb, debridement of necrotic material, gangrenous tissue, or slough in, in the operating theatre of a hospital, 2 digits of 1 foot=20	265	24	30	60	1.9	1.1	1.0	80.3	258.8	220.2	559
44342			2 digits of 1 foot=20	266	18	41	35	1.9	1.1	1.0	60.2	353.8	128.4	542
33551 +	00000		Vein, harvesting of from leg or arm for patch when not performed through same incision as operation (Assist.)	267	0	40	0	0.1	3.3	2.9	0.0	537.0	0.0	537
11624			- 3 examinations of the kind referred to in item 11618, and report (not being a service associated with a service to which	268	4	60	8	1.0	2.2	0.0	7.0	511.5	16.5	535
32504			Varicose veins, multiple excision of tributaries, with or without division of 1 or more perforating veins - 1 leg - not being a	269	9	43	20	2.7	1.1	1.0	42.8	389.9	96.5	529
34527			Central vein catheterisation by open technique, using subcutaneous tunnel with pump or access port as with	270	15	49	17	1.5	1.5	0.9	39.6	435.5	52.1	527
13109			Indwelling peritoneal catheter (Tenckhoff or similar) for dialysis - insertion and fixation of =20	271	22	45	40	1.0	1.1	1.0	38.7	366.0	94.9	500
38253			Permanent pacemaker, insertion, removal or replacement of	272	9	37	20	1.1	3.1	1.3	17.4	429.8	52.2	499
32769 +	00000		Arterial or venous anastomosis not being a service to which another item in this Sub-group applies, when performed in	273	0	30	0	4.5	4.4	2.0	0.0	490.9	0.0	491
35319			Peripheral arterial or venous catheterisation with administration of thrombolytic or chemotherapeutic agents, by pulse spray	274	24	45	20	1.9	1.1	0.0	80.3	330.5	67.2	478
90751			Consultation in rooms of approximately 30 minutes duration with a new patient where the clinical record demonstrates that	276	5	30	10	4.5	2.1	1.1	39.6	351.3	74.5	465
91251			Consultation in a hospital of approximately 30 minutes duration with a new patient where the clinical record demonstrates that	276	5	30	10	4.5	2.1	1.1	39.6	351.3	74.5	465
34824			External stent, application of, to restore venous valve competency to superficial vein - 1 stent (Assist.)	277	8	45	10	1.9	1.1	1.0	26.8	388.3	36.7	452
33548 +	00000		Artery or vein, patch grafting to by vein or synthetic material in conjunction with another arterial or venous operation where	278	0	30	0	2.7	3.3	2.9	0.0	445.6	0.0	446
32760 +	00000		Vein, harvesting of, from leg or arm for bypass or replacement graft when not performed on the limb which is the subject of the	279	0	30	0	2.5	4.1	1.6	0.0	428.8	0.0	429
30096			Scalene node biopsy	280	14	34	20	1.1	3.1	0.2	27.1	347.0	45.3	419
44358			Toe, including metatarsal or part of metatarsal - each toe	281	15	30	30	1.9	1.1	1.0	50.2	258.8	110.1	419
34503 +	00000		Arteriovenous anastomosis of upper or lower limb, in conjunction with another venous or arterial operation (Assist.)	282	0	30	0	0.1	3.3	2.9	0.0	402.7	0.0	403
38460			Sternal wires or wires, removal of	283	8	45	30	0.0	2.2	0.2	0.0	370.4	20.4	391
38410			Intercostal drain, insertion of, with pleurodesis and not involving resection of rib (excluding aftercare)	284	12	30	14	1.1	2.2	1.3	23.2	307.4	36.5	367
38588 +	00000		Cannulation of the coronary sinus for, and supervision of, the retrograde administration of blood or crystalloid for cardioplegia,	285	0	15	0	6.7	7.4	3.5	0.0	361.0	0.0	361
90740			Consultation in rooms of approximately 20 minutes duration where the clinical record demonstrates that more than two of	286	5	20	10	4.5	1.1	2.0	39.6	226.8	77.3	344

CG5&11 - CARDIOTHORACIC SURGERY & VASCULAR SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
44338			1 digit of foot=20	287	18	20	37	1.9	1.1	0.0	60.2	146.9	124.3	331
35321 +	00000		Peripheral arterial catheterisation to administer agents to occlude arteries, veins or arterio-venous fistulae or to arrest	288	0	45	0	1.9	1.1	0.0	0.0	330.5	0.0	331
41884			Cricothyrostomy, by direct stab or Seldinger technique, using Minitrach or similar device, for tracheobronchial toilet	289	10	19	14	2.2	3.1	1.3	38.7	232.2	58.7	330
35327 +	00000		Angioscopy combined with any other procedure, excluding associated radiological services or preparation, and excluding	290	0	30	0	0.1	2.2	2.0	0.0	317.9	0.0	318
35320			Peripheral arterial or venous catheterisation with administration of thrombolytic or chemotherapeutic agents, by open exposure,	291	24	45	20	1.0	0.0	0.0	42.2	232.9	41.2	316
38409			Intercostal drain, insertion of, not involving resection of rib (excluding after-care)=20	292	10	24	16	1.1	2.2	1.3	19.4	245.9	41.8	307
35317			Peripheral arterial or venous catheterisation with administration of thrombolytic or chemotherapeutic agents, by continuous	293	19	45	17	1.0	0.0	0.0	33.4	232.9	35.0	301
11618			Examination of carotid or vertebral vessels, or both (unilateral or bilateral) with hard copy recordings of wave forms, involving 1 of	294	8	30	8	1.0	2.2	0.0	14.1	255.7	16.5	286
34530			Hickman or broviac catheter, or other chemotherapy device, removal of, by open surgical procedure in the operating theatre	295	14	19	16	1.9	1.1	1.0	46.8	163.9	58.7	269
90730			Consultation in rooms of approximately 15 minutes duration where the clinical record demonstrates that more than two of	296	5	15	10	3.6	2.1	1.1	31.7	168.2	61.5	261
33554 +	00000		Enderectomy, in conjunction with an arterial bypass operation to prepare the site for anastomosis - each site	297	0	15	0	2.7	3.3	2.9	0.0	222.8	0.0	223
32500			Varicose veins where varicosity measures 2.5mm or greater in diameter, multiple injections using continuous compression	298	11	18	14	1.9	1.1	0.0	36.8	132.2	47.0	216
32501			Varicose veins where varicosity measures 2.5mm or greater in diameter, multiple injections using continuous compression	299	12	20	8	1.9	1.1	0.0	40.1	146.9	26.9	214
33545 +	00000		Artery or vein, patch grafting to by vein or synthetic material in association with another arterial or venous operation where	300	0	20	0	0.1	2.2	2.0	0.0	211.9	0.0	212
91230			Consultation in a hospital of approximately 15 minutes duration where the clinical record demonstrates that more than two of	301	5	15	5	2.7	1.1	2.0	23.8	155.3	25.7	205
90720			Consultation in rooms of approximately 10 minutes duration where the clinical record demonstrates that more than one of	302	5	10	10	2.7	1.1	2.0	23.8	103.5	51.3	179
11609			3 or more examinations of the kind referred to in item 11603 and report (not being a service to which item 11612 or 11615	303	4	12	8	1.0	2.2	0.0	7.0	102.3	16.5	126
35200 +	00000		Operative arteriography or venography, 1 or more of, performed during the course of an operative procedure on an artery or vein,	304	0	15	0	1.0	1.1	0.0	0.0	102.8	0.0	103
11612			Examination of peripheral vessels and report, involving any of the techniques referred to in item 11603, with hard copy	305	4	8	10	0.1	0.0	0.0	0.7	37.4	7.6	46
11606			2 examinations of the kind referred to in item 11603 and report (not being a service associated with a service to which item	306	4	8	8	0.1	0.0	0.0	0.7	37.4	6.1	44
11603			Examination of peripheral vessels at rest (unilateral or bilateral) excluding the cavernosal artery and dorsal artery of the penis,	307	4	4	10	0.1	0.0	0.0	0.7	18.7	7.6	27
11615			Measurement of digital temperature, 1 or more digits, (unilateral or bilateral) and report, with hard copy recording of temperature	308	4	0	4	0.1	0.0	0.0	0.7	0.0	3.1	4

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
				Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
Item ID				Pre	Intra	Post							
39653		Petro-clival and clival tumour, removal of, by supra and infratentorial approaches for radical or sub- total radical excision (intracranial)	1	40	514	85	9.0	10.0	7.8	390.2	9331.2	623.8	10345.2
39650		Tumour involving middle cranial fossa and infra- temporal fossa, removal of, craniotomy and radical or sub-total radical excision, with	2	40	451	85	8.3	10.0	8.9	360.8	8324.2	677.3	9362.2
39658		Tumour involving the clivus, radical or sub-total radical excision of, involving transoral or transmaxillary approach (Assist.)	3	40	460	85	8.3	8.9	8.9	360.8	8184.6	677.3	9222.7
39654		Petro-clival and clival tumour, removal of, by supra and infratentorial approaches for radical or sub- total radical excision, (intracranial)	4	30	423	71	9.0	10.0	7.8	292.7	7679.1	521.0	8492.9
39660		Tumour or vascular lesion of cavernous sinus, radical excision of, involving craniotomy with or without intracranial carotid artery	5	40	351	85	9.0	10.0	10.0	390.2	6669.4	730.7	7790.3
39640		Tumour involving anterior cranial fossa, removal of, involving craniotomy, radical excision of the skull base, and dural repair	6	40	378	85	7.7	8.9	7.8	335.5	6526.5	623.8	7485.8
41578		Cerebello - pontine angle tumour, removal of, by transmastoid, translabyrinthine or retromastoid approach, (intracranial procedure) -	7	43	348	77	8.3	10.0	8.9	387.8	6423.1	613.5	7424.4
41579		Cerebello-pontine angle tumour, removal of, by transmastoid, translabyrinthine or retromastoid approach, (intracranial procedure) -	8	45	337	67	8.3	10.0	10.0	405.9	6362.8	576.0	7344.6
39803		Intracranial arteriovenous malformation, excision of (Assist.)	9	40	324	95	9.0	10.0	8.9	390.2	6019.1	756.9	7166.3
39646		Tumour involving anterior cranial fossa, removal of, involving frontal craniotomy with lateral rhinotomy and radical clearance of paranasal	10.5	40	324	85	9.0	10.0	8.9	390.2	6019.1	677.3	7086.6
39662		Tumour or vascular lesion of foramen magnum, radical excision of, via transcondylar or far lateral suboccipital approach (Assist.)	10.5	40	324	85	9.0	10.0	8.9	390.2	6019.1	677.3	7086.6
41575		Cerebello-pontine angle tumour, removal of by 2 surgeons operating conjointly, by transmastoid, translabyrinthine or retromastoid	12	45	337	77	8.3	8.9	8.9	405.9	5996.1	613.5	7015.5
40706		Hemispherectomy for intractable epilepsy (Assist.)	13	40	324	75	9.0	10.0	7.8	390.2	5881.9	550.4	6822.5
41576		Cerebello - pontine angle tumour, removal of, by transmastoid, translabyrinthine or retromastoid approach - intracranial procedure	14	40	324	95	9.0	8.9	7.8	390.2	5666.6	697.2	6754.0
49345		Hip, revision total replacement of, requiring anatomic specific allograft of both femur and acetabulum (Assist.)	15	46	324	98	8.0	8.2	8.3	400.3	5536.3	747.2	6683.8
39642		Tumour involving anterior cranial fossa, removal of, involving frontal craniotomy with lateral rhinotomy for clearance of paranasal sinus	16	40	315	85	8.3	8.9	8.9	360.8	5604.7	677.3	6642.7
48630		Scoliosis, requiring anterior decompression of spinal cord with resection of vertebrae including bone graft and instrumentation in	17	46	270	118	10.0	9.0	8.3	497.2	4836.9	899.7	6233.8
40318		Intramedullary tumour or arteriovenous malformation, laminectomy and radical excision of=20 (Assist.)	18	30	270	113	8.7	9.4	9.4	283.2	4956.1	932.7	6172.0
48612		Scoliosis, spinal fusion for, using segmental instrumentation (C D, Zielke, Luque, or similar) (Assist.)	19	46	270	95	10.0	9.0	8.3	497.2	4836.9	724.3	6058.5
45785		Cranial vault reconstruction for oxycephaly, brachycephaly, turricephaly or similar condition - (bilateral fronto-orbital	20	36	291	55	8.3	8.9	8.9	324.7	5177.7	438.2	5940.6
40112		Tethered cord, release of, including lipomeningocele or diastematomyelia (Assist.)	21	40	270	90	8.3	8.9	8.9	360.8	4804.0	717.1	5881.9
50227		Malignant bone tumour, en bloc resection of, with massive anatomic specific allograft or autograft, with or without prosthetic replacement	22	32	261	105	9.2	8.9	8.6	318.9	4654.2	818.6	5791.7
48627		Scoliosis, spinal fusion for, combined with segmental instrumentation (C D, Zielke or similar) down to and including pelvis	23	46	270	98	8.0	9.0	7.6	400.3	4671.3	708.0	5779.6
49342		Hip, revision total replacement of, requiring anatomic specific allograft of acetabulum (Assist.)	24	38	270	95	8.0	8.2	7.6	330.7	4540.8	686.3	5557.8
39800		Aneurysm, clipping or reinforcement of sac (Assist.)	25	41	215	110	8.3	10.0	10.0	369.8	4059.3	945.7	5374.8
50233		Malignant tumour, amputation for, hemipelvectomy or interscapulo-thoracic (Assist.)	26	23	270	66	8.0	8.2	7.6	200.2	4540.8	476.8	5217.8

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
				Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
48639		Vertebral body, total or sub-total excision of, including bone grafting or other form of fixation (Assist.)	27	47	234	100	7.4	8.4	8.3	379.3	4002.5	762.5	5144.4
49333		Hip, total replacement arthroplasty of, revision procedure requiring bone grafting to both acetabulum and femur, including obtaining of	28	46	250	98	6.2	7.3	8.3	313.1	4058.5	747.2	5118.9
50224		Malignant or aggressive soft tissue tumour of pelvis, sacrum or spine; or scapula and shoulder, enbloc resection of, with	29	32	225	100	9.3	8.9	8.6	322.3	4016.1	779.6	5118.0
49339		Hip, revision total replacement of, requiring anatomic specific allograft of proximal femur greater than 5 cm in length (Assist.)	30	38	243	98	6.2	9.0	7.6	258.7	4128.9	708.0	5095.6
40351		Thoraco-lumbar or high lumbar anterior decompression of spinal cord, not including stabilisation procedure (Assist.)	31	40	216	85	9.0	10.0	8.9	390.2	4012.7	677.3	5080.2
50414		Lower limb deficiency, treatment of congenital deficiency of the femur by resection of the distal femur and proximal tibia followed by	32	23	270	66	6.2	7.3	8.3	156.6	4383.2	503.2	5043.0
47510		Acetabulum, treatment of double column fracture of, by open reduction and internal fixation, including any osteotomy, osteectomy	33	23	270	90	4.0	7.3	7.6	103.3	4208.3	650.2	4961.7
40348		Thoracic decompression of spinal cord via thoracotomy with vertebrectomy, not including stabilisation procedure (Assist.)	34	61	216	85	8.3	8.3	8.3	550.2	3715.0	648.1	4913.3
48621		Scoliosis, anterior correction of, with fusion and segmental fixation (Dwyer, Zielke, or similar) - not more than 4 levels (Assist.)	35	46	216	95	8.0	8.2	7.6	400.3	3632.6	686.3	4719.3
40345		Thoracic decompression of spinal cord with or without involvement of nerve roots, via pedicle or costotransversectomy (Assist.)	36	30	216	85	8.3	8.9	8.3	270.6	3793.3	648.1	4712.0
49330		Hip, total replacement arthroplasty of, revision procedure requiring bone grafting to femur, including obtaining of graft (Assist.)	37	39	234	98	6.2	7.3	7.6	265.5	3735.7	708.0	4709.2
40342		Hydromyelia, craniotomy and laminectomy for, with cavity packing and CSF shunt (Assist.)	38	40	216	85	8.0	8.3	8.3	348.1	3703.9	648.1	4700.1
39821		Extracranial to intracranial bypass using saphenous vein graft (Assist.)	39	40	216	85	8.3	7.8	7.8	360.8	3608.2	623.8	4592.8
50306		Limb lengthening, where the lengthening is bipolar, or bone transport is performed or where the fixator is extended to correct an	40	23	270	74	4.7	6.5	6.3	120.2	3975.2	479.6	4575.0
50218		Malignant tumour of long bone, enbloc resection of, with replacement or arthrodesis of adjacent joint (Assist.)	41	23	225	88	6.2	8.2	7.0	156.6	3662.4	605.5	4424.5
50417		Lower limb deficiency, treatment of congenital deficiency of the tibia by reconstruction of the knee, involving transfer of fibula or tibia, and	42	23	234	66	6.2	8.2	7.0	156.6	3808.9	454.1	4419.6
39712		Craniotomy for removal of meningioma, pinealoma, cranio-pharyngioma, intraventricular tumour or any other intracranial	43	44	187	85	8.3	8.9	8.9	396.8	3327.2	677.3	4401.3
48632		Scoliosis, congenital, vertebral resection and fusion for (Assist.)	44	30	216	70	8.0	8.2	7.6	261.1	3632.6	505.7	4399.4
40801		Functional stereotactic procedure including computer assisted anatomical localisation, physiological localisation and lesion	45	40	216	57	8.3	7.8	7.8	360.8	3608.2	418.3	4387.3
49319		Hip, total replacement arthroplasty of, including associated minor grafting, if performed - bilateral (Assist.)	46	46	216	98	6.2	7.3	7.0	313.1	3398.5	674.3	4385.9
47507		Acetabulum, treatment of transverse fracture of, by open reduction and internal fixation, including any osteotomy, osteectomy or	47	23	270	89	2.2	4.8	7.0	59.7	3654.6	612.4	4326.7
44334		Interscapulothoracic=20 (Assist.)	48	23	189	88	10.0	9.0	8.3	248.6	3385.8	671.0	4305.4
47504		Acetabulum, treatment of T-shape fracture of, by open reduction and internal fixation, including any osteotomy, osteectomy or	49	23	270	85	2.2	4.8	7.0	59.7	3654.6	584.9	4299.2
49533		Knee, total replacement arthroplasty of, revision procedure, requiring bone grafting to both femur and tibia, including obtaining of graft and	50	30	216	98	6.2	7.3	7.0	204.2	3398.5	674.3	4277.0
39818		Extracranial to intracranial bypass using superficial temporal artery (Assist.)	51	40	216	57	7.7	7.8	6.7	335.5	3494.5	382.4	4212.4
47489		Pelvic ring, treatment of fracture of, by open reduction and involving internal fixation of posterior segment (including sacro-iliac joint), with	52	23	216	89	6.2	7.3	7.0	156.6	3398.5	612.4	4167.4

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
48654			Spinal fusion (posterior interbody), with laminectomy, 1 level (Assist.)	53	38	195	80	7.7	7.8	7.8	318.7	3237.3	587.1	4143.1
40703			Corticectomy, topectomy or partial lobectomy for epilepsy (Assist.)	54	40	180	80	8.3	8.9	7.8	360.8	3126.5	587.1	4074.3
48657			Spinal fusion (posterior interbody), with laminectomy, more than 1 level (Assist.)	55	30	177	95	8.3	8.9	7.8	270.6	3074.3	697.2	4042.1
48942			Shoulder, arthrodesis of, including removal of prosthesis, requiring bone grafting or internal fixation (Assist.)	56	23	216	70	6.2	7.3	7.0	156.6	3398.5	481.7	4036.7
50236			Malignant tumour, amputation for, hip disarticulation, shoulder disarticulation or proximal third femur (Assist.)	57	23	225	66	4.7	6.5	6.3	120.2	3312.7	427.7	3860.6
49530			Knee, total replacement arthroplasty of, revision procedure, requiring bone grafting to femur or tibia, including obtaining of graft and	58	34	189	95	6.2	7.3	7.0	231.5	2973.7	653.7	3858.8
50215			Malignant or aggressive soft tissue tumour affecting the long bones of leg or arm, en bloc resection of, with compartmental or wide	59	23	189	88	6.2	8.2	7.0	156.6	3076.4	605.5	3838.5
48618			Scoliosis, revision of failed scoliosis surgery, involving more than 1 of multiple osteotomy, fusion or instrumentation (Assist.)	60	30	183	98	6.2	7.3	7.6	204.2	2921.5	708.0	3833.7
48624			Scoliosis, anterior correction of, with fusion and segmental fixation (Dwyer, Zielke or similar) - more than 4 levels (Assist.)	61	46	160	98	8.0	8.2	7.6	400.3	2690.8	708.0	3799.2
49327			Hip, total replacement arthroplasty of, revision procedure requiring bone grafting to acetabulum, including obtaining of graft (Assist.)	62	45	174	98	6.2	7.3	7.6	306.3	2777.8	708.0	3792.2
47591			Knee joint, treatment of fracture of, by internal fixation of intra-articular fractures of femoral condylar and tibial articular surfaces	63	23	189	95	6.2	7.3	7.0	156.6	2973.7	653.7	3783.9
47702			Spine, treatment of fracture, dislocation or fracture-dislocation with cord involvement requiring open reduction with or without internal	64	34	162	65	10.0	9.0	8.3	367.5	2902.1	495.6	3765.3
49519			Knee, total replacement arthroplasty of, including associated minor grafting, if performed - bilateral (Assist.)	65	32	180	100	6.2	7.3	7.0	217.8	2832.0	688.1	3738.0
48924			Shoulder, total replacement arthroplasty, revision of, requiring bone graft to scapula or humerus, or both (Assist.)	66	23	189	60	6.2	8.2	7.6	156.6	3120.0	433.5	3710.1
48609			Scoliosis or Kyphosis, spinal fusion for, using Harrington or other nonsegmental fixation (Assist.)	67	46	176	75	6.2	7.3	7.6	313.1	2809.8	541.8	3664.7
49524			Knee, total replacement arthroplasty of, requiring major bone grafting to femur and tibia, including obtaining of graft (Assist.)	68	30	180	88	6.2	7.3	7.0	204.2	2832.0	605.5	3641.8
40700			Corpus callosum, anterior section of, for epilepsy (Assist.)	69	40	162	80	7.7	7.8	7.8	335.5	2689.5	587.1	3612.0
49324			Hip, total replacement arthroplasty of, revision procedure including removal of prosthesis (Assist.)	70	38	165	98	6.2	7.3	7.6	258.7	2634.2	708.0	3600.8
48690			Spine, segmental internal fixation of, other than for scoliosis, being a service associated with a service to which items 48642 to 48675	71	16	207	0	5.3	9.1	7.7	93.8	3505.6	0.0	3599.4
40334			Cervical decompression of spinal cord with or without involvement of nerve roots, without fusion, more than 1 level, by any approach, not	72	40	162	90	7.3	7.8	7.2	318.6	2640.9	629.6	3589.1
49554			Knee, revision of total replacement of, by anatomic specific allograft of tibia or femur (Assist.)	73	30	180	80	6.2	7.3	7.0	204.2	2832.0	550.5	3586.8
47699			Spine, treatment of fracture, dislocation or fracture-dislocation without cord involvement requiring open reduction with or without	74	47	144	85	8.8	8.4	8.0	448.6	2481.1	633.5	3563.3
40315			Craniocervical junction lesion, transoral approach for (Assist.)	75	40	162	57	7.7	8.9	7.8	335.5	2797.1	418.3	3550.9
50411			Lower limb deficiency, treatment of congenital deficiency of the femur by resection of the distal femur and proximal tibia followed by	76	23	189	66	4.7	7.3	7.0	120.2	2924.9	454.1	3499.3
164			Professional attendance for a period of 5 hours or more (not being a service to which any other item applies) on a patient in imminent	77	16	270	50	5.7	2.2	4.4	100.5	3122.9	269.7	3493.1
50399			Forearm, radial aplasia or dysplasia (radial club hand), centralisation or radialisation of (Assist.)	78	23	216	29	4.7	6.5	6.3	120.2	3180.1	187.9	3488.3

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
50221			Malignant or aggressive soft tissue tumour of pelvis, sacrum or spine; or scapula and shoulder, enbloc resection of (Assist.)	79	32	144	100	7.3	8.1	8.6	254.9	2451.2	779.6	3485.7
40339			Hydromyelia, plugging of obex for, with or without duroplasty (Assist.)	80	40	162	60	7.0	7.8	7.8	306.0	2670.0	440.3	3416.3
50303			Limb lengthening, up to and including 5cm, requiring slow distraction under general anaesthesia in the operating theatre of a	81	23	189	74	4.7	6.5	6.3	120.2	2782.6	479.6	3382.4
50300			Joint deformity, slow correction of, using ring fixator or similar device, including all associated attendances - payable only once in	82	76	108	133	8.0	8.2	7.0	661.4	1791.4	915.2	3368.0
40312			Intradural lesion, laminectomy for, not being a service to which another item in this Group applies (Assist.)	83	26	154	80	7.7	7.8	7.8	218.1	2556.6	587.1	3361.8
49512			Knee, arthrodesis of, with removal of prosthesis (Assist.)	84	23	162	88	6.2	7.3	7.0	156.6	2548.8	605.5	3310.9
39124			Cordotomy or myelotomy, laminectomy for, or operation for dorsal root entry zone (Drez) lesion=20 (Assist.)	85	27	144	95	7.0	6.7	8.9	206.6	2338.6	756.9	3302.1
39709			Craniotomy for removal of glioma, metastatic carcinoma or any other tumour in cerebrum, cerebellum or brain stem - not being a service	86	32	145	80	7.7	7.8	7.8	268.4	2407.2	587.1	3262.7
48921			Shoulder, total replacement arthroplasty, revision of (Assist.)	87	23	162	70	6.2	7.3	7.6	156.6	2586.3	505.7	3248.5
39500			Vestibular nerve, section of, via posterior fossa (Assist.)	88	40	180	50	6.3	5.6	6.7	276.5	2629.5	335.5	3241.5
40335			Cervical decompression of spinal cord with or without involvement of nerve roots, including anterior fusion, more than 1 level, by any	89	34	149	65	7.7	7.8	7.8	285.2	2473.6	477.0	3235.8
48606			Scoliosis or Kyphosis, spinal fusion for (without instrumentation) (Assist.)	90	30	162	59	6.2	7.3	7.6	204.2	2586.3	426.2	3216.7
49115			Elbow, total joint replacement of (Assist.)	91	23	162	60	6.2	8.2	7.0	156.6	2636.9	412.9	3206.3
39715			Pituitary tumour, removal of, by transcranial or transphenoidal approach (Assist.)	92	41	139	75	7.7	7.8	7.8	343.9	2307.6	550.4	3201.9
39112			Cranial nerve, intracranial decompression of, using microsurgical techniques (Assist.)	93	36	148	75	7.7	7.8	6.7	301.9	2394.4	503.2	3199.5
48669			Spinal fusion (anterior interbody) to cervical, thoracic or lumbar regions - more than 1 level (Assist.)	94	32	148	80	6.9	7.5	7.4	241.4	2387.1	568.8	3197.3
40109			Encephalocele, excision and closure of (Assist.)	95	40	162	57	7.0	6.7	6.7	306.0	2493.7	382.4	3182.2
163			Professional attendance for a period of not less than 4 hours but less than 5 hours (not being a service to which any other item	96	16	243	50	5.7	2.2	4.4	100.5	2810.6	269.7	3180.8
46507			Digit or ray, transposition or transfer of, on vascular pedicle, complete procedure (Assist.)	97	25	164	35	6.2	9.0	7.0	170.2	2748.7	240.8	3159.7
44331			At shoulder =20 (Assist.)	98	23	162	66	6.2	7.3	7.0	156.6	2548.8	454.1	3159.6
40321			Posterior spinal fusion, not being a service to which items 40324 and 40327 apply (Assist.)	99	45	153	57	7.0	6.7	6.7	344.3	2355.2	382.4	3081.9
39903			Intracranial abscess, excision of (Assist.)	100	40	135	85	7.3	7.2	7.2	318.6	2151.8	594.6	3065.1
50420			Patella, congenital dislocation of, reconstruction of the quadriceps (Assist.)	101	23	144	66	8.0	8.2	7.0	200.2	2388.5	454.1	3042.8
47432			Humerus, proximal, treatment of intra-articular fracture of, by open reduction (Assist.)	102	23	162	59	4.0	7.3	7.0	103.3	2487.5	406.0	2996.8
50372			Knee, contracture of, posterior release involving multiple tendon lengthening with or without tenotomies and release of joint capsule	103	23	144	59	8.0	8.2	7.0	200.2	2388.5	406.0	2994.6
39615			Fractured skull with rhinorrhoea or otorrhoea, cranioplasty and repair of (Assist.)	104	40	144	70	7.0	6.7	6.7	306.0	2216.6	469.7	2992.3

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment	Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	
48648			Spine, bone graft to, (postero-lateral fusion) - 1 or 2 levels (Assist.)	105	32	147	90	5.8	6.4	6.3	204.4	2183.2	583.3	2970.8
50327			Talipes equinovarus, bilateral procedures (Assist.)	106	23	162	29	6.2	7.3	7.6	156.6	2586.3	209.5	2952.3
50423			Tibia, fibula or both, congenital deficiency of, transfer of the fibula to tibia, with internal fixation (Assist.)	107	23	162	66	3.4	6.5	7.0	88.8	2392.5	454.1	2935.5
47501			Acetabulum, treatment of single column fracture of, by open reduction and internal fixation, including any osteotomy, osteectomy	108	23	162	118	2.2	4.8	6.0	59.7	2130.4	744.5	2934.6
48687			Spine, segmental internal fixation of, other than for scoliosis, being a service associated with a service to which items 48642 to 48675	109	16	171	0	5.0	8.5	7.7	88.7	2825.2	0.0	2913.9
49312			Hip, arthroectomy or excision arthroplasty of, including removal of prosthesis (cemented, porous coated or similar) (Assist.)	110	23	135	118	2.2	7.3	7.0	59.7	2031.2	812.0	2902.8
46321			Interphalangeal joint or metacarpophalangeal joint, total replacement arthroplasty or hemiarthroplasty of, including	111	23	180	58	2.2	4.8	7.0	59.7	2436.4	399.1	2895.2
40332			Cervical decompression of spinal cord with or without involvement of nerve roots, including anterior fusion, 1 level, not being a service to	112	32	129	65	7.7	7.8	7.8	268.4	2141.6	477.0	2887.0
49521			Knee, total replacement arthroplasty of, requiring major bone grafting to femur or tibia, including obtaining of graft (Assist.)	113	23	135	88	6.2	7.3	7.0	156.6	2124.0	605.5	2886.1
49321			Hip, total replacement arthroplasty of, including major bone grafting, including obtaining of graft (Assist.)	114	41	122	95	6.2	7.3	7.0	279.1	1919.5	653.7	2852.3
48939			Shoulder, arthrodesis of (Assist.)	115	23	135	75	6.2	7.3	7.0	156.6	2124.0	516.1	2796.7
50354			Tibia, pseudarthrosis of, congenital, resection and internal fixation (Assist.)	116	23	126	66	8.0	8.2	7.6	200.2	2119.0	476.8	2796.0
39603			Intracranial haemorrhage, osteoplastic craniotomy or extensive craniectomy and removal of haematoma (Assist.)	117	29	125	95	7.0	6.7	6.7	221.9	1924.2	637.4	2783.4
49545			Knee, revision arthrodesis of (Assist.)	118	30	135	66	6.2	7.3	7.0	204.2	2124.0	454.1	2782.4
39806			Aneurysm, or arteriovenous malformation, intracranial proximal artery clipping of (Assist.)	119	40	135	40	7.7	5.6	7.8	335.5	2061.8	293.5	2690.9
48672			Spinal fusion (anterior interbody) to cervical, thoracic or lumbar regions - more than 1 level (where an assisting surgeon performs	120	40	108	75	7.7	7.8	7.8	335.5	1793.0	550.4	2678.9
50239			Malignant tumour, amputation for, not being a service to which another item in this Group applies (Assist.)	121	23	135	88	4.7	6.5	6.3	120.2	1987.6	570.3	2678.1
47588			Knee joint, treatment of fracture of, by internal fixation of intra-articular fractures of femoral condylar or tibial articular surfaces and	122	23	162	75	2.8	5.2	5.3	74.2	2142.6	443.1	2660.0
49527			Knee, total replacement arthroplasty of, revision procedure, including removal of prosthesis (Assist.)	123	29	118	88	6.2	7.3	7.0	197.4	1856.6	605.5	2659.5
48651			Spine, bone graft to, (postero-lateral fusion) - more than 2 levels (Assist.)	124	30	117	95	6.2	7.3	6.3	204.2	1809.3	615.7	2629.2
49715			Ankle, total joint replacement of (Assist.)	125	23	135	50	6.2	7.3	7.0	156.6	2124.0	344.1	2624.7
49306			Hip - arthrodesis of (Assist.)	126	23	135	66	2.2	7.3	7.6	59.7	2062.3	476.8	2598.8
39503			Facio-hypoglossal nerve or facio-accessory nerve, anastomosis of (Assist.)	127	13	144	40	7.0	6.7	6.7	99.5	2216.6	268.4	2584.5
49551			Knee, revision of procedures to which item 49536, 49539 or 49542 applies (Assist.)	128	23	135	44	6.2	7.3	7.0	156.6	2124.0	302.8	2583.4
40306			Spinal stenosis, laminectomy for, involving more than 1 vertebral interspace (disc level) (Assist.)	129	26	110	80	7.5	8.0	7.2	212.6	1810.3	559.6	2582.5
47696			Spine, reduction of fracture or dislocation of, without cord involvement, undertaken in the operating theatre of a hospital or	130	23	108	74	8.0	8.2	7.6	200.2	1816.3	534.6	2551.1

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
				Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
Item ID				Pre	Intra	Post							
49518		Knee, total replacement arthroplasty of (Assist.)	131	29	111	88	6.2	7.3	7.0	197.4	1746.4	605.5	2549.4
50212		Malignant or aggressive soft tissue tumour affecting the long bones of leg or arm, en bloc resection of, with compartmental or wide	132	23	135	65	4.7	6.5	6.3	120.2	1987.6	421.2	2529.1
43518		Operation on spine or pelvic bones (for chronic osteomyelitis) - 1 bone (Assist.)	133	23	108	70	8.0	8.2	7.6	200.2	1816.3	505.7	2522.2
48918		Shoulder, total replacement arthroplasty of, including any associated rotator cuff repair (Assist.)	134	24	117	75	6.2	7.3	7.0	163.4	1840.8	516.1	2520.3
40106		Arnold-Chiari malformation, decompression of (Assist.)	135	40	108	80	7.0	6.7	6.7	306.0	1662.5	536.8	2505.2
47534		Femur, condylar region of, treatment of intra-articular (T-shaped condylar) fracture of, requiring internal fixation, with or without	136	23	135	88	2.2	6.1	6.0	59.7	1881.3	555.2	2496.2
47732		Vascularised pedicle bone graft, harvesting of, in conjunction with another service=20 (Assist.)	137	23	108	89	6.2	7.3	7.0	156.6	1699.2	612.4	2468.2
50378		Hip, contracture of, medial release, involving lengthening of, or division of the adductors and psoas with or without division of the	138	30	108	59	8.0	8.2	7.0	261.1	1791.4	406.0	2458.4
50121		Greater Trochanter, transplantation of iliopectus tendon to (Assist.)	139.5	23	117	66	6.2	7.3	7.0	156.6	1840.8	454.1	2451.6
50387		Hip, iliopectus tendon transfer to greater trochanter, or transfer of abdominal musculature to greater trochanter, or transfer or	139.5	23	117	66	6.2	7.3	7.0	156.6	1840.8	454.1	2451.6
50408		Shoulder, congenital or developmental dislocation, open reduction of (Assist.)	141	23	108	66	8.0	8.2	7.0	200.2	1791.4	454.1	2445.7
40331		Cervical decompression of spinal cord with or without involvement of nerve roots, without fusion, 1 level, by any approach, not being a	142	25	108	60	7.7	7.8	7.8	209.7	1793.0	440.3	2443.0
47486		Pelvic ring, treatment of fracture of, by open reduction and involving internal fixation of anterior segment, including diastasis of pubic	143	23	99	105	6.2	7.3	7.0	156.6	1557.6	722.5	2436.7
47513		Sacro-iliac joint disruption, treatment of, requiring internal fixation, being a service associated with a service to which items 47501 to	144	23	108	89	4.0	7.3	7.6	103.3	1683.3	643.0	2429.6
46318		Interphalangeal joint or metacarpophalangeal joint, total replacement arthroplasty or hemiarthroplasty of, including	145	23	146	57	2.2	4.8	7.0	59.7	1976.2	392.2	2428.1
48660		Spinal fusion (anterior interbody) to cervical, thoracic or lumbar regions - 1 level (Assist.)	146	28	102	75	6.9	8.1	7.4	211.3	1682.1	533.2	2426.6
162		Professional attendance for a period of not less than 3 hours but less than 4 hours (not being a service to which any other item	147	16	189	25	5.7	2.2	4.4	100.5	2186.0	134.8	2421.4
47441		Humerus, proximal, treatment of intra-articular fracture of, and associated dislocation of shoulder, by open reduction (Assist.)	148	23	135	59	2.2	6.1	7.0	59.7	1933.3	406.0	2399.0
50384		Hip, contracture of, anterior release, involving lengthening of, or division of the hip flexors and psoas with or without division of the	149	23	108	59	8.0	8.2	7.0	200.2	1791.4	406.0	2397.5
50360		Knee, leg or thigh, combined medial and lateral hamstring tendon transfer (Assist.)	150	23	108	66	8.0	7.3	7.0	200.2	1732.7	454.1	2387.0
40309		Extradural tumour or abscess, laminectomy for=20 (Assist.)	151	26	103	85	7.0	6.7	6.7	198.9	1585.5	570.3	2354.7
39106		Neurectomy, intracranial, for trigeminal neuralgia (Assist.)	152	40	108	57	7.0	6.7	6.7	306.0	1662.5	382.4	2350.9
47549		Tibia, plateau of, treatment of medial or lateral fracture of, by open reduction (Assist.)	153	23	149	65	2.2	4.8	5.0	59.7	1902.1	372.9	2334.7
40330		Spinal rhizolysis involving exposure of spinal nerve roots - for lateral recess, exit foraminal stenosis, adhesive radiculopathy or extensive	154	26	96	70	8.0	8.0	7.4	226.3	1595.5	497.7	2319.5
49354		Hip, congenital dislocation of, open reduction of (Assist.)	155	30	108	59	6.2	7.3	7.0	204.2	1699.2	406.0	2309.4
40103		Myelomeningocele, excision and closure of, including skin flaps or Z plasty where performed (Assist.)	156	21	108	85	7.0	6.7	5.6	160.7	1616.7	516.8	2294.2

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
48675			Spinal fusion (anterior interbody) to cervical, thoracic or lumbar regions - more than 1 level (where an assisting surgeon performs	157	40	108	21	7.7	7.8	7.8	335.5	1793.0	154.1	2282.6
49300			Sacro-iliac joint - arthrodesis of (Assist.)	158	23	108	85	2.2	7.3	7.0	59.7	1624.9	584.9	2269.5
49318			Hip, total replacement arthroplasty of, including minor bone grafting (Assist.)	159	41	122	88	2.2	6.1	5.0	106.4	1653.2	504.9	2264.5
48427			Femur or pelvis, osteotomy or osteectomy of, with internal fixation (Assist.)	160	23	108	59	6.2	7.3	7.0	156.6	1699.2	406.0	2261.8
48684			Spine, segmental internal fixation of, other than for scoliosis, being a service associated with a service to which any one of items 48642 to	161	16	135	0	5.0	8.0	7.2	88.7	2163.6	0.0	2252.3
47558			Tibia, plateau of, treatment of both medial and lateral fractures of, by open reduction (Assist.)	162	23	135	59	2.2	5.2	6.0	59.7	1807.9	372.2	2239.9
50324			Talipes equinovarus, combined postero-medial release of, revision procedure (Assist.)	163	23	108	29	8.0	8.2	7.6	200.2	1816.3	209.5	2226.0
47618			Calcaneum or talus, treatment of intra-articular fracture of, by open reduction, with or without dislocation (Assist.)	164	23	135	60	2.8	5.2	5.3	74.2	1785.5	354.5	2214.2
48221			Radius and ulna, bone graft to, with internal fixation of 1 or both bones (Assist.)	165	23	135	59	2.2	4.8	6.0	59.7	1775.3	372.2	2207.3
50351			Hip, congenital or developmental dislocation of, open reduction of (Assist.)	166	30	108	44	6.2	7.3	7.0	204.2	1699.2	302.8	2206.2
48512			Epiphysiolysis, operation to prevent closure of plate (Assist.)	167	23	117	30	6.2	7.3	7.0	156.6	1840.8	206.4	2203.8
50336			Talus, vertical, congenital, combined anterior and posterior reconstruction (Assist.)	168	23	108	29	8.0	8.2	7.0	200.2	1791.4	199.5	2191.1
40316			Odontoid screw fixation (Assist.)	169	30	90	57	7.7	7.8	7.8	251.6	1494.1	418.3	2164.1
39718			Arachnoid cyst, craniotomy for (Assist.)	170	40	108	57	6.3	5.6	5.6	276.5	1532.0	346.6	2155.1
47438			Humerus, proximal, treatment of fracture of, and associated dislocation of shoulder, by open reduction (Assist.)	171	23	117	59	2.2	6.1	7.0	59.7	1675.5	406.0	2141.2
49209			Wrist, total replacement arthroplasty of (Assist.)	172	23	108	44	6.2	6.9	7.0	156.6	1673.1	302.8	2132.5
49534			Knee, patello-femoral joint of, total replacement arthroplasty as a primary procedure (Assist.)	173	23	90	80	6.2	7.3	7.0	156.6	1416.0	550.5	2123.1
47429			Humerus, proximal, treatment of fracture of, by open reduction (Assist.)	174	23	135	59	2.2	4.8	5.0	59.7	1723.4	338.5	2121.5
49815			Foot, triple arthrodesis of (Assist.)	175	23	101	65	8.0	7.3	5.0	200.2	1542.6	372.9	2115.7
40118			Craniostenosis, operation for - more than 1 suture (Assist.)	176	21	108	57	6.3	6.7	5.6	145.2	1603.7	346.6	2095.5
40324			Laminectomy followed by posterior fusion, performed by neurosurgeon and orthopaedic surgeon operating together -	177.5	30	108	19	7.0	7.8	6.7	229.5	1734.2	127.5	2091.2
40327			Laminectomy followed by posterior fusion, performed by neurosurgeon and orthopaedic surgeon operating together -	177.5	30	108	19	7.0	7.8	6.7	229.5	1734.2	127.5	2091.2
47531			Femur, treatment of fracture of shaft, by intramedullary fixation and cross fixation (Assist.)	179	28	117	88	2.2	4.8	5.0	72.7	1493.6	504.9	2071.1
40015			Subtemporal decompression (Assist.)	180	40	108	43	6.3	5.6	5.6	276.5	1532.0	261.4	2069.9
49106			Elbow, arthrodesis of (Assist.)	181	23	108	66	2.2	7.3	6.0	59.7	1583.3	416.4	2059.4
49542			Knee, reconstructive surgery of cruciate ligaments (open or arthroscopic, or both), including notchplasty, meniscus repair,	182	22	102	44	6.2	7.3	7.0	149.8	1604.8	302.8	2057.4

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
				Final Adjustment	Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	
39721		Craniotomy, involving osteoplastic flap, for re- opening post-operatively for haemorrhage, swelling, etc (Assist.)	183	21	108	57	7.0	5.6	5.6	160.7	1545.0	346.6	2052.2
40303		Recurrent disc lesion or spinal stenosis, or both, laminectomy for - 1 level (Assist.)	184	26	84	75	7.0	7.2	7.0	198.9	1328.1	516.1	2043.1
48227		Radius or ulna, bone graft to, with internal fixation of 1 or both bones (Assist.)	185	23	131	40	2.2	4.8	6.0	59.7	1722.7	252.4	2034.8
49539		Knee, reconstructive surgery of cruciate ligaments (open or arthroscopic, or both), including notchplasty when performed and	186	23	100	44	6.2	7.3	7.0	156.6	1573.4	302.8	2032.7
43521		Operation on skull (for chronic osteomyelitis) (Assist.)	187	23	108	44	2.2	7.3	7.6	59.7	1649.9	317.9	2027.4
50393		Pelvis, bone graft or shelf procedures for acetabular dysplasia (Assist.)	188	23	90	66	6.2	7.3	7.0	156.6	1416.0	454.1	2026.7
34139		Cervical rib, removal of, or other operation for removal of thoracic outlet compression, not being a service to which another item in this	189	22	102	35	7.3	7.2	6.7	175.2	1606.2	234.8	2016.3
47451		Humerus, shaft of, treatment of fracture of, by intramedullary fixation (Assist.)	190	23	108	59	2.2	6.1	7.0	59.7	1546.6	406.0	2012.3
48663		Spinal fusion (anterior interbody) to cervical, thoracic or lumbar regions - 1 level (where an assisting surgeon performs the	191	21	108	28	7.0	6.7	6.7	160.7	1662.5	187.9	2011.0
48642		Spine, posterior, bone graft to, not being a service to which item 48648 or 48651 applies - 1 or 2 levels (Assist.)	192	32	108	85	4.0	4.6	4.7	143.7	1386.6	473.1	2003.4
48424		Femur or pelvis, osteotomy or osteectomy of (Assist.)	193	23	99	40	6.2	7.3	7.0	156.6	1557.6	275.2	1989.4
48215		Humerus, bone graft to, with internal fixation (Assist.)	194	23	108	65	2.2	6.1	6.0	59.7	1505.1	410.1	1974.9
39706		Intracranial tumour, biopsy or decompression of via osteoplastic flap or biopsy and decompression of via osteoplastic flap (Assist.)	195	40	108	57	5.7	4.4	4.4	251.2	1392.7	307.4	1951.4
50369		Knee, contracture of, posterior release involving multiple tendon lengthening with or without tenotomies and release of joint capsule	196	23	81	59	8.0	8.2	7.0	200.2	1343.5	406.0	1949.7
39612		Fractured skull, compound, depressed or complicated, with dural penetration and brain laceration, operation for (Assist.)	197	40	90	65	6.3	5.6	5.6	276.5	1276.7	395.2	1948.4
49515		Knee, removal of prosthesis, cemented or uncemented, including associated cement, as the first stage of a 2 stage procedure	198	23	108	88	2.2	4.8	5.0	59.7	1378.7	504.9	1943.2
50230		Benign tumour, resection of, requiring anatomic specific allograft, with or without internal fixation (Assist.)	199	23	108	60	2.2	6.5	5.6	59.7	1514.5	364.8	1939.0
48681		Spine, non-segmental internal fixation of (Harrington or similar), other than for scoliosis, being a service associated with a service to	200	21	108	43	6.3	5.6	5.6	145.2	1532.0	261.4	1938.6
40012		Third ventriculostomy (open or endoscopic) with or without endoscopic septum pellucidotomy (Assist.)	201	21	90	57	7.0	6.7	6.7	160.7	1385.4	382.4	1928.5
49536		Knee, repair or reconstruction of, for chronic instability (open or arthroscopic, or both) involving either cruciate or collateral	202	24	92	44	6.2	7.3	7.0	163.4	1447.5	302.8	1913.6
49517		Knee, hemiarthroplasty of (Assist.)	203	29	99	59	4.7	6.5	5.0	151.6	1408.0	338.5	1898.1
43524		Operation on any combination of adjoining bones, being bones referred to in item 43515, 43518 or 43521 (for chronic osteomyelitis)	204	23	108	80	2.2	4.8	5.0	59.7	1378.7	459.0	1897.3
47684		Spine, treatment of fracture, dislocation or fracture-dislocation, without spinal cord involvement, including immobilisation by calipers	205	23	90	79	2.2	6.1	7.0	59.7	1288.9	543.6	1892.2
47498		Acetabulum, treatment of fracture of, and associated dislocation of hip, requiring internal fixation, with or without traction (Assist.)	206	23	108	90	0.7	4.8	5.0	23.4	1350.8	516.3	1890.5
46408		Tendon, reconstruction of, by tendon graft (Assist.)	207	23	97	30	6.2	7.3	7.0	156.6	1526.2	206.4	1889.2
50357		Knee, leg or thigh, rectus femoris tendon transfer or medial or lateral hamstring tendon transfer (Assist.)	208	23	81	66	6.2	7.3	7.0	156.6	1274.4	454.1	1885.1

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
40100			Meningocele, excision and closure of (Assist.)	209	21	108	57	7.0	4.4	4.4	160.7	1416.8	307.4	1884.9
50209			Bone tumour, lesional or marginal excision of, combined with any 2 or more of: liquid nitrogen freezing, autograft, allograft or	210	23	108	50	2.2	5.6	6.3	59.7	1484.9	324.0	1868.7
47690			Spine, treatment of fracture, dislocation or fracture-dislocation, without cord involvement, including immobilisation by calipers,	211	23	90	50	4.0	7.3	7.6	103.3	1402.8	361.2	1867.3
40600			Cranioplasty, reconstructive (Assist.)	212	24	97	38	7.0	6.7	5.6	183.6	1452.1	231.0	1866.7
46315			Interphalangeal joint or metacarpophalangeal joint, total replacement arthroplasty or hemiarthroplasty of, including	213	23	116	56	2.2	4.8	5.0	59.7	1480.8	321.3	1861.8
47693			Spine, treatment of fracture, dislocation or fracture-dislocation, with cord involvement, including immobilisation by calipers, requiring	214	23	90	49	4.0	7.3	7.6	103.3	1402.8	354.0	1860.0
47687			Spine, treatment of fracture, dislocation or fracture-dislocation, with spinal cord involvement, including immobilisation by calipers, and	215	23	90	74	2.2	6.1	7.0	59.7	1288.9	509.2	1857.8
49309			Hip, arthroectomy or excision arthroplasty of, including removal of prosthesis (Austin Moore or similar (non cement)) (Assist.)	216	23	81	105	2.2	6.1	6.0	59.7	1128.8	662.4	1850.9
41746			Frontal sinus, radical obliteration of (Assist.)	217	23	134	30	5.0	3.3	3.3	127.5	1566.0	142.9	1836.5
48236			Scaphoid, bone graft to, for mal-union, including osteotomy, bone graft and internal fixation (Assist.)	218	23	108	30	2.2	7.3	6.0	59.7	1583.3	189.3	1832.3
48933			Shoulder, stabilisation procedure for multi- directional instability, anterior or posterior (or both) repair when performed (Assist.)	219	25	100	44	2.2	6.1	7.3	64.9	1443.6	310.3	1818.8
43515			Operation on humerus or femur (for chronic osteomyelitis) - 1 bone (Assist.)	220	23	108	65	2.2	4.8	5.0	59.7	1378.7	372.9	1811.3
48645			Spine, posterior, bone graft to, not being a service to which item 48648 or 48651 applies - more than 2 levels (Assist.)	221	30	108	60	2.2	4.8	5.0	77.9	1378.7	344.2	1800.8
39700			Skull tumour, benign or malignant, excision of, excluding cranioplasty (Assist.)	222	21	108	50	5.7	4.4	4.4	131.9	1392.7	269.7	1794.3
47573			Tibia, shaft of, treatment of intra-articular fracture of, by open reduction, with or without treatment of fibular fracture (Assist.)	223	23	108	60	2.2	4.8	5.0	59.7	1378.7	344.2	1782.6
49569			Knee, mobilisation for post-traumatic stiffness, by multiple muscle or tendon release (quadricepsplasty) (Assist.)	224	23	90	66	4.7	6.5	5.0	120.2	1280.0	378.6	1778.9
48203			Femur, bone graft to, with internal fixation (Assist.)	226	23	108	59	2.2	4.8	5.0	59.7	1378.7	338.5	1776.9
48209			Tibia, bone graft to, with internal fixation (Assist.)	226	23	108	59	2.2	4.8	5.0	59.7	1378.7	338.5	1776.9
49200			Wrist, arthrodesis of, including bone graft, with or without internal fixation of the radiocarpal joint (Assist.)	226	23	108	59	2.2	4.8	5.0	59.7	1378.7	338.5	1776.9
40333			Cervical discectomy (anterior), without fusion (Assist.)	228	21	90	57	6.3	5.6	5.6	145.2	1276.7	346.6	1768.4
44361			Foot at ankle (Syme, Pirogoff types) =20 (Assist.)	229	23	90	59	4.0	6.1	6.0	103.3	1282.1	372.2	1757.6
39139			Epidural electrode for management of pain, insertion of 1 or more of by laminectomy, including implantation of pulse generator (1 or 2	230	13	108	38	5.7	4.4	5.6	81.7	1442.6	231.0	1755.3
47450			Humerus, shaft of, treatment of fracture of, by internal or external (Assist.)	231	23	90	59	2.2	6.1	7.0	59.7	1288.9	406.0	1754.5
47468			Scapula, neck or glenoid region of, treatment of fracture of, by open reduction (Assist.)	232	23	108	30	2.2	6.1	6.0	59.7	1505.1	189.3	1754.0
48915			Shoulder, hemi-arthroplasty of (Assist.)	233	27	98	75	2.2	4.8	5.0	70.1	1251.0	430.3	1751.4
50405			Elbow, flexorplasty, or tendon transfer to restore elbow function (Assist.)	234	23	72	66	6.2	7.3	7.0	156.6	1132.8	454.1	1743.5

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final	Adjustment		Pre	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
40712			Intracranial electrode placement via craniotomy (Assist.)	235	21	90	29	7.0	6.7	6.7	160.7	1385.4	194.6	1740.6
39900			Intracranial infection, drainage of, via burr-hole - including burr-hole (Assist.)	236	40	90	71	5.7	3.3	4.4	251.2	1100.8	383.0	1735.0
40300			Intervertebral disc or discs, laminectomy for removal of (Assist.)	237	24	72	70	6.6	6.7	6.5	173.5	1097.8	461.7	1733.0
47420			Humerus, treatment of fracture of tuberosity of, and associated dislocation of shoulder, by open reduction (Assist.)	238	23	108	40	0.7	4.8	7.0	23.4	1434.0	275.2	1732.6
47483			Pelvic ring, treatment of fracture of, requiring control by external fixation (Assist.)	239	34	81	118	0.7	4.8	5.0	34.5	1013.1	677.0	1724.6
39906			Osteomyelitis of skull or removal of infected bone flap, craniectomy for (Assist.)	240	21	108	57	5.0	4.4	3.3	116.4	1333.9	271.6	1721.9
40301			Intervertebral disc or discs, microsurgical discectomy of (Assist.)	241	23	88	28	7.0	6.7	6.7	176.0	1354.6	187.9	1718.4
40903			Neuroendoscopy, for inspection of an intraventricular lesion, with or without biopsy including burr hole (Assist.)	242	21	108	21	5.7	5.6	4.4	131.9	1470.9	113.3	1716.1
161			Professional attendance for a period of not less than 2 hours but less than 3 hours (not being a service to which any other item	243	9	135	18	5.7	2.2	4.4	56.5	1561.4	97.1	1715.1
50375			Hip, contracture of, medial release, involving lengthening of, or division of the adductors and psoas with or without division of the Hip, arthroplasty of, unipolar or bipolar (Assist.)	244	30	63	59	8.0	8.2	7.0	261.1	1045.0	406.0	1712.0
49315			Hip, arthroplasty of, unipolar or bipolar (Assist.)	245	28	88	88	2.2	4.8	5.0	72.7	1123.4	504.9	1700.9
39312 =	52803		Nerve trunk, internal (interfascicular), neurolysis of, using microsurgical techniques (Assist.)	246	10	108	14	6.3	6.7	4.4	69.1	1553.8	75.5	1698.5
48415			Humerus, osteotomy or osteectomy of, with internal fixation (Assist.)	247	23	108	30	2.2	6.1	5.0	59.7	1463.5	172.1	1695.3
47528			Femur, treatment of fracture of, by internal fixation or external fixation (Assist.)	248	29	87	88	2.2	4.8	5.0	75.3	1110.6	504.9	1690.7
50321			Talipes equinovarus, combined postero-medial release of (Assist.)	249	23	90	22	6.2	7.3	6.0	156.6	1381.4	138.8	1676.7
47615			Calcaneum or talus, treatment of fracture of, by open reduction, with or without dislocation (Assist.)	250.5	23	108	40	2.2	4.8	5.0	59.7	1378.7	229.5	1667.9
48506			Femur, tibia and fibula, epiphysiodesis of (Assist.)	250.5	23	108	40	2.2	4.8	5.0	59.7	1378.7	229.5	1667.9
50342			Foot and ankle, tibialis or tibialis posterior tendon transfer, through the interosseous membrane to anterior or posterior aspect of foot	252	23	72	44	8.0	7.3	7.0	200.2	1155.1	302.8	1658.0
49842			Foot, correction of hallux rigidus or hallux valgus by prosthetic arthroplasty - bilateral (Assist.)	253	23	90	50	6.2	4.8	5.0	156.6	1210.8	286.9	1654.2
43509			Operation on spine or pelvic bones (for acute osteomyelitis) - 1 bone (Assist.)	254	23	90	88	0.7	4.8	5.0	23.4	1125.7	504.9	1653.9
50381			Hip, contracture of, anterior release, involving lengthening of, or division of the hip flexors and psoas with or without division of the	255	23	63	59	8.0	8.2	7.0	200.2	1045.0	406.0	1651.1
48960			Shoulder, reconstruction or repair of, including repair of rotator cuff by arthroscopic, arthroscopic assisted or mini open means;	256	25	81	30	6.2	7.3	7.0	170.2	1274.4	206.4	1651.0
47051			Hip, treatment of dislocation of, by open reduction (Assist.)	257	23	81	59	2.2	6.5	7.0	59.7	1179.6	406.0	1645.2
49712			Ankle, arthrodesis of (Assist.)	258	26	92	69	2.2	4.8	5.0	67.5	1174.4	395.9	1637.8
50366			Knee, contracture of, posterior release involving multiple tendon lengthening or tenotomies, bilateral (Assist.)	259	23	72	59	6.2	7.3	6.0	156.6	1105.1	372.2	1633.9
48212			Humerus, bone graft to (Assist.)	260	23	81	70	2.2	6.1	6.0	59.7	1128.8	441.6	1630.1

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
49112			Elbow, silastic or other replacement of radial head (Assist.)	261	23	90	60	2.2	6.1	5.0	59.7	1219.6	344.2	1623.5
49346			Hip, revision arthroplasty with replacement of acetabular liner or ceramic head, not requiring removal of femoral component or	262	30	81	88	2.2	4.8	5.0	77.9	1034.0	504.9	1616.7
48930			Shoulder, stabilisation procedure for recurrent anterior or posterior dislocation (Assist.)	263	25	91	44	2.2	6.1	6.0	64.9	1268.2	277.6	1610.6
40000			Ventriculo-cisternostomy (Torkildsen's operation) (Assist.)	264	21	90	29	6.3	5.6	5.6	145.2	1276.7	176.3	1598.1
40115			Craniostenosis, operation for - single suture (Assist.)	265	21	90	40	6.3	5.6	4.4	145.2	1235.1	215.8	1596.0
48957			Shoulder, arthroscopic stabilisation of, for recurrent instability including labral repair or reattachment when performed - not being a	266	23	72	44	6.2	7.3	7.0	156.6	1132.8	302.8	1592.2
40800			Stereotactic anatomical localisation, as an independent procedure (Assist.)	267	21	90	28	6.3	5.6	5.6	145.2	1276.7	170.2	1592.1
40803			Intracranial stereotactic procedure by any method, not being a service to which item 40800 or 40801 applies (Assist.)	268	25	88	28	6.3	5.6	5.6	172.8	1248.3	170.2	1591.3
39812			Intracranial aneurysm or arteriovenous fistula, ligation of cervical vessel or vessels (Assist.)	269	21	68	57	6.3	6.7	6.7	145.2	1038.6	382.4	1566.2
47012			Shoulder, treatment of dislocation of, requiring general anaesthesia, open reduction (Assist.)	270	23	90	50	2.2	4.8	6.0	59.7	1183.6	315.5	1558.7
47717			Halo-thoracic traction - application of both halo and thoracic jacket (Assist.)	271	12	81	90	3.5	4.3	4.6	47.6	1015.2	495.7	1558.5
48936			Shoulder, synovectomy of, as an independent procedure (Assist.)	272	23	90	60	2.2	4.8	5.0	59.7	1148.9	344.2	1552.8
46378			Dupuytren's contracture, fasciectomy for, from 3 or more rays, including dissection of nerves - 1 hand (Assist.)	273	19	97	25	2.2	5.6	6.3	49.3	1333.7	162.0	1545.0
49215			Wrist, reconstruction of, including repair of single or multiple ligaments or capsules, including associated arthrotomy (Assist.)	274	23	90	44	2.2	6.1	5.0	59.7	1219.6	252.4	1531.7
47566			Tibia, shaft of, treatment of fracture of, by intramedullary fixation and cross fixation (Assist.)	275	27	87	60	2.2	4.8	5.0	70.1	1110.6	344.2	1524.9
49227			Wrist, arthroscopic pinning of osteochondral fragment or stabilisation procedure for ligamentous disruption - not being a	276	23	90	30	2.2	7.3	5.0	59.7	1284.8	172.1	1516.6
46381			Inter-phalangeal joint, joint capsule release when performed in conjunction with operation for Dupuytren's contracture - each	277	23	83	27	2.2	7.7	7.0	59.7	1268.8	185.8	1514.3
46417			Tendon transfer for restoration of hand function, each transfer (Assist.)	278	21	74	30	6.2	7.3	7.0	143.0	1164.3	206.4	1513.7
40003			Cranial or cisternal shunt diversion, insertion of (Assist.)	279	13	83	28	6.7	6.1	6.1	95.3	1224.1	178.3	1497.7
43506			Operation on humerus or femur (for acute osteomyelitis) - 1 bone (Assist.)	280	23	81	80	0.7	4.8	5.0	23.4	1013.1	459.0	1495.4
47565			Tibia, shaft of, treatment of fracture of, by internal fixation or external fixation (Assist.)	281	23	78	75	2.2	4.8	5.0	59.7	995.7	430.3	1485.7
49830			Foot, correction of hallux valgus and transfer of adductor hallucis tendon - bilateral (Assist.)	282	23	81	59	3.4	4.8	5.0	88.8	1050.7	338.5	1478.0
46312			Interphalangeal joint or metacarpophalangeal joint, total replacement arthroplasty or hemiarthroplasty of, including	283	23	93	40	2.2	4.8	5.0	59.7	1187.2	229.5	1476.4
46360			Digit, synovectomy of flexor tendon or tendons - 5 digits (Assist.)	284	23	116	30	0.7	2.3	5.0	23.4	1275.7	172.1	1471.2
46357			Digit, synovectomy of flexor tendon or tendons - 4 digits (Assist.)	285	23	99	54	0.7	3.1	5.0	23.4	1136.6	309.8	1469.8
50118			Subtalar joint, arthrodesis of (Assist.)	286	23	68	59	6.2	6.1	5.0	156.6	968.2	338.5	1463.3

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
50206			Bone tumour, lesional or marginal excision of, combined with any 1 of: liquid nitrogen freezing, autograft, allograft or cementation	287	23	81	44	2.2	5.6	6.3	59.7	1113.7	285.1	1458.5
50127			Joint or joints, arthroplasty of, by any technique not being a service to which another item applies (Assist.)	288	23	90	40	2.2	4.8	5.0	59.7	1148.9	229.5	1438.1
47570			Tibia, shaft of, treatment of fracture of, by open reduction, with or without treatment of fibular fracture (Assist.)	289	22	81	60	2.2	4.8	5.0	57.1	1034.0	344.2	1435.3
50396			Hand, congenital abnormalities or duplication of digits, amputation or splitting of phalanx or phalanges, with ligament or joint	290	23	76	50	3.4	5.6	5.6	88.8	1040.2	304.0	1432.9
47393			Radius and ulna, shafts of, treatment of fracture of, by open reduction (Assist.)	291	23	90	30	2.2	4.8	6.0	59.7	1183.6	189.3	1432.5
48233			Scaphoid, bone graft to, for non-union, with internal fixation (Assist.)	292	22	84	30	2.2	6.1	6.0	57.1	1170.6	189.3	1417.0
49724			Ankle, Achilles' tendon, secondary repair or reconstruction of (Assist.)	293	23	72	44	4.0	6.1	6.0	103.3	1025.7	277.6	1406.6
39333			Brachial plexus, exploration of, not being a service to which another item in this Group applies (Assist.)	294	15	93	19	5.7	4.4	4.4	94.2	1199.2	102.5	1395.9
39606			Fractured skull, depressed or comminuted, operation for (Assist.)	295	30	81	30	5.7	4.4	4.4	188.4	1044.5	161.8	1394.7
47624			Tarso-metatarsal, treatment of fracture of, by open reduction, with or without dislocation (Assist.)	297	23	81	40	2.2	6.1	5.0	59.7	1097.6	229.5	1386.8
48242			Bone graft, with internal fixation, not being a service to which another item in this Group applies (Assist.)	297	23	81	40	2.2	6.1	5.0	59.7	1097.6	229.5	1386.8
49103			Elbow, ligamentous stabilisation of (Assist.)	297	23	81	40	2.2	6.1	5.0	59.7	1097.6	229.5	1386.8
47414			Humerus, treatment of fracture of tuberosity of, by open reduction	299	23	81	50	0.7	4.8	6.0	23.4	1044.3	315.5	1383.1
47066			Ankle or tarsus, treatment of dislocation of, by open reduction (Assist.)	300	23	81	50	2.2	4.8	5.0	59.7	1034.0	286.9	1380.6
48636			Percutaneous lumbar discectomy, 1 or more levels (Assist.)	301	19	65	50	4.0	6.1	7.0	85.3	951.0	344.1	1380.4
50339			Foot and ankle, tibialis anterior tendon (split or whole) transfer to lateral column (Assist.)	302	23	54	44	8.0	7.3	7.0	200.2	866.3	302.8	1369.3
49506			Knee, meniscectomy of, repair of collateral or cruciate ligament, patellectomy of, chondroplasty of, osteoplasty of, patello-femoral	303	23	58	40	6.2	7.3	7.0	156.6	912.5	275.2	1344.4
47612			Calcaneum or talus, treatment of intra-articular fracture of, by closed reduction, with or without dislocation (Assist.)	304	15	81	60	2.2	4.8	3.7	38.9	993.5	299.6	1332.0
47459			Humerus, distal (supracondylar or condylar), treatment of fracture of, by open reduction, undertaken in the operating theatre of a hospital	305	24	73	40	0.7	6.1	7.0	24.4	1026.6	275.2	1326.2
49548			Knee, revision of patello-femoral stabilisation (Assist.)	306	23	72	60	2.2	4.8	5.0	59.7	919.1	344.2	1323.0
47537			Femur, condylar region of, treatment of fracture of, requiring internal fixation of 1 or more osteochondral fragments, not being a service	307	23	81	80	0.7	3.1	3.7	23.4	889.4	399.5	1312.2
46324			Carpal bone replacement arthroplasty including associated tendon transfer or realignment when performed (Assist.)	308	23	80	40	2.2	4.8	5.0	59.7	1021.2	229.5	1310.4
50333			Tarsal coalition, excision of, with interposition of muscle, fat graft or similar graft (Assist.)	309	23	54	44	6.2	7.3	7.0	156.6	849.6	302.8	1309.0
160			Professional attendance for a period of not less than 1 hour but less than 2 hours (not being a service to which any other item applies) on	310	16	81	50	5.7	2.2	4.4	100.5	936.9	269.7	1307.0
46375			Dupuytren's contracture, fasciectomy for, from 2 rays, including dissection of nerves - 1 hand (Assist.)	311	19	75	25	2.2	7.3	6.0	49.3	1099.5	157.7	1306.6
49206			Wrist, proximal carpectomy of, including styloidectomy when performed (Assist.)	312	23	81	37	2.2	4.8	5.0	59.7	1034.0	212.3	1306.0

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
48909			Shoulder, repair of rotator cuff, including decompression of subacromial space by acromioplasty, excision of coraco-acromial	313	26	74	50	2.2	4.8	5.0	67.5	944.7	286.9	1299.0
48954			Shoulder, arthroscopic total synovectomy of, including release of contracture when performed - not being a service associated with	314	23	68	44	2.2	7.3	5.0	59.7	970.7	252.4	1282.9
46435			Flexor tendon of hand, secondary repair of, distal to A1 pulley, each tendon (Assist.)	315	23	71	26	4.0	6.1	6.0	103.3	1011.4	164.0	1278.8
47522			Femur, treatment of subcapital fracture of, by hemi- arthroplasty (Assist.)	316	26	64	110	0.7	3.1	3.7	26.4	702.7	549.3	1278.4
49109			Elbow, total synovectomy of (Assist.)	317	23	77	40	2.2	4.8	5.0	59.7	983.0	229.5	1272.1
48218			Radius or ulna, bone graft to=20 (Assist.)	318	23	90	40	2.2	3.1	3.7	59.7	1011.4	199.7	1270.9
47357			Carpal scaphoid, treatment of fracture of, by open reduction (Assist.)	319	24	81	30	2.2	4.8	5.0	62.3	1034.0	172.1	1268.4
46447			Boutonniere deformity with joint contracture, reconstruction of (Assist.)	320	23	74	28	2.2	6.1	6.0	59.7	1031.2	176.7	1267.6
46405			Phalanx or metacarpal, bone grafting of, for pseudarthrosis (non-union), involving internal fixation and including obtaining of graft	321	23	82	28	2.2	4.8	5.0	59.7	1046.8	160.6	1267.1
47525			Femur, treatment of fracture of, for slipped capital femoral epiphysis (Assist.)	322	23	81	40	0.7	4.8	5.0	23.4	1013.1	229.5	1266.0
44325			Hand, midcarpal or transmetacarpal =20 (Assist.)	325.5	23	81	30	2.2	4.8	5.0	59.7	1034.0	172.1	1265.8
44328			Hand, forearm or through arm =20 (Assist.)	325.5	23	81	30	2.2	4.8	5.0	59.7	1034.0	172.1	1265.8
46345			Distal radioulnar joint, reconstruction or stabilisation of, including fusion, or ligamentous arthroplasty and excision of distal ulna, when	325.5	23	81	30	2.2	4.8	5.0	59.7	1034.0	172.1	1265.8
47351			Carpus (excluding scaphoid), treatment of fracture of, by open reduction	325.5	23	81	30	2.2	4.8	5.0	59.7	1034.0	172.1	1265.8
48412			Humerus, osteotomy or osteectomy of (Assist.)	325.5	23	81	30	2.2	4.8	5.0	59.7	1034.0	172.1	1265.8
49203			Wrist, limited arthrodesis of the intercarpal joint, including bone graft (Assist.)	325.5	23	81	30	2.2	4.8	5.0	59.7	1034.0	172.1	1265.8
46384 +	46372		Z plasty (or similar local flap procedure) when performed in conjunction with operation for Dupuytren's contracture - 1 such	329	25	70	30	2.2	7.7	5.0	64.9	1016.2	172.1	1253.2
48421			Tibia, osteotomy or osteectomy of, with internal fixation (Assist.)	330	22	84	59	0.7	3.1	3.7	22.4	922.3	294.6	1239.3
46414			Artificial tendon prosthesis, insertion of in preparation for tendon grafting (Assist.)	331	21	65	25	4.7	6.5	6.3	109.8	957.0	162.0	1228.8
39127			Subcutaneous reservoir and spinal catheter for pain, insertion of	332	7	64	53	6.0	5.0	5.0	46.2	866.6	304.1	1216.8
47975			Forearm or calf, decompression fasciotomy of, for acute compartment syndrome, requiring excision of muscle and deep	333	23	68	50	2.2	4.8	5.0	59.7	868.1	286.9	1214.6
47386			Radius or ulna, shaft of, treatment of fracture of, in conjunction with dislocation of distal radio- ulnar joint or proximal radio-humeral joint	334	23	90	40	0.7	3.1	3.7	23.4	988.2	199.7	1211.3
47630			Tarsus (excluding calcaneum or talus), treatment of fracture of, by open reduction, with or without dislocation (Assist.)	335	23	72	40	2.2	4.8	5.0	59.7	919.1	229.5	1208.3
48200			Femur, bone graft to (Assist.)	336	23	81	59	0.7	3.1	3.7	23.4	889.4	294.6	1207.4
43503			Operation on sternum, clavicle, rib, ulna, radius, carpus, tibia, fibula, tarsus, skull, mandible or maxilla (other than alveolar margins) (for	337	23	54	88	0.7	4.8	5.0	23.4	675.4	504.9	1203.6
47480			Pelvic ring, treatment of fracture of, requiring traction (Assist.)	338	15	54	118	0.7	3.1	3.7	15.2	592.9	589.2	1197.4

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
47603			Ankle joint, treatment of fracture of, by internal fixation of more than 1 of malleolus, fibula or diastasis (Assist.)	339	23	75	60	1.0	3.5	4.0	30.6	854.2	309.9	1194.7
49812			Foot, tendon or ligament transplantation of, not being a service to which another item in this Group applies (Assist.)	340	23	54	40	6.2	7.3	5.0	156.6	808.0	229.5	1194.1
49363			Hip, diagnostic arthroscopy of, with synovial biopsy (Assist.)	341.5	23	68	22	2.2	8.2	5.0	59.7	1007.7	126.2	1193.6
49366			Hip, arthroscopic surgery of (Assist.)	341.5	23	68	22	2.2	8.2	5.0	59.7	1007.7	126.2	1193.6
49303			Hip, arthrotomy of, including lavage, drainage or biopsy when performed (Assist.)	343	21	62	59	2.2	4.8	5.0	54.5	791.5	338.5	1184.5
90782			Consultation in rooms exceeding 75 minutes duration with an existing patient where the clinical record demonstrates that the	344	10	75	15	6.5	4.6	5.5	71.2	1018.3	90.3	1179.8
49827			Foot, correction of hallux valgus and transfer of adductor hallucis tendon - unilateral (Assist.)	345.5	23	54	50	6.2	4.8	5.0	156.6	726.5	286.9	1169.9
49839			Foot, correction of hallux rigidus or hallux valgus by prosthetic arthroplasty - unilateral (Assist.)	345.5	23	54	50	6.2	4.8	5.0	156.6	726.5	286.9	1169.9
50309			Ring fixator or similar device, adjustment of, with or without insertion or removal of fixation pins, performed under general anaesthesia in	347	18	68	44	2.2	4.8	5.0	46.7	868.1	252.4	1167.2
46432			Flexor tendon of hand, primary repair of, distal to A1 pulley, each tendon (Assist.)	348	18	72	25	2.2	6.1	5.0	46.7	975.7	143.4	1165.8
49863			Foot, synovectomy of metatarso-phalangeal joint, 2 or more joints (Assist.)	349	23	68	30	4.0	4.8	5.0	103.3	889.1	172.1	1164.5
47657			Metatarsals, 3 or more of, treatment of fracture of, by open reduction (Assist.)	350	23	81	50	0.7	3.1	3.7	23.4	889.4	249.7	1162.4
50363			Knee, contracture of, posterior release involving multiple tendon lengthening or tenotomies, unilateral (Assist.)	351	23	41	59	6.2	7.3	6.0	156.6	629.3	372.2	1158.1
46309			Interphalangeal joint or metacarpophalangeal joint, total replacement arthroplasty or hemiarthroplasty of, including	352	23	72	30	2.2	4.8	5.0	59.7	919.1	172.1	1150.9
50312			Ankle, synovectomy of (Assist.)	353.5	23	54	44	4.0	6.1	6.0	103.3	769.3	277.6	1150.1
50345			Hyperextension deformity of toe, release incorporating V-Y plasty of skin, lengthening of extensor tendons and release of capsule	353.5	23	54	44	4.0	6.1	6.0	103.3	769.3	277.6	1150.1
47006			Clavicle, treatment of dislocation of, by open reduction	355	23	81	30	0.7	4.8	3.7	23.4	972.6	149.8	1145.7
48409			Fibula, radius, ulna, clavicle, scapula (other than acromion), rib, tarsus or carpus, osteotomy or osteectomy, with internal fixation	356	21	77	40	0.7	4.8	3.7	21.3	924.5	199.7	1145.6
34100			Major artery of neck, elective ligation or exploration of, not being a service associated with any other vascular procedure (Assist.)	357	10	54	43	5.7	4.4	7.8	62.8	767.0	315.6	1145.4
90781			Consultation in rooms exceeding 75 minutes duration with a new patient where the clinical record demonstrates that the consultation	359	5	75	15	6.5	4.6	5.5	35.6	1018.3	90.3	1144.2
91281			Consultation in a hospital exceeding 75 minutes duration with a new patient where the clinical record demonstrates that the consultation	359	5	75	15	6.5	4.6	5.5	35.6	1018.3	90.3	1144.2
91282			Consultation in a hospital exceeding 75 minutes duration with an existing patient where the clinical record demonstrates that the	359	5	75	15	6.5	4.6	5.5	35.6	1018.3	90.3	1144.2
50112			Cicatrical flexion or extension contraction of joint, correction of, involving tissues deeper than skin and subcutaneous tissue, not	361	23	59	30	4.0	7.3	5.0	103.3	860.5	172.1	1135.9
48224			Radius or ulna, bone graft to (Assist.)	362	23	68	59	0.7	4.8	3.7	23.4	816.5	294.6	1134.5
50315			Talipes equinovarus, posterior release of (Assist.)	363.5	23	54	22	6.2	7.3	6.0	156.6	828.8	138.8	1124.2
50318			Talipes equinovarus, medial release of (Assist.)	363.5	23	54	22	6.2	7.3	6.0	156.6	828.8	138.8	1124.2

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
49845			Foot, arthrodesis of, first metatarso-phalangeal joint (Assist.)	365	22	51	50	6.2	4.8	5.0	149.8	686.1	286.9	1122.8
48927			Shoulder prosthesis, removal of (Assist.)	366	23	54	65	2.2	4.8	5.0	59.7	689.3	372.9	1121.9
48418			Tibia, osteotomy or osteectomy of (Assist.)	367	24	65	40	2.2	4.8	5.0	62.3	829.8	229.5	1121.5
47519			Femur, treatment of trochanteric or subcapital fracture of, by internal fixation (Assist.)	368	29	59	88	0.7	3.1	3.7	29.5	647.8	439.4	1116.7
46325			Carpal bone replacement or resection arthroplasty using adjacent tendon or other soft tissue including associated tendon transfer or	369	23	65	30	2.2	6.1	5.0	59.7	880.8	172.1	1112.6
49836			Foot, correction of hallux valgus by osteotomy of first metatarsal including internal fixation where performed - bilateral (Assist.)	370	21	57	50	3.4	4.8	5.0	81.0	739.4	286.9	1107.3
49857			Foot, metatarso-phalangeal joint replacement (Assist.)	371	23	45	59	6.2	4.8	5.0	156.6	605.4	338.5	1100.5
48503			Tibia and fibula, epiphysiodesis of (Assist.)	372	23	68	30	2.2	4.8	5.0	59.7	868.1	172.1	1099.9
48239			Bone graft, not being a service to which another item in this Group applies (Assist.)	373	23	59	50	2.2	4.8	5.0	59.7	753.2	286.9	1099.7
34133			Scalenotomy (Assist.)	374	18	78	29	5.0	3.3	2.2	99.8	878.5	119.9	1098.2
47465			Clavicle, treatment of fracture of, by open reduction	375	22	68	30	2.2	4.8	5.0	57.1	868.1	172.1	1097.3
47582			Patella, treatment of fracture of, by excision of patella or pole with reattachment of tendon (Assist.)	376	23	68	65	0.7	3.1	3.7	23.4	746.7	324.6	1094.6
50109			Joint, arthrodesis of, not being a service to which another item in this Group applies (Assist.)	377	21	54	50	4.0	4.8	5.0	94.3	706.1	286.9	1087.2
48206			Tibia, bone graft to (Assist.)	378	23	70	59	0.7	3.1	3.7	23.4	768.6	294.6	1086.6
49563			Knee, arthroscopic surgery of, involving 1 or more of: meniscus repair,; osteochondral graft; or chondral graft - not associated with	379	20	47	30	6.2	7.3	7.0	136.2	739.5	206.4	1082.1
48912			Shoulder, arthrotomy of (Assist.)	380	23	53	59	2.2	4.8	5.0	59.7	676.6	338.5	1074.8
48615			Scoliosis, re-exploration for, involving adjustment or removal of instrumentation or simple bone grafting procedure (Assist.)	381	30	51	60	2.2	4.8	5.0	77.9	651.0	344.2	1073.1
47384			Radius or ulna, shaft of, treatment of fracture of, by open reduction (Assist.)	382	25	77	40	0.7	3.1	3.7	25.4	845.5	199.7	1070.6
47920			Bone growth stimulator, insertion of (Assist.)	383	23	68	59	0.7	3.1	3.7	23.4	746.7	294.6	1064.6
48951			Shoulder, arthroscopic division of coraco-acromial ligament including acromioplasty - not being a service associated with any	384	24	58	37	2.2	6.1	5.0	62.3	785.9	212.3	1060.5
50402			Torticollis, bipolar release of sternocleidomastoid muscle and associated soft tissue (Assist.)	385	23	41	59	4.0	6.1	6.0	103.3	584.1	372.2	1059.6
49121			Elbow, arthroscopic surgery involving any 1 or more of: drilling of defect, removal of loose body; release of contracture or adhesions;	386	21	61	30	2.2	6.1	5.0	54.5	826.6	172.1	1053.2
46333			Inter-phalangeal joint or metacarpophalangeal joint, ligamentous repair of, using free tissue graft or implant (Assist.)	387	23	74	28	0.7	4.8	3.7	23.4	888.5	139.8	1051.7
47585			Patella, treatment of fracture of, by internal fixation (Assist.)	388	24	60	65	1.0	3.5	4.0	32.0	683.3	335.7	1051.0
40009			Cranial, cisternal or lumbar shunt, revision or removal of (Assist.)	389	13	62	28	6.3	4.4	4.4	89.9	805.9	151.0	1046.8
48906			Shoulder, repair of rotator cuff, including excision of coraco-acromial ligament or removal of calcium deposit from cuff, or both - not being	390	24	63	40	0.7	4.8	5.0	24.4	788.0	229.5	1041.8

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
50102			Joint, arthroscopic surgery of, not being a service to which another item in this Group applies (Assist.)	391.5	23	54	40	4.0	4.8	5.0	103.3	706.1	229.5	1038.8
50103			Joint, arthrotomy of, not being a service to which another item in this Group applies (Assist.)	391.5	23	54	40	4.0	4.8	5.0	103.3	706.1	229.5	1038.8
39121			Percutaneous cordotomy (Assist.)	393	17	54	20	6.3	6.1	6.1	117.5	792.7	127.3	1037.5
49509			Knee, total synovectomy or arthrodesis of (Assist.)	394	23	45	70	2.2	4.8	5.0	59.7	574.5	401.6	1035.7
46442			Mallet finger with intra-articular fracture involving more than one-third of base of terminal phalanx - open reduction (Assist.)	395	22	64	28	2.2	4.8	5.0	57.1	817.0	160.6	1034.7
47435			Humerus, proximal, treatment of fracture of, and associated dislocation of shoulder, by closed reduction (Assist.)	396	23	41	59	2.2	7.3	6.0	59.7	601.1	372.2	1033.0
49224			Wrist, arthroscopic debridement of 2 or more distinct areas; or osteoplasty including excision of the distal ulna; or total Boutonniere deformity without joint contracture, reconstruction of (Assist.)	397	23	63	20	2.2	6.1	5.0	59.7	853.7	114.7	1028.1
46444			Inter-phalangeal joint or metacarpophalangeal joint - interposition arthroplasty of and including tendon transfers or realignment on the Digit, synovectomy of flexor tendon or tendons - 3 digits (Assist.)	398	23	57	27	2.2	6.1	6.0	59.7	794.3	170.3	1024.4
46306			Inter-phalangeal joint or metacarpophalangeal joint - interposition arthroplasty of and including tendon transfers or realignment on the Digit, synovectomy of flexor tendon or tendons - 3 digits (Assist.)	399	23	62	30	2.2	4.8	5.0	59.7	791.5	172.1	1023.3
46354			Interphalangeal joint or metacarpophalangeal joint - volar plate arthroplasty for traumatic deformity including tendon transfers or Tibia, plateau of, treatment of both medial and lateral fractures of, by closed reduction	400	23	78	27	0.7	3.1	3.7	23.4	856.5	134.8	1014.7
46307			Interphalangeal joint or metacarpophalangeal joint - volar plate arthroplasty for traumatic deformity including tendon transfers or Tibia, plateau of, treatment of both medial and lateral fractures of, by closed reduction	401	23	62	27	2.2	4.8	5.0	59.7	791.5	154.9	1006.1
47555			Lumbar shunt diversion, insertion of (Assist.)	402	15	63	59	0.7	3.1	3.7	15.2	691.8	294.6	1001.6
40006			Lumbar shunt diversion, insertion of (Assist.)	403	21	54	28	6.3	4.4	4.4	145.2	701.9	151.0	998.1
47330			Proximal phalanx of finger or thumb, treatment of fracture of, by open reduction	404	23	60	30	2.2	4.8	5.0	59.7	765.9	172.1	997.7
49360			Hip, diagnostic arthroscopy of (Assist.)	405	23	54	22	2.2	8.2	5.0	59.7	800.2	126.2	986.1
50104			Joint, synovectomy of, not being a service to which another item in this Group applies (Assist.)	406	23	54	30	4.0	4.8	5.0	103.3	706.1	172.1	981.5
49212			Wrist, arthrotomy of	407	23	54	40	2.2	4.8	5.0	59.7	689.3	229.5	978.5
49824			Foot, correction of hallux valgus or hallux rigidus by excision arthroplasty (Keller's or similar procedure) - bilateral (Assist.)	408	23	54	50	4.0	3.1	3.7	103.3	623.6	249.7	976.5
47021			Elbow, treatment of dislocation of, by open reduction (Assist.)	409	23	63	50	0.7	3.1	3.7	23.4	691.8	249.7	964.8
47408			Radius, treatment of fracture of head or neck of, open management of, including internal fixation and excision where performed (Assist.)	410	22	67	30	0.7	3.1	5.0	22.4	769.2	172.1	963.7
49709			Ankle, ligamentous stabilisation of (Assist.)	411	23	55	35	2.2	4.8	5.0	59.7	702.1	200.8	962.6
90772			Consultation in rooms of approximately 60 minutes duration with an existing patient where the clinical record demonstrates that the Halo, application of, as an independent procedure (Assist.)	412	8	60	15	6.5	4.6	5.5	57.0	814.6	90.3	961.9
47711			Consultation in rooms of approximately 60 minutes duration with a new patient where the clinical record demonstrates that the Olecranon, treatment of fracture of, by open reduction (Assist.)	413	12	54	68	2.5	2.7	3.5	34.9	592.5	331.8	959.2
30235			Muscle, ruptured, repair of (extensive), not associated with external wound=20 (Assist.)	414	23	81	44	0.0	1.4	2.3	6.4	752.8	184.5	943.7
90771			Consultation in rooms of approximately 60 minutes duration with a new patient where the clinical record demonstrates that the Olecranon, treatment of fracture of, by open reduction (Assist.)	415	5	60	15	6.5	4.6	5.5	35.6	814.6	90.3	940.6
47399			Olecranon, treatment of fracture of, by open reduction (Assist.)	416	24	58	59	0.2	3.1	3.7	11.8	631.9	294.6	938.2

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
				Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
Item ID				Pre	Intra	Post							
47720		Halo-femoral traction, as an independent procedure (Assist.)	417.5	10	41	64	5.7	4.4	4.4	62.8	528.7	345.2	936.7
47723		Halo-femoral traction in conjunction with a major spine operation (Assist.)	417.5	10	41	64	5.7	4.4	4.4	62.8	528.7	345.2	936.7
47981		Forearm, calf or interosseous muscle space of hand, decompression fasciotomy of, not being a service to which another	419	23	45	30	6.2	4.8	5.0	156.6	605.4	172.1	934.1
91272		Consultation in a hospital of approximately 60 minutes duration with an existing patient where the clinical record demonstrates that the	420	8	60	10	6.5	4.6	5.5	57.0	814.6	60.2	931.8
39128		Automated subcutaneous infusion device and spinal catheter, insertion of (Assist.)	421	7	61	18	5.7	4.4	4.4	44.0	786.6	97.1	927.7
47648		Metatarsals, 2 of, treatment of fracture of, by open reduction (Assist.)	422	23	68	40	0.4	2.7	3.3	16.1	716.3	190.6	922.9
47540		Hip spica or shoulder spica, application of, as an independent procedure	423	23	54	50	0.7	4.8	3.7	23.4	648.4	249.7	921.4
47951		External fixation, removal of, in conjunction with operations involving internal fixation or bone grafting or both	425.5	23	54	30	2.2	4.8	5.0	59.7	689.3	172.1	921.2
48230		Scaphoid, bone graft to, for non-union (Assist.)	425.5	23	54	30	2.2	4.8	5.0	59.7	689.3	172.1	921.2
48500		Femur, epiphysiodesis of (Assist.)	425.5	23	54	30	2.2	4.8	5.0	59.7	689.3	172.1	921.2
50130		Joint or joints, application of external fixator to, other than for treatment of fractures (Assist.)	425.5	23	54	30	2.2	4.8	5.0	59.7	689.3	172.1	921.2
46372		Dupuytren's contracture, fasciectomy for, from 1 ray, including dissection of nerves - 1 hand (Assist.)	428	18	51	25	2.2	7.3	5.0	46.7	728.1	143.4	918.2
49833		Foot, correction of hallux valgus by osteotomy of first metatarsal including internal fixation where performed - unilateral (Assist.)	429	20	41	40	6.2	4.8	5.0	136.2	551.6	229.5	917.2
49500		Knee, arthrotomy of, involving 1 or more of; capsular release, biopsy or lavage, or removal of loose body or foreign body (Assist.)	430	21	41	59	2.2	4.8	5.0	54.5	523.4	338.5	916.4
47495		Acetabulum, treatment of fracture of, and associated dislocation of hip, requiring traction (Assist.)	431	23	54	60	0.7	3.1	3.7	23.4	592.9	299.6	915.9
47705		Skull calipers, insertion of, as an independent procedure (Assist.)	432	23	54	59	0.7	3.1	3.7	23.4	592.9	294.6	910.9
91271		Consultation in a hospital of approximately 60 minutes duration with a new patient where the clinical record demonstrates that the	433	5	60	10	6.5	4.6	5.5	35.6	814.6	60.2	910.5
47567		Tibia, shaft of, treatment of intra-articular fracture of, by closed reduction, with or without treatment of fibular fracture (Assist.)	434	15	54	60	0.7	3.1	3.7	15.2	592.9	299.6	907.8
48948		Shoulder, arthroscopic surgery of, involving any 1 or more of: removal of loose bodies; decompression of calcium deposit;	435	22	50	30	2.2	6.1	5.0	57.1	677.5	172.1	906.8
47546		Tibia, plateau of, treatment of medial or lateral fracture of, by closed reduction	436	15	54	59	0.7	3.1	3.7	15.2	592.9	294.6	902.8
47333		Proximal phalanx of finger or thumb, treatment of intra-articular fracture of, by open reduction (Assist.)	437	20	53	30	2.2	4.8	5.0	51.9	676.6	172.1	900.6
39600		Intracranial haemorrhage, burr-hole craniotomy for - including burr holes (Assist.)	438	17	55	57	4.3	2.2	2.2	81.7	576.3	235.7	893.7
40336		Intradiscal injection of chymopapain (discase) - 1 disc=20 (Assist.)	439	23	31	50	2.2	8.2	7.0	59.7	483.3	344.1	887.0
50426		Diaphyseal aclasia, removal of lesion or lesions from bone - 1 approach (Assist.)	440	23	45	44	2.2	4.8	5.0	59.7	574.5	252.4	886.6
49503		Knee, meniscectomy of, repair of collateral or cruciate ligament, patellectomy of, chondroplasty of, osteoplasty of, patello-femoral	441	22	47	40	2.2	4.8	5.0	57.1	600.0	229.5	886.6
46462		Operation for osteomyelitis on middle or proximal phalanx, metacarpal or carpus (Assist.)	442	22	52	57	0.7	3.1	3.7	22.4	571.0	284.6	878.0

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
49336			Hip, treatment of a fracture of the femur where revision total hip replacement is required as part of the treatment of the fracture (not Coccyx, excision of (Assist.))	443	0	54	0	6.2	7.3	8.3	0.0	876.6	0.0	876.6
30672				444	23	52	50	0.0	4.8	3.7	6.4	618.1	249.7	874.2
46399			Phalanx or metacarpal of the hand, osteotomy of, with internal fixation (Assist.)	445	23	56	26	0.7	4.8	5.0	23.4	700.4	149.2	873.0
47957			Tendon, large, lengthening of, not being a service to which another item in this Group applies (Assist.)	446	23	54	40	0.7	4.8	3.7	23.4	648.4	199.7	871.5
47966			Tendon or ligament transfer, not being a service to which another item in this Group applies (Assist.)	447	23	59	40	0.7	3.1	3.7	23.4	647.8	199.7	870.9
47033			Carpus, or carpus on radius and ulna, or carpometacarpal joint, treatment of dislocation of, by open reduction (Assist.)	448	23	54	30	0.7	4.8	5.0	23.4	675.4	172.1	870.9
49357			Hip spica, initial application of, for congenital dislocation of hip (excluding aftercare) (Assist.)	449	23	41	29	4.0	6.1	6.0	103.3	584.1	183.0	870.3
47402			Olecranon, treatment of fracture of, involving excision of olecranon fragment and reimplantation of tendon (Assist.)	450	23	54	59	0.2	2.3	3.7	11.3	562.2	294.6	868.1
49559			Knee, arthroscopic surgery of, involving chondroplasty requiring multiple drilling or carbon fibre (or similar) implant; including any	451	20	54	22	2.2	4.8	5.0	51.9	689.3	126.2	867.5
49803			Foot, flexor or extensor tendon, secondary repair of	452	23	54	40	2.2	3.1	3.7	59.7	606.9	199.7	866.3
46342			Distal radioulnar joint or carpometacarpal joint or joints, synovectomy of (Assist.)	453	23	63	30	0.7	3.1	3.7	23.4	691.8	149.8	864.9
49860			Foot, synovectomy of metatarso-phalangeal joint, single joint (Assist.)	454	23	45	30	4.0	4.8	5.0	103.3	588.4	172.1	863.8
49718			Ankle, Achilles' tendon or other major tendon, repair of (Assist.)	455	23	45	40	2.2	4.8	5.0	59.7	574.5	229.5	863.6
48903			Shoulder, decompression of subacromial space by acromioplasty, excision of coraco-acromial ligament and distal clavicle, or any	456	23	53	40	0.7	4.8	3.7	23.4	636.4	199.7	859.5
47600			Ankle joint, treatment of fracture of, by internal fixation of 1 of malleolus, fibula or diastasis (Assist.)	457	23	53	50	0.7	3.1	3.7	23.4	582.0	249.7	855.0
30093			Needle biopsy of vertebra	458	23	27	29	6.2	9.0	8.3	156.6	466.0	221.1	843.7
46330			Inter-phalangeal joint or metacarpophalangeal joint, arthrotomy of, with ligamentous or capsular repair (Assist.)	459	25	62	27	0.7	3.1	3.7	25.4	680.8	134.8	841.0
39703			Intracranial tumour, cyst or other brain tissue, burr-hole and biopsy of, or drainage of, or both (Assist.)	460	13	58	19	5.0	3.3	3.3	72.1	677.8	90.5	840.4
39609			Fractured skull, compound, without dural penetration, operation for (Assist.)	461	7	45	40	5.7	4.4	4.4	44.0	580.3	215.8	840.0
47516			Femur, treatment of fracture of, by closed reduction or traction (Assist.)	462	15	35	88	0.7	3.1	3.7	15.2	384.3	439.4	839.0
49221			Wrist, arthroscopic surgery of, involving any 1 or more of: drilling of defect; removal of loose body, release of adhesions; local	463	23	49	20	2.2	6.1	5.0	59.7	664.0	114.7	838.4
46492			Contracture of digits of hand, flexor or extensor, correction of, involving tissues deeper than skin and subcutaneous tissue (Assist.)	464	19	48	30	2.2	4.8	5.0	49.3	612.7	172.1	834.2
49727			Ankle, Achilles' tendon, operation for lengthening (Assist.)	465	23	36	40	4.0	6.1	5.0	103.3	499.0	229.5	831.7
50203			Bone or malignant deep soft tissue tumour, lesional or marginal excision of (Assist.)	466	20	45	44	1.4	3.9	5.0	35.1	543.8	252.4	831.3
47982			Forage (Drill decompression), of neck or head of femur, or both (Assist.)	467	23	54	44	2.2	2.3	3.0	59.7	566.2	202.1	828.0
46351			Digit, synovectomy of flexor tendon or tendons - 2 digits (Assist.)	468	23	60	27	0.7	3.1	3.7	23.4	658.8	134.8	817.0

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
47978			Forearm or calf, decompression fasciotomy of, for chronic compartment syndrome, requiring excision of muscle and deep	469	23	54	30	2.2	3.1	3.7	59.7	606.9	149.8	816.4
47666			Phalanx of great toe, treatment of fracture of, by open reduction	470	23	54	40	0.7	3.1	3.7	23.4	592.9	199.7	816.0
49566			Knee, arthroscopic total synovectomy of (Assist.)	471	20	40	44	2.2	4.8	5.0	51.9	510.6	252.4	815.0
47375			Radius, distal end of, treatment of Colles', Smith's or Barton's fracture, by open reduction (Assist.)	472	24	58	30	0.7	3.1	3.7	24.4	636.9	149.8	811.0
48945			Shoulder, diagnostic arthroscopy of (including biopsy) - not being a service associated with any other arthroscopic procedure of the	473	27	45	29	2.2	4.8	5.0	70.1	574.5	166.4	810.9
50200			Aggressive or potentially malignant bone or deep soft tissue tumour, biopsy of (not including aftercare)	474	24	38	29	3.4	6.5	5.6	92.6	540.7	176.3	809.7
39015			Ventricular reservoir, external ventricular drain or intracranial pressure monitoring device, insertion of - including burr-hole	475	16	53	38	5.0	2.2	2.2	88.7	561.7	157.1	807.6
48509			Epiphysiodesis, staple arrest of hemi-epiphysis	476	23	45	30	2.2	4.8	5.0	59.7	574.5	172.1	806.3
47954			Tendon, repair of, not being a service to which another item in this Group applies (Assist.)	477	21	53	40	0.7	3.1	3.7	21.3	582.0	199.7	803.0
47366			Radius or ulna, distal end of, treatment of fracture of, by open reduction (Assist.)	478	23	64	30	0.2	2.3	3.0	11.3	649.1	137.8	798.1
48403			Phalanx or metatarsal, osteotomy or osteectomy of, with internal fixation (Assist.)	479	15	52	39	0.7	3.1	3.7	15.2	571.0	194.7	781.0
49100			Elbow, arthrotomy of, involving 1 or more of lavage, removal of loose body or division of contracture (Assist.)	480	23	43	30	2.2	4.8	5.0	59.7	548.9	172.1	780.7
40709			Burr-hole placement of intracranial depth or surface electrodes (Assist.)	481	7	54	43	4.3	2.2	2.2	33.6	565.8	177.8	777.3
39327 =	52809		Neurectomy, neurotomy or removal of tumour from deep peripheral nerve, by open operation (Assist.)	482	21	37	30	4.3	5.2	5.3	100.9	498.9	177.3	777.1
47345			Metacarpal, treatment of intra-articular fracture of, by open reduction (Assist.)	483	22	50	30	0.7	4.8	3.7	22.4	600.4	149.8	772.5
47426			Humerus, proximal, treatment of fracture of, by closed reduction, undertaken in the operating theatre of a hospital or approved day	484	23	41	59	0.7	3.1	3.7	23.4	450.2	294.6	768.2
46303			Carpometacarpal joint, arthrodesis of (Assist.)	485	23	53	30	0.7	3.5	3.7	23.4	594.8	149.8	767.9
47027			Radioulnar joint, distal or proximal, treatment of dislocation of, by open reduction, not being a service associated with fracture or	489	23	54	30	0.7	3.1	3.7	23.4	592.9	149.8	766.1
47039			Interphalangeal joint, treatment of dislocation of, by open reduction	489	23	54	30	0.7	3.1	3.7	23.4	592.9	149.8	766.1
47045			Metacarpophalangeal joint, treatment of dislocation of, by open reduction	489	23	54	30	0.7	3.1	3.7	23.4	592.9	149.8	766.1
47072			Toe, treatment of dislocation of, by open reduction	489	23	54	30	0.7	3.1	3.7	23.4	592.9	149.8	766.1
47309			Distal phalanx of finger or thumb, treatment of intra-articular fracture of, by open reduction	489	23	54	30	0.7	3.1	3.7	23.4	592.9	149.8	766.1
47318			Middle phalanx of finger, treatment of fracture of, by open reduction	489	23	54	30	0.7	3.1	3.7	23.4	592.9	149.8	766.1
47321			Middle phalanx of finger, treatment of intra-articular fracture of, by open reduction	489	23	54	30	0.7	3.1	3.7	23.4	592.9	149.8	766.1
43512 =	52090		Operation on scapula, sternum, clavicle, rib, ulna, radius, metacarpus, carpus, phalanx, tibia, fibula, metatarsus, tarsus,	493	23	26	65	2.2	4.8	5.0	59.7	331.9	372.9	764.5
39133			Epidural stimulator or intrathecal infusion device, revision of	494	7	54	28	5.0	3.3	2.2	38.8	608.2	115.8	762.8

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
				Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
	Item ID			Pre	Intra	Post							
46453		Flexor tendon, tenolysis of, following tendon injury, repair or graft (Assist.)	495	24	43	26	2.2	4.8	5.0	62.3	548.9	149.2	760.4
49703		Ankle, arthroscopic surgery of (Assist.)	496	20	42	30	2.2	4.8	5.0	51.9	536.2	172.1	760.2
47477		Pelvic ring, treatment of fracture of, with disruption of pelvic ring or acetabulum	497	15	36	70	0.7	3.1	3.7	15.2	395.3	349.5	760.1
39109		Trigeminal gangliotomy by radiofrequency, balloon or glycerol	498	19	43	19	5.0	5.6	3.3	105.3	562.3	90.5	758.1
49118		Elbow, diagnostic arthroscopy of, including biopsy (Assist.)	499	23	41	30	2.2	4.8	5.0	59.7	523.4	172.1	755.2
50100		Joint, diagnostic arthroscopy of (including biopsy), not being a service to which another item in this Group applies and not being a	500	23	41	20	4.0	4.8	5.0	103.3	536.1	114.7	754.1
47708		Plaster jacket, application of, as an independent procedure	501	11	54	29	0.7	3.1	3.7	11.2	592.9	144.8	748.9
46468		Amputation of 2 digits, proximal to nail bed, involving section of bone or joint and requiring soft tissue cover (Assist.)	502	23	49	53	0.0	2.3	3.0	6.4	495.3	243.4	745.1
90762		Consultation in rooms of approximately 45 minutes duration with an existing patient where the clinical record demonstrates that the	503	8	45	15	6.0	4.4	5.3	52.8	598.2	88.6	739.6
30023		Wound of soft tissue, deep or extensively contaminated, debridement of, under general anaesthesia or regional or field block,	504	19	32	36	2.2	4.8	7.0	49.3	433.1	247.7	730.2
30241 =	52063	Bone tumour, innocent, excision of, not being a service to which another item in this Group applies (Assist.)	505	19	40	29	2.2	4.8	5.0	49.3	510.6	166.4	726.3
47714		Halo, application of, in addition to spinal fusion for scoliosis, or other conditions	506	12	54	20	2.5	2.7	3.5	34.9	592.5	97.6	725.0
39321 =	52818	Nerve, transposition of (Assist.)	507	23	45	30	2.8	3.2	3.2	74.2	504.4	141.2	719.9
90761		Consultation in rooms of approximately 45 minutes duration with a new patient where the clinical record demonstrates that the	508	5	45	15	6.0	4.4	5.3	33.0	598.2	88.6	719.8
49348		Hip, congenital dislocation of, treatment of, by closed reduction	509	23	27	20	6.2	7.3	7.0	156.6	424.8	137.6	719.0
50106		Joint, stabilisation of, involving 1 or more of: repair of capsule, repair of ligament or internal fixation, not being a service to which another	510	21	38	30	2.2	4.8	5.0	54.5	485.1	172.1	711.7
46300		Inter-phalangeal joint or metacarpophalangeal joint, arthrodesis of (Assist.)	511	22	49	30	0.7	3.1	3.7	22.4	538.0	149.8	710.2
91262		Consultation in a hospital of approximately 45 minutes duration with an existing patient where the clinical record demonstrates that the	512	8	45	10	6.0	4.4	5.3	52.8	598.2	59.1	710.1
47678		Phalanx of toe (other than great toe), more than 1 of, treatment of fracture of, by open reduction	513	13	53	23	0.7	3.1	3.7	13.2	582.0	114.8	710.0
47342		Metacarpal, treatment of fracture of, by open reduction	514	21	49	30	0.7	3.1	3.7	21.3	538.0	149.8	709.2
48678		Spine, simple internal fixation of, involving 1 or more of facet screw, wire loop or similar, being a service associated with a service	515	4	54	0	3.3	4.8	4.6	15.0	691.2	0.0	706.3
30226 =	52060	Muscle, excision of (limited) or fasciotomy	516	23	53	30	2.2	1.4	2.3	59.7	512.6	125.8	698.1
49218		Wrist, diagnostic arthroscopy of, including radiocarpal or midcarpal joints, or both (including biopsy) - not being a service associated	517.5	23	41	20	2.2	4.8	5.0	59.7	523.4	114.7	697.8
49700		Ankle, diagnostic arthroscopy of, including biopsy (Assist.)	517.5	23	41	20	2.2	4.8	5.0	59.7	523.4	114.7	697.8
47456		Humerus, distal (supracondylar or condylar), treatment of fracture of, by closed reduction, undertaken in the operating theatre of a hospital	519	18	28	30	4.0	6.1	7.0	80.8	409.7	206.4	696.9
46369		Dupuytren's contracture, palmar fasciectomy for - 1 hand	520.5	23	54	30	0.2	2.3	3.0	11.3	547.6	137.8	696.7

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
47639			Metatarsal, 1 of, treatment of fracture of, by open reduction	520.5	23	54	30	0.2	2.3	3.0	11.3	547.6	137.8	696.7
91261			Consultation in a hospital of approximately 45 minutes duration with a new patient where the clinical record demonstrates that the	522	5	45	10	6.0	4.4	5.3	33.0	598.2	59.1	690.3
47492			Acetabulum, treatment of fracture of, and associated dislocation of hip	523	15	41	44	0.7	3.1	3.7	15.2	450.2	219.7	685.1
47552			Tibia, plateau of, treatment of both medial and lateral fractures of, not being a service to which item 47555 or 47558 applies (Assist.)	524	13	38	51	0.7	3.1	3.7	13.2	417.3	254.7	685.1
47306			Distal phalanx of finger or thumb, treatment of fracture of, by open reduction	525	19	49	25	0.7	3.1	3.7	19.3	538.0	124.8	682.2
49562			Knee, arthroscopic surgery of, involving 1 or more of: meniscectomy, removal of loose body or lateral release; where the procedure	526	21	39	22	2.2	4.8	5.0	54.5	497.9	126.2	678.6
49706			Ankle, arthrotomy of, involving 1 or more of: lavage, removal of loose body or division of contracture (Assist.)	527	20	41	40	0.7	3.1	3.7	20.3	450.2	199.7	670.3
48900			Shoulder, excision of coraco-acromial ligament or removal of calcium deposit from cuff or both (Assist.)	528	23	45	30	0.7	3.1	3.7	23.4	494.1	149.8	667.3
49721			Ankle, Achilles' tendon rupture managed by non- operative treatment	529	23	18	59	6.2	3.1	3.7	156.6	214.7	294.6	665.9
39018			Cerebrospinal fluid reservoir, insertion of (Assist.)	530	13	41	38	5.0	2.2	2.2	72.1	434.6	157.1	663.8
46396			Phalanx or metacarpal of the hand, osteotomy or osteectomy of (Assist.)	531	23	46	27	0.7	3.1	3.7	23.4	505.1	134.8	663.3
50330			Talipes equinovarus, or talus, vertical congenital - post operative manipulation and change of plaster, performed under general	532	18	27	20	6.2	7.3	6.0	122.5	414.4	126.2	663.1
49821			Foot, correction of hallux valgus or hallux rigidus by excision arthroplasty (Keller's or similar procedure) - unilateral (Assist.)	533	20	32	40	4.0	3.1	3.7	89.8	369.5	199.7	659.1
47609			Calcaneum or talus, treatment of fracture of, by closed reduction, with or without dislocation (Assist.)	534	10	38	46	0.7	3.1	3.7	10.2	417.3	229.7	657.1
48406			Fibula, radius, ulna, clavicle, scapula (other than acromion), rib, tarsus or carpus, osteotomy or osteectomy of (Assist.)	535	21	44	30	0.7	3.1	3.7	21.3	483.1	149.8	654.3
49848			Foot, correction of claw or hammer toe	536	21	29	30	4.0	4.8	5.0	94.3	379.2	172.1	645.6
47564			Tibia, shaft of, treatment of fracture of, by closed reduction, with or without treatment of fibular fracture	537	14	34	50	0.7	3.1	3.7	14.2	373.3	249.7	637.2
46339			Extensor tendons or flexor tendons of hand or wrist, synovectomy of (Assist.)	538	21	43	27	0.7	3.1	3.7	21.3	472.2	134.8	628.3
49561			Knee, arthroscopic surgery of, involving 1 or more of: meniscectomy, removal of loose body or lateral release; where the procedure	539	20	35	22	2.2	4.8	5.0	51.9	446.8	126.2	624.9
47385			Radius or ulna, shaft of, treatment of fracture of, in conjunction with dislocation of distal radio- ulnar joint or proximal radio-humeral joint	540.5	23	41	30	0.7	3.1	3.7	23.4	450.2	149.8	623.4
49800			Foot, flexor or extensor tendon, primary repair of	540.5	23	41	30	0.7	3.1	3.7	23.4	450.2	149.8	623.4
46423			Extensor tendon of hand or wrist, secondary repair of, each tendon (Assist.)	542	23	39	26	0.7	4.8	3.7	23.4	468.3	129.8	621.5
49560			Knee, arthroscopic surgery of, involving 1 or more of: meniscectomy, removal of loose body or lateral release - not being a service	543	21	35	20	2.2	4.8	5.0	54.5	446.8	114.7	616.0
46522			Flexor tendon sheath of finger or thumb - open operation and drainage for infection (Assist.)	544	18	37	38	0.7	3.1	3.7	18.3	406.3	189.7	614.3
50348			Knee, deformity of, post-operative manipulation and change of plaster, performed under general anaesthesia in the operating	545	15	32	29	2.2	4.8	5.0	38.9	408.5	166.4	613.8
46348			Digit, synovectomy of flexor tendon or tendons - 1 digit	546	22	41	28	0.7	3.1	3.7	22.4	450.2	139.8	612.4

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
46480			Amputation of single digit, proximal to nail bed, involving section of bone or joint and requiring soft tissue cover, including metacarpal	547	23	46	30	0.0	2.3	3.0	6.4	464.9	137.8	609.1
47621			Tarso-metatarsal, treatment of intra-articular fracture of, by closed reduction, with or without dislocation (Assist.)	548	15	41	40	0.2	2.3	3.0	7.3	415.8	183.7	606.9
49851			Foot, correction of claw or hammer toe with internal fixation	549	20	26	30	4.0	4.8	5.0	89.8	340.0	172.1	601.9
47729 =		52319	Bone graft, harvesting of, via separate incision, in conjunction with another service - autogenous - large quantity	550	4	54	5	2.3	2.3	2.7	10.8	560.9	22.1	593.8
46441			Mallet finger, open repair of, including pin fixation when performed (Assist.)	551	20	45	26	0.2	2.3	3.0	9.8	456.4	119.4	585.6
46503			Recurrent ganglion of volar wrist joint, excision of, not being a service associated with a service to which item 30106 or 30107	552	23	44	20	0.0	3.1	3.7	6.4	477.8	99.9	584.1
49866			Foot, neurectomy for plantar or digital neuritis (Morton's or Bett's syndrome) (Assist.)	553	21	24	30	4.0	4.8	5.0	94.3	313.8	172.1	580.2
49558			Knee, arthroscopic surgery of, involving 1 or more of: debridement, osteoplasty or chondroplasty - not associated with any other	554	21	32	20	2.2	4.8	5.0	54.5	408.5	114.7	577.7
47447			Humerus, shaft of, treatment of fracture of, by closed reduction, undertaken in the operating theatre of a hospital or approved day	555	23	41	30	0.2	2.3	3.0	11.3	415.8	137.8	564.9
47969			Tenosynovectomy, not being a service to which another item in this Group applies (Assist.)	556	21	41	30	0.2	2.3	3.0	10.3	415.8	137.8	563.9
49854			Foot, radical plantar fasciotomy or fasciectomy of (Assist.)	557	23	22	30	4.0	4.8	5.0	103.3	287.7	172.1	563.1
39134			Spinal neurostimulator receiver or pulse generator, subcutaneous placement of (Assist.)	558	6	40	13	5.0	3.3	3.3	33.3	467.5	61.9	562.7
49878			Talipes equinovarus, calcaneo valgus or metatarsus varus, treatment by cast, splint or manipulation - each attendance	559	23	27	0	6.2	7.3	5.0	156.6	404.0	0.0	560.6
47930 =		52105	Plate, rod or nail and associated wires, pins or screws, 1 or more of, all of which were inserted for internal fixation purposes, removal of,	560	14	36	30	0.7	3.1	3.7	14.2	395.3	149.8	559.3
30114			Bursa, semimembranosus (Baker's cyst), excision of=20 (Assist.)	561	21	40	30	0.0	2.3	3.0	5.9	404.3	137.8	547.9
49818			Foot, excision of calcaneal spur (Assist.)	562	23	29	40	0.7	3.1	3.7	23.4	318.4	199.7	541.5
49557			Knee, diagnostic arthroscopy of (including biopsy, simple trimming of meniscal margin or plica) - not being a service associated with	563	21	29	20	2.2	4.8	5.0	54.5	370.2	114.7	539.5
47417			Humerus, treatment of fracture of tuberosity of, and associated dislocation of shoulder, by closed reduction (Assist.)	564	11	34	30	0.7	3.1	3.7	11.2	373.3	149.8	534.3
44342			2 digits of 1 foot=20	565	18	41	35	0.0	1.4	2.3	5.0	381.1	146.7	532.8
46336			Inter-phalangeal joint or metacarpophalangeal joint, synovectomy, capsulectomy or debridement of, not being a service associated with	566	23	33	28	0.7	3.1	3.7	23.4	362.3	139.8	525.5
46502			Recurrent ganglion of dorsal wrist joint, excision of, not being a service associated with a service to which item 30106 or 30107	567	23	40	20	0.0	3.1	3.0	6.4	423.6	91.9	521.9
39330 =		52800	Neurolysis by open operation without transposition, not being a service associated with a service to which item 39312 applies	568	20	32	30	0.7	3.1	3.7	20.3	351.4	149.8	521.5
47597			Ankle joint, treatment of fracture of, by closed reduction	569	14	23	60	0.2	2.3	3.0	6.9	233.3	275.6	515.7
46519			Middle palmar, thenar or hypothenar spaces of hand, drainage of (excluding aftercare)	570	21	36	19	0.7	3.1	3.7	21.3	395.3	94.9	511.5
45018			Dermis, dermofat or fascia graft (excluding transfer of fat by injection) (Assist.)	571	11	42	19	3.7	1.1	1.1	45.9	390.1	66.6	502.6
90752			Consultation in rooms of approximately 30 minutes duration with an existing patient where the clinical record demonstrates that more	572	8	30	10	5.6	4.2	5.2	49.4	392.0	58.5	499.9

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
50390			Perthes, cerebral palsy, or other neuromuscular conditions, affecting hips or knees, application of cast under general anaesthesia,	573	15	36	0	2.2	4.8	5.0	38.9	459.6	0.0	498.5
46420			Extensor tendon of hand or wrist, primary repair of, each tendon=20	574	15	34	22	0.7	3.1	3.7	15.2	373.3	109.9	498.4
46450			Extensor tendon, tenolysis of, following tendon injury, repair or graft=20	575	23	35	28	0.2	2.3	3.0	11.3	355.0	128.6	494.8
46483			Revision of amputation stump to provide adequate soft tissue cover (Assist.)	576	17	36	25	0.2	2.3	3.0	8.3	365.1	114.8	488.2
47936			Exostosis of large bone, excision of (Assist.)	577	19	33	30	0.2	2.3	3.0	9.3	334.7	137.8	481.8
90751			Consultation in rooms of approximately 30 minutes duration with a new patient where the clinical record demonstrates that more than	579	5	30	10	5.6	4.2	5.2	30.9	392.0	58.5	481.3
91251			Consultation in a hospital of approximately 30 minutes duration with a new patient where the clinical record demonstrates that more than	579	5	30	10	5.6	4.2	5.2	30.9	392.0	58.5	481.3
91252			Consultation in a hospital of approximately 30 minutes duration with an existing patient where the clinical record demonstrates that more	579	5	30	10	5.6	4.2	5.2	30.9	392.0	58.5	481.3
47963			Tenotomy, open, with or without tenoplasty, not being a service to which another item in this Group applies	581	24	25	30	0.7	4.8	3.7	24.4	300.2	149.8	474.4
47903			Epicondylitis, open operation for	582	19	27	30	0.7	3.1	3.7	19.3	296.5	149.8	465.6
49809			Foot, open tenotomy of, with or without tenoplasty	583	23	18	30	4.0	3.1	3.7	103.3	207.9	149.8	461.0
43500			Operation on phalanx (for acute osteomyelitis)	584	23	27	40	0.0	3.1	2.3	6.4	278.7	167.7	452.8
30238			Fascia, deep, repair of, for herniated muscle	585	12	37	18	0.2	2.3	2.3	5.9	365.3	75.5	446.6
47654			Metatarsals, 3 or more of, treatment of fracture of, by closed reduction (Assist.)	586	12	33	23	0.2	2.3	3.0	5.9	334.7	105.6	446.2
48400			Phalanx, metatarsal, accessory bone or sesamoid bone, osteotomy or osteectomy of, excluding services to which item 49848 or 49851	587	15	28	29	0.4	2.7	3.3	10.5	294.9	138.2	443.6
46465			Amputation of single digit, proximal to nail bed, involving section of bone or joint and requiring soft tissue cover	588	20	26	37	0.0	2.3	3.0	5.6	262.8	169.9	438.3
47054			Knee, treatment of dislocation of, by closed reduction (Assist.)	589	13	23	43	0.2	2.3	3.0	6.4	233.3	197.5	437.1
47327			Proximal phalanx of finger or thumb, treatment of intra-articular fracture of, by closed reduction	590	13	32	22	0.2	2.3	3.0	6.4	324.5	101.0	431.9
47363			Radius or ulna, distal end of, treatment of fracture of, by closed reduction	591	13	32	21	0.0	2.3	3.0	3.6	323.4	96.5	423.5
49806			Foot, subcutaneous tenotomy of, 1 or more tendons	592	23	27	20	0.7	3.1	3.7	23.4	296.5	99.9	419.7
47900			Bone cyst, injection into or aspiration of	593	15	27	30	0.2	2.3	3.0	7.3	273.8	137.8	419.0
47561			Tibia, shaft of, treatment of fracture of, by cast immobilisation, not being a service to which item 47564, 47567, 47570 or 47573 applies	594	9	23	42	0.2	1.4	3.0	4.4	220.8	192.9	418.1
46501			Ganglion of volar wrist joint, excision of, not being a service associated with a service to which item 30106 or 30107 applies	595	20	30	20	0.0	3.1	3.0	5.6	317.7	91.9	415.2
46327			Inter-phalangeal joint or metacarpophalangeal joint, arthrotomy of	596	23	30	30	0.0	1.4	2.3	6.4	278.8	125.8	411.0
47921 =	52096		Orthopaedic pin or wire, insertion of, as an independent procedure	597	5	31	20	0.2	2.3	3.0	2.4	314.4	91.9	408.7
46438			Mallet finger, closed pin fixation of	598	20	31	27	0.0	1.4	2.3	5.6	288.1	113.2	406.9

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
47933			Exostosis of small bone, excision of, including simple removal of bunion and any associated bursa	599	20	26	30	0.0	2.3	3.0	5.6	262.8	137.8	406.2
47009			Shoulder, treatment of dislocation of, requiring general anaesthesia, not being a service to which item 47012 applies	600	23	19	44	0.2	2.3	3.0	11.3	192.7	202.1	406.0
47030			Carpus, or carpus on radius and ulna, or carpometacarpal joint, treatment of dislocation of, by closed reduction	601	9	26	23	0.2	3.1	3.7	4.4	283.3	114.8	402.5
47063			Ankle or tarsus, treatment of dislocation of, by closed reduction	602	14	23	35	0.2	2.3	3.0	6.9	233.3	160.8	400.9
47048			Hip, treatment of dislocation of, by closed reduction	603	18	12	57	0.2	2.3	3.0	8.8	121.7	261.8	392.3
30111			Bursa (large), including olecranon, calcaneum or patella, excision of=20 (Assist.)	604	21	28	29	0.0	1.4	2.3	5.9	260.2	121.6	387.7
39324 =		52806	Neurectomy, neurotomy or removal of tumour from superficial peripheral nerve, by open operation (Assist.)	605	4	32	19	4.3	1.1	1.1	19.2	300.5	66.6	386.3
46366			Dupuytren's contracture, subcutaneous fasciotomy for - each band	606	23	27	30	0.0	1.4	2.3	6.4	250.9	125.8	383.1
46459			Operation for osteomyelitis on distal phalanx	607	21	27	30	0.0	1.4	2.3	5.9	250.9	125.8	382.6
47972			Tendon sheath, open operation for teno-vaginitis, not being a service to which another item in this Group applies	608	23	27	20	0.2	2.3	3.0	11.3	273.8	91.9	376.9
47579			Patella, treatment of fracture of, not being a service to which item 47582 or 47585 applies	609	9	24	35	0.2	1.4	2.3	4.4	223.9	146.7	375.0
50115			Joint or joints, manipulation of, performed in the operating theatre of a hospital or approved day hospital facility, not being a service	610	15	12	30	4.0	4.8	3.7	67.4	150.9	149.8	368.1
39323			Percutaneous neurotomy by cryoneurotomy or radiofrequency lesion generator, not being a service to which another item applies (Assist.)	611	8	27	23	3.7	1.1	1.1	33.4	250.8	80.6	364.8
47960			Tenotomy, subcutaneous, not being a service to which another item in this Group applies	612	15	18	30	0.7	3.1	3.7	15.2	197.6	149.8	362.7
47390			Radius and ulna, shafts of, treatment of fracture of, by closed reduction, undertaken in the operating theatre of a hospital or	613	19	20	30	0.2	3.1	3.0	9.3	212.5	137.8	359.6
90743			Consultation in rooms of approximately 20 minutes duration where the clinical record demonstrates that more than two of the	614	5	20	8	4.0	6.1	6.0	22.5	284.9	50.5	357.8
39331			Carpal tunnel release (division of transverse carpal ligament), by any method	615	20	19	20	2.5	3.2	2.8	58.2	209.1	89.6	356.9
91243			Consultation in a hospital of approximately 20 minutes duration where the clinical record demonstrates that more than two of the	616	5	20	7	4.0	6.1	6.0	22.5	284.9	44.2	351.5
47339			Metacarpal, treatment of intra-articular fracture of, by closed reduction	617.5	14	20	30	0.2	2.3	3.0	6.9	202.8	137.8	347.5
47948			External fixation, removal of, in the operating theatre of a hospital or approved day hospital facility	617.5	14	20	30	0.2	2.3	3.0	6.9	202.8	137.8	347.5
44338			1 digit of foot=20	619	18	20	37	0.0	1.4	2.3	5.0	185.9	155.1	346.0
47372			Radius, distal end of, treatment of Colles', Smith's or Barton's fracture, by closed reduction	620	15	20	30	0.0	2.3	3.0	4.2	202.1	137.8	344.1
47381			Radius or ulna, shaft of, treatment of fracture of, by closed reduction undertaken in the operating theatre of a hospital or approved day	621	18	19	30	0.0	3.1	3.0	5.0	201.2	137.8	344.0
39012			Burr-hole, single, preparatory to ventricular puncture or for inspection purpose - not being a service to which another item applies	622	10	27	14	3.7	1.1	1.1	41.8	250.8	49.1	341.6
46500			Ganglion of dorsal wrist joint, excision of, not being a service associated with a service to which item 30106 or 30107 applies	623	20	27	20	0.0	1.4	2.3	5.6	250.9	83.9	340.4
47594			Ankle joint, treatment of fracture of, not being a service to which item 47597 applies	624	9	19	37	0.0	1.4	2.3	2.5	176.6	155.1	334.2

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
47927 =		52102	Buried wire, pin or screw, 1 or more of, which were inserted for internal fixation purposes, removal of, in the operating theatre of a	625	12	22	20	0.2	2.3	3.0	5.9	223.1	91.9	320.9
47018			Elbow, treatment of dislocation of, by closed reduction	626	11	21	22	0.2	2.3	3.0	5.4	213.0	101.0	319.4
48603			Spine, manipulation of, under epidural anaesthesia, with or without steroid injection, where the manipulation and the administration of	627	15	16	30	0.7	2.3	3.0	15.2	163.6	137.8	316.7
90740			Consultation in rooms of approximately 20 minutes duration where the clinical record demonstrates that more than two of the	628	5	20	8	4.5	3.6	4.7	25.1	246.4	44.5	316.0
47543			Tibia, plateau of, treatment of medial or lateral fracture of, not being a service to which item 47546 or 47549 applies	629	9	21	21	0.2	2.3	3.0	4.4	213.0	96.5	313.8
91240			Consultation in a hospital of approximately 20 minutes duration where the clinical record demonstrates that more than two of the	630	5	20	7	4.5	3.6	4.7	25.1	246.4	39.0	310.5
47726 =		52318	Bone graft, harvesting of, via separate incision, in conjunction with another service - autogenous - small quantity	631	4	27	5	2.3	2.2	2.6	10.8	277.8	21.8	310.4
47444			Humerus, shaft of, treatment of fracture of, not being a service to which item 47447 or 47450 applies	632	8	14	36	0.0	2.3	3.0	2.2	141.5	165.3	309.1
46363			Tendon sheath of hand or wrist, open operation on, for stenosing tenovaginitis=20	633	19	20	28	0.0	1.4	2.3	5.3	185.9	117.4	308.6
40018			Lumbar cerebrospinal fluid drain, insertion of	634	4	21	27	3.7	1.1	1.1	16.7	195.0	94.7	306.4
46456			Finger, percutaneous tenotomy of	635	19	17	20	0.7	3.1	3.7	19.3	186.7	99.9	305.8
30107			Ganglion or small bursa, excision of, not being a service associated with a service to which an item in this Group applies	636	19	23	20	0.0	1.4	2.3	5.3	213.8	83.9	302.9
49351			Hip, congenital dislocation of, treatment of, involving supervision of splint, harness or cast - each attendance	637	4	14	8	6.2	7.3	7.0	27.2	220.3	55.0	302.5
47636			Metatarsal, 1 of, treatment of fracture of, by closed reduction	638	11	24	20	0.0	1.0	2.0	3.1	214.5	80.4	298.0
48600			Spine, manipulation of, performed in the operating theatre of a hospital or approved day hospital facility	639	15	14	30	0.7	2.3	3.0	15.2	143.2	137.8	296.2
46495			Ganglion or mucous cyst of distal digit, excision of, not being a service associated with a service to which item 30106 or 30107	640	17	22	20	0.0	1.4	2.3	4.7	204.5	83.9	293.1
46498			Ganglion of flexor tendon sheath, excision of, not being a service associated with a service to which item 30106 or 30107 applies	641	18	21	20	0.0	1.8	2.3	5.0	200.2	83.9	289.1
47423			Humerus, proximal, treatment of fracture of, not being a service to which item 47426, 47429 or 47432 applies	642	8	13	36	0.0	1.4	2.3	2.2	120.8	150.9	274.0
47387			Radius and ulna, shafts of, treatment of fracture of, by cast immobilisation, not being a service to which item 47390 or 47393	643	9	21	20	0.0	1.0	2.0	2.5	187.7	80.4	270.6
47576			Fibula, treatment of fracture of	644	8	15	30	0.0	1.4	2.3	2.2	139.4	125.8	267.4
47924			Buried wire, pin or screw, 1 or more of, which were inserted for internal fixation purposes, removal of requiring incision and suture,	645	8	18	20	0.0	1.4	2.3	2.2	167.3	83.9	253.4
47906			Digital nail of toe, removal of, in the operating theatre of a hospital or approved day hospital facility	646	15	18	20	0.0	1.0	2.0	4.2	160.9	80.4	245.5
47474			Pelvic ring, treatment of fracture of, not involving disruption of pelvic ring or acetabulum	647	6	13	28	0.0	1.4	2.3	1.7	120.8	117.4	239.9
90730			Consultation in rooms of approximately 15 minutes duration where the clinical record demonstrates that more than two of the following	648	4	15	6	4.5	3.6	4.7	20.1	184.8	33.4	238.3
91230			Consultation in a hospital of approximately 15 minutes duration where the clinical record demonstrates that more than two of the	649	4	15	5	4.5	3.6	4.7	20.1	184.8	27.8	232.7
47627			Tarsus (excluding calcaneum or talus), treatment of fracture of	650	8	15	21	0.0	1.4	2.3	2.2	139.4	88.0	229.7

CG6&7 - NEUROSURGERY & ORTHOPAEDIC SURGERY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
39136			Percutaneous epidural implant for management of pain, removal of	651	3	18	5	3.0	1.1	0.0	10.3	157.4	14.4	182.1
39000			Lumbar puncture	652	7	17	6	3.0	0.0	0.0	24.1	137.3	17.3	178.7
39100			Injection of primary branch of trigeminal nerve with alcohol, cortisone, phenol, or similar substance	653	7	14	9	3.7	0.0	0.0	29.2	114.8	25.9	169.9
90720			Consultation in rooms of approximately 10 minutes duration where the clinical record demonstrates that more than one of the following	654	3	10	5	4.5	3.6	4.7	15.1	123.2	27.8	166.1
91220			Consultation in a hospital of approximately 10 minutes duration where the clinical record demonstrates that more than one of the	655	3	10	4	4.5	3.6	4.7	15.1	123.2	22.3	160.5
39003			Cisternal puncture	657	3	14	5	3.7	1.1	1.1	12.5	130.0	17.5	160.1
39006			Ventricular puncture (not including burr-hole)	657	3	14	5	3.7	1.1	1.1	12.5	130.0	17.5	160.1
39009			Subdural haemorrhage, tap for, each tap	657	3	14	5	3.7	1.1	1.1	12.5	130.0	17.5	160.1
47681			Spine (excluding sacrum), treatment of fracture of transverse process, vertebral body, or posterior elements - each attendance	659	13	4	17	0.7	3.1	3.7	13.2	43.9	84.9	142.0
18272			Saphenous, sural, popliteal or posterior tibial nerve, main trunk of, 1 or more of, injection of an anaesthetic agent	660	4	8	13	0.0	1.4	3.0	1.1	76.5	59.7	137.3
18266			Ulnar, radial or median nerve, main trunk of, 1 or more of, injection of an anaesthetic agent, not being associated with a brachial plexus	661	6	7	13	0.0	1.4	3.0	1.7	66.9	59.7	128.3
90710			Consultation in rooms of approximately 5 minutes duration, where the clinical record demonstrates the straightforward nature of the	662	2	5	5	4.0	6.1	6.0	9.0	71.2	31.5	111.8
91210			Consultation in a hospital of approximately 5 minutes duration, where the clinical record demonstrates the straightforward nature of	663	2	5	3	4.5	3.6	4.7	10.0	61.6	16.7	88.3

CG9&15 - PLASTIC SURGERY/HAND SURGERY/BURNS & DERMATOLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
45785			Cranial vault reconstruction for oxycephaly, brachycephaly, turriccephaly or similar condition - (bilateral fronto-orbital Hypertelorism, correction of, intra-cranial (Assist.))	1	36	291	55	10.0	10.0	10.0	1022.8	8824.0	814.2	10661
45767				2	39	287	44	10.0	10.0	10.0	1108.0	8702.7	651.4	10462
30275			Radical excision of intra-oral tumour involving resection of mandible and lymph glands of neck (commando-type	3	37	276	88	8.3	8.6	9.1	900.2	7528.6	1194.4	9623
45754 =	52382		Midfacial osteotomies - Le Fort II, Modified Le Fort III (Nasomalar), Modified Le Fort III (Malar- Maxillary), Le Fort III Orbital dystopia (unilateral), correction of, with total repositioning of 1 orbit, intra-cranial (Assist.)	4	36	269	50	8.8	8.6	9.1	896.4	7520.7	678.6	9096
45776				5	34	241	44	10.0	8.6	10.0	907.8	7307.8	602.2	8818
45752 =	52375		Mandible or maxilla, complex bilateral osteotomies or osteectomies of, involving 3 or more such procedures of each	6	36	288	50	7.5	7.3	8.2	770.4	7331.6	621.1	8723
45753 =	52380		Midfacial osteotomies - Le Fort II, Modified Le Fort III (Nasomalar), Modified Le Fort III (Malar- Maxillary), Le Fort III Treacher Collins Syndrome, periorbital correction of, with rib and iliac bone grafts (Assist.)	7	36	250	55	8.8	8.6	9.1	896.4	6989.5	746.5	8632
45773				8	34	222	39	10.0	8.6	8.7	886.6	6497.1	527.4	7911
45503			Micro-arterial or micro-venous graft using microsurgical techniques (Assist.)	9	29	204	75	9.2	10.0	9.1	784.9	5814.5	1101.9	7701
45782			Fronto-orbital advancement, unilateral =20 (Assist.)	10	34	198	39	10.0	8.6	9.6	901.3	5939.6	531.8	7373
45770			Hypertelorism, correction of, sub-cranial (Assist.)	11	36	188	39	10.0	8.6	9.6	954.3	5639.6	531.8	7126
45749			Mandible or maxilla, complex bilateral osteotomies or osteectomies of, involving 3 or more such procedures of 1 jaw	12	36	232	50	7.5	7.3	7.3	754.8	5736.3	615.5	7107
45502			Microvascular anastomosis of artery or vein using microsurgical techniques, for reimplantation of limb or digit or free transfer of	13	29	185	75	9.2	8.6	8.7	729.8	5212.8	1014.2	6957
45740			Mandible or maxilla, complex bilateral osteotomies or osteectomies of, involving 3 or more such procedures of each	14	36	222	40	7.5	7.3	8.2	770.4	5651.5	496.9	6919
45737			Mandible or maxilla, complex bilateral osteotomies or osteectomies of, involving 3 or more such procedures of 1 jaw	15	36	213	40	7.5	7.3	8.2	770.4	5422.4	496.9	6690
45788 =	53209		Glenoid fossa, zygomatic arch and temporal bone, reconstruction of, (Obwegeser technique)=20 (Assist.)	16	30	176	49	9.2	7.3	8.2	700.1	4887.7	608.7	6196
30328			Lymph glands of neck, radical excision of=20 (Assist.)	17	33	178	60	8.3	7.3	7.3	722.0	4594.9	738.6	6055
45746			Mandible or maxilla, osteotomies or osteectomies of, involving 2 such procedures of each jaw, including transposition of nerves	18	36	188	40	7.5	6.6	7.8	732.7	4724.8	472.5	5930
45779			Orbital dystopia (unilateral), correction of, with total repositioning of 1 orbit, extra-cranial (Assist.)	19	34	148	48	10.0	8.6	9.1	893.1	4379.5	651.5	5924
45597 =	52129		Maxilla, total resection of both maxillae (Assist.)	20	23	179	68	7.5	7.3	8.2	492.2	4556.8	844.7	5894
45743			Mandible or maxilla, osteotomies or osteectomies of, involving 3 or more such procedures on the 1 jaw, including transposition	21	36	179	48	7.5	6.6	7.3	724.1	4425.8	564.0	5714
45764 +	45731		Genioplasty being a service associated with a service to which item 45719, 45722, 45725, 45728, 45731, 45734, 45743 or	22	34	195	70	6.2	3.7	6.5	500.0	4349.6	653.3	5503
45587			Meloplasty for correction of facial asymmetry due to soft tissue abnormality where the meloplasty is limited to 1 side of the	23	22	168	40	8.3	7.3	8.2	490.8	4459.7	496.9	5447
45599 =	52123		Mandible, total resection of both sides, including condylectomies where performed=20 (Assist.)	24	27	168	68	7.5	6.0	6.9	518.1	4099.2	763.0	5380
38468			Sternum and mediastinum, reoperation for infection of, involving muscle advancement flaps or greater omentum (Assist.)	25	20	137	89	8.3	7.3	9.1	454.9	3737.0	1115.5	5307
45563			Neurovascular island flap, or free transfer of tissue with vascular or neurovascular pedicle, including repair of secondary defect	26	25	165	40	8.3	7.3	7.3	547.0	4259.3	492.4	5299
46507			Digit or ray, transposition or transfer of, on vascular pedicle, complete procedure (Assist.)	27	25	164	35	8.3	8.6	7.3	586.7	4233.5	467.2	5287
45722			Mandible or maxilla, bilateral osteotomy or osteectomy of, including transposition of nerves and vessels and bone grafts	28	34	164	45	7.5	6.6	7.3	683.8	4055.0	528.7	5268

CG9&15 - PLASTIC SURGERY/HAND SURGERY/BURNS & DERMATOLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
30247			Parotid gland, total extirpation of=20 (Assist.)	29	23	174	40	7.5	6.0	6.5	436.9	4189.1	446.8	5073
45530			Breast reconstruction (unilateral), using a latissimus dorsi or other large muscle or myocutaneous flap, including repair of	30	29	145	40	8.3	7.3	7.3	634.5	3743.1	492.4	4870
45731 =		52354	Mandible or maxilla, osteotomies or osteectomies of, involving 3 or more such procedures on the 1 jaw, including transposition	31	25	151	55	7.5	6.0	6.9	479.7	3684.4	617.1	4781
45596 =		52126	Maxilla, total resection of=20 (Assist.)	32	23	135	57	7.5	6.6	8.2	472.5	3436.7	676.2	4585
46321			Interphalangeal joint or metacarpophalangeal joint, total replacement arthroplasty or hemiarthroplasty of, including	33	23	180	58	4.8	6.0	5.6	356.2	3540.3	641.4	4538
45734			Mandible or maxilla, osteotomies or osteectomies of, involving 2 such procedures of each jaw, including transposition of nerves	34	36	139	36	7.5	6.0	6.9	690.8	3391.6	403.9	4486
45728			Mandible or maxilla, bilateral osteotomy or osteectomy of, including transposition of nerves and vessels and bone grafts	35	39	130	43	7.5	6.0	7.3	755.8	3214.3	484.6	4455
45436			Free grafting (xenograft or homograft split skin) to burns including excision of burnt tissue - involving 12% or more of total	36	29	148	40	7.5	6.0	5.6	538.4	3454.8	442.3	4435
45608 =		52122	Mandible, hemi-mandibular reconstruction with bone graft, not being a service associated with a service to which item 45599	37	31	130	40	7.5	7.3	7.8	657.4	3267.1	494.9	4419
46318			Interphalangeal joint or metacarpophalangeal joint, total replacement arthroplasty or hemiarthroplasty of, including	38	23	146	57	6.6	6.0	5.6	403.4	3229.3	630.3	4263
30253			Parotid gland, superficial lobectomy or removal of tumour from, with exposure of facial nerve (Assist.)	39	26	121	40	7.9	7.9	8.2	587.3	3146.2	516.0	4250
31002			Micrographically controlled serial excision of skin tumour utilising horizontal frozen sections with mapping of all excised	40	12	138	20	8.0	8.0	8.8	277.3	3674.3	261.1	4213
45521			Mammoplasty, reduction (unilateral), with or without repositioning of nipple=20 (Assist.)	41	27	117	40	8.3	6.0	6.9	542.7	2982.2	448.8	3974
45433			Free grafting (xenograft or homograft split skin) to burns including excision of burnt tissue - involving 9% or more but less	42	29	130	32	7.5	6.0	5.6	538.4	3034.6	353.9	3927
45588			Meloplasty, bilateral, not being a service to which item 45587 applies, where it can be demonstrated that surgery is indicated	43	22	113	32	8.3	7.3	8.2	490.8	2999.7	397.5	3888
30177			Lipectomy - radical abdominoplasty (Pitanguy type or similar) with excision of skin and subcutaneous tissue, repair of	44	34	114	60	6.6	4.8	6.5	561.2	2604.9	612.7	3779
45533			Breast reconstruction using breast sharing technique (first stage) including breast reduction, transfer of complex skin and	45	25	96	53	8.3	7.9	7.8	571.3	2517.2	681.1	3770
37423			Penis, lengthening by translocation of corpora (Assist.)	46	19	118	30	8.3	6.0	6.5	378.3	2969.3	335.1	3683
45644			Rhinoplasty involving autogenous bone or cartilage graft obtained from distant donor site, including obtaining of graft =20	47	29	100	30	8.3	7.3	8.2	647.0	2654.6	372.7	3674
45006			Single stage large myocutaneous flap repair to 1 defect, (pectoralis major, latissimus dorsi, or similar large muscle)	48.5	22	105	48	7.5	7.3	7.3	461.3	2596.2	590.8	3648
45012			Single stage large muscle flap repair to 1 defect, (pectoralis major, gastrocnemius, gracilis or similar large muscle)=20	48.5	22	105	48	7.5	7.3	7.3	461.3	2596.2	590.8	3648
45791			Absent condyle and ascending ramus in hemifacial microsomia, construction of, not including harvesting of graft	50	29	90	35	9.2	7.3	8.2	676.8	2499.4	434.8	3611
45593 =		53455	Orbital cavity, bone or cartilage graft to orbital wall or floor including reduction of prolapsed or entrapped orbital	51	21	102	40	7.9	7.3	8.2	459.0	2652.2	496.9	3608
45421			Free grafting (split skin) to burns, including excision of burnt tissue, on eyelid, nose, lip, neck, hand, thumb, finger or genitals	52	27	114	30	7.5	6.0	6.5	512.9	2744.6	335.1	3593
46315			Interphalangeal joint or metacarpophalangeal joint, total replacement arthroplasty or hemiarthroplasty of, including	53	23	116	56	6.6	6.0	5.6	403.4	2565.7	619.2	3588
39315 =		52821	Nerve trunk, nerve graft to, (cable graft) including harvesting of nerve graft using microsurgical techniques (Assist.)	54	22	111	44	7.5	7.3	5.6	443.3	2591.1	532.3	3567
45430			Free grafting (xenograft or homograft split skin) to burns including excision of burnt tissue - involving 6% or more but less	55	29	111	32	7.5	6.0	5.6	538.4	2591.1	353.9	3483
45415			Free grafting (split skin) to burns, including excision of burnt tissue - involving 9% or more but less than 12% of total body	56	29	87	60	7.5	6.0	6.5	550.9	2094.5	670.2	3316

CG9&15 - PLASTIC SURGERY/HAND SURGERY/BURNS & DERMATOLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
45686			Cleft lip, bilateral - primary repair, 1 stage, with anterior palate repair (Assist.)	57	22	96	20	8.3	7.3	8.2	490.8	2548.4	248.4	3288
45578			Facial nerve paralysis, muscle transfer for (Assist.)	58	29	82	48	8.3	7.3	6.5	623.4	2063.4	586.0	3273
45719			Mandible or maxilla, unilateral osteotomy or osteectomy of, including transposition of nerves and vessels and bone grafts	59	34	90	40	7.5	6.0	6.5	645.9	2166.8	446.8	3259
46504			Neurovascular island flap, for pulp innervation (Assist.)	60	22	101	30	7.5	7.3	6.5	452.8	2431.6	366.3	3251
39333			Brachial plexus, exploration of, not being a service to which another item in this Group applies (Assist.)	61	15	93	19	8.3	7.3	8.2	334.7	2468.8	236.0	3039
45524			Mammoplasty, augmentation, for significant breast asymmetry where the augmentation is limited to 1 breast (Assist.)	62	26	88	30	7.9	4.8	6.9	472.6	2195.1	307.9	2976
46408			Tendon, reconstruction of, by tendon graft (Assist.)	63	23	97	30	7.0	6.0	5.6	413.9	2198.3	331.7	2944
45215			Direct flap repair, cross leg, first stage=20 (Assist.)	64	31	79	30	7.5	7.3	6.9	644.0	1927.6	367.8	2939
45638			Rhinoplasty, total, including correction of all bony and cartilaginous elements of the external nose	65	19	80	30	8.3	7.3	8.2	423.9	2123.7	372.7	2920
46360			Digit, synovectomy of flexor tendon or tendons - 5 digits (Assist.)	66	23	116	30	5.7	4.8	4.2	330.6	2291.6	297.7	2920
46312			Interphalangeal joint or metacarpophalangeal joint, total replacement arthroplasty or hemiarthroplasty of, including	67	23	93	40	6.6	6.0	5.6	403.4	2057.0	442.3	2903
45641			Rhinoplasty involving nasal or septal cartilage graft	68	24	84	30	7.5	6.0	7.3	465.1	2076.9	338.1	2880
46393			Dupuytren's contracture, fasciectomy for, from 3 or more rays, including dissection of nerves - operation for recurrence in those	69	14	96	30	6.6	6.6	7.3	267.2	2256.0	352.5	2876
46357			Digit, synovectomy of flexor tendon or tendons - 4 digits (Assist.)	70	23	99	54	5.7	4.8	4.7	336.1	1996.0	539.3	2871
45528			Mammoplasty, augmentation, bilateral, not being a service to which item 45524 or 45527 applies, where it can be	71	29	71	43	7.9	6.0	7.3	575.2	1794.2	484.6	2854
45680			Cleft lip, unilateral - primary repair, 1 stage, with anterior palate repair (Assist.)	72	22	77	40	7.9	6.0	7.3	436.4	1945.8	450.8	2833
45725			Mandible or maxilla, unilateral osteotomy or osteectomy of, including transposition of nerves and vessels and bone grafts	73	39	71	43	7.5	4.8	6.5	683.7	1709.3	439.1	2832
45527			Mammoplasty, augmentation, (unilateral), following mastectomy=20 (Assist.)	74	29	69	40	8.3	6.0	7.3	588.5	1781.2	450.8	2820
35565			Vaginal reconstruction for congenital absence, gynatresia or urogenital sinus (Assist.)	75	21	75	52	7.5	6.0	6.5	398.9	1805.6	580.9	2785
50396			Hand, congenital abnormalities or duplication of digits, amputation or splitting of phalanx or phalanges, with ligament or	76	23	76	50	7.0	6.0	6.5	423.8	1778.0	558.5	2760
46378			Dupuytren's contracture, fasciectomy for, from 3 or more rays, including dissection of nerves - 1 hand (Assist.)	77	19	97	25	6.6	4.8	6.0	309.0	2177.0	253.7	2740
45605 =	52114		Mandible or maxilla, segmental resection of, for tumours or cysts (Assist.)	78	20	84	30	7.5	6.0	6.5	379.9	2022.3	335.1	2737
45412			Free grafting (split skin) to burns, including excision of burnt tissue - involving 6% or more but less than 9% of total body	79	28	74	50	7.5	4.8	5.6	478.8	1727.4	505.0	2711
45575			Facial nerve paralysis, free fascia graft for=20 (Assist.)	80	25	79	20	8.3	6.0	6.5	497.7	1987.9	223.4	2709
45683			Cleft lip, bilateral - primary repair, 1 stage, without anterior palate repair=20 (Assist.)	81	22	74	20	8.3	7.3	8.2	490.8	1964.4	248.4	2704
45554			Breast prosthesis, replacement of, following medical complications (such as rupture, migration of prosthetic material,	82	26	74	30	7.9	6.0	6.5	505.8	1821.8	335.1	2663
45500			Microvascular repair using microsurgical techniques, with restoration of continuity of artery or vein of distal extremity or	83	22	74	30	7.5	7.3	7.3	461.3	1829.7	369.3	2660
30171			Lipectomy - wedge excision of skin or fat (not being a service to which item 30165 applies) - 2 or more excisions (Assist.)	84	31	92	40	5.7	3.1	5.1	394.7	1884.8	347.1	2627

CG9&15 - PLASTIC SURGERY/HAND SURGERY/BURNS & DERMATOLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
45707 =		52333	Cleft palate, primary repair =20 (Assist.)	85	22	71	35	7.5	6.6	7.3	442.5	1755.5	411.2	2609
31001			Micrographically controlled serial excision of skin tumour utilising horizontal frozen sections with mapping of all excised	86	12	83	20	8.0	7.1	7.1	254.4	2095.2	242.5	2592
45647			Face, contour restoration of 1 region, using autogenous bone or cartilage graft (not being a service to which item 45644 applies)	87	22	68	35	7.9	6.6	7.3	452.5	1718.3	411.2	2582
45590 =		53453	Orbital cavity, reconstruction of a wall or floor, with or without foreign implant=20 (Assist.)	88	22	73	30	7.5	6.0	7.3	426.4	1805.0	338.1	2569
45539			Breast reconstruction (unilateral), following mastectomy, using tissue expansion - insertion of tissue expansion unit and all	89	22	60	60	7.5	5.4	7.3	410.2	1483.5	647.5	2541
45536			Breast reconstruction using breast sharing technique (second stage) including division of pedicle, inseting of breast flap, with	90	22	65	43	7.5	6.0	6.5	417.9	1564.9	480.3	2463
46417			Tendon transfer for restoration of hand function, each transfer (Assist.)	91	21	74	30	7.5	6.0	5.6	389.8	1727.4	331.7	2449
39309 =		52815	Nerve trunk, secondary repair of, using microsurgical techniques (Assist.)	92	18	76	30	7.5	6.0	5.6	334.2	1774.1	331.7	2440
46390			Dupuytren's contracture, fasciectomy for, from 2 rays, including dissection of nerves - operation for recurrence in those rays	93	14	77	30	6.6	6.6	7.3	267.2	1809.5	352.5	2429
46405			Phalanx or metacarpal, bone grafting of, for pseudarthrosis (non-union), involving internal fixation and including obtaining of graft	94	23	82	28	6.6	4.8	5.1	364.2	1780.4	281.0	2426
45695			Cleft lip, total revision, including major flap revision, muscle reconstruction and revision of major whistle deformity (Assist.)	95	22	68	30	7.5	6.0	6.5	417.9	1637.1	335.1	2390
46309			Interphalangeal joint or metacarpophalangeal joint, total replacement arthroplasty or hemiarthroplasty of, including	96	23	72	30	6.6	6.0	5.6	403.4	1592.5	331.7	2328
45209			Direct flap repair (cross arm, abdominal or similar), first stage (Assist.)	97	22	59	43	7.5	6.0	6.5	417.9	1420.4	480.3	2319
45035			Angioma (haemangioma or lymphangioma or both) large and deep, involving muscles or nerves, excision of (Assist.)	98	19	61	27	7.9	7.3	7.8	411.6	1566.3	334.0	2312
45701			Cleft lip reconstruction using full thickness flap (Abbe or similar), first stage=20 (Assist.)	99	22	62	40	7.0	6.0	6.5	405.4	1450.5	446.8	2303
47753 =		53406	Maxilla, treatment of fracture of, requiring splinting, wiring of teeth, circumosseous fixation or external fixation (Assist.)	100	22	74	40	6.6	3.7	5.1	318.8	1606.7	366.3	2292
46432			Flexor tendon of hand, primary repair of, distal to A1 pulley, each tendon (Assist.)	101	18	72	25	7.5	6.0	5.6	334.2	1680.7	276.5	2291
39318			Cutaneous nerve (including digital nerve), nerve graft to, using microsurgical techniques (Assist.)	102	18	74	33	6.6	5.4	5.6	302.5	1636.8	349.1	2288
45552			Breast prosthesis, removal of, with complete excision of fibrous capsule and replacement of prosthesis (Assist.)	103	25	56	30	7.5	7.3	7.3	524.2	1384.6	369.3	2278
45761 =		52378	Genioplasty, including transposition of nerves and bone grafts taken from the site (Assist.)	104	22	68	35	6.6	4.8	6.5	363.1	1553.8	357.4	2274
46414			Artificial tendon prosthesis, insertion of in preparation for tendon grafting (Assist.)	105	21	65	25	7.0	7.3	6.9	424.3	1541.8	306.5	2273
42506			Eye, enucleation of, with or without sphere implant (Assist.)	106	25	68	37	6.6	4.2	6.0	388.3	1526.2	357.8	2272
46384 +		46372	Z plasty (or similar local flap procedure) when performed in conjunction with operation for Dupuytren's contracture - 1 such	107	25	70	30	7.0	3.7	6.0	384.4	1609.2	278.1	2272
45710 =		52336	Cleft palate, secondary repair, closure of fistula using local flaps	108	22	62	30	7.5	6.0	6.9	422.1	1512.8	336.6	2272
46375			Dupuytren's contracture, fasciectomy for, from 2 rays, including dissection of nerves - 1 hand (Assist.)	109	19	75	25	6.6	4.8	6.0	309.0	1683.3	253.7	2246
47771 =		53414	Zygomatic bone, treatment of fracture of, requiring surgical reduction and involving internal or external fixation or both at 3	110	22	65	30	6.6	6.0	6.9	399.6	1506.4	336.6	2243
30255			Submandibular ducts, removal of, for surgical control of drooling (Assist.)	111	29	59	24	7.5	6.0	6.5	550.9	1420.4	268.1	2239
45671			Lip or eyelid reconstruction using full thickness flap (Abbe or similar), first stage=20 (Assist.)	112	20	67	30	6.6	6.0	6.5	359.4	1531.0	335.1	2225

CG9&15 - PLASTIC SURGERY/HAND SURGERY/BURNS & DERMATOLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
46381			Inter-phalangeal joint, joint capsule release when performed in conjunction with operation for Dupuytren's contracture - each	113	23	83	27	5.7	3.7	4.7	305.2	1673.4	245.9	2225
45048			Lymphoedematous tissue or lymphangiectasis, of lower leg and foot, or thigh, or upper arm, or forearm and hand, major excision	114	25	61	30	7.0	6.0	6.5	460.7	1427.1	335.1	2223
47786 =		53422	Maxilla, treatment of fracture of, requiring open reduction and internal fixation involving plate(s) (Assist.)	115	22	60	40	6.6	6.0	6.5	395.3	1371.0	446.8	2213
45632			Rhinoplasty, correction of lateral or alar cartilages =20	116	23	72	30	6.6	3.7	5.6	338.8	1592.5	276.6	2208
46447			Boutonniere deformity with joint contracture, reconstruction of (Assist.)	117	23	74	28	5.7	6.0	5.1	374.3	1516.0	307.9	2198
46435			Flexor tendon of hand, secondary repair of, distal to A1 pulley, each tendon (Assist.)	118	23	71	26	6.6	6.0	4.7	393.4	1518.5	284.6	2196
37405			Penis, complete or radical amputation of=20 (Assist.)	119	27	59	35	7.0	4.8	6.5	457.9	1380.3	357.4	2196
30174			Lipectomy - subumbilical excision with undermining of skin edges and strengthening of musculo-aponeurotic wall (Assist.)	120	31	68	45	5.7	3.7	4.7	411.4	1371.0	409.9	2192
45566			Tissue expansion not being a service to which item 45539 or 45542 applies - insertion of tissue expansion unit and all	121	25	48	50	7.9	5.4	6.5	468.0	1181.7	534.6	2184
46354			Digit, synovectomy of flexor tendon or tendons - 3 digits (Assist.)	122	23	78	27	5.7	4.8	4.7	336.1	1572.6	269.6	2178
38458			Pectus excavatum, repair of, with implantation of subcutaneous prosthesis (Assist.)	123	25	74	24	5.7	3.7	6.5	353.4	1600.3	224.0	2178
45677			Cleft lip, unilateral - primary repair, 1 stage, without anterior palate repair (Assist.)	124	22	56	40	7.5	5.4	6.5	401.8	1348.2	427.6	2178
46333			Inter-phalangeal joint or metacarpophalangeal joint, ligamentous repair of, using free tissue graft or implant (Assist.)	125	23	74	28	5.7	5.4	5.1	357.4	1516.0	294.5	2168
30356			Subcutaneous mastectomy with or without frozen section biopsy (Assist.)	126	30	45	41	7.5	6.0	7.3	581.4	1112.6	462.1	2156
30256 =		52066	Submandibular gland, extirpation of (Assist.)	127	17	65	30	6.6	6.6	6.5	317.9	1485.3	349.5	2153
45611			Mandible, condylectomy (Assist.)	128	25	59	20	7.5	6.0	6.9	479.7	1439.6	224.4	2144
45227			Indirect flap or tubed pedicle, formation of=20 (Assist.)	129	31	56	43	7.0	4.2	5.1	482.2	1246.4	411.0	2140
45542			Breast reconstruction (unilateral), following mastectomy, using tissue expansion - removal of tissue expansion unit and	130	22	55	35	7.9	4.8	6.9	399.9	1372.0	359.2	2131
45620			Lower eyelid, reduction of, for herniation of orbital fat in exophthalmos, facial nerve palsy or post-traumatic scarring, or,	131	22	65	20	7.0	4.8	6.9	377.4	1541.8	205.2	2124
45714 =		52330	Oro-nasal fistula, plastic closure of, including services to which item 45200, 45203 or 45239 applies (Assist.)	132	22	57	30	7.0	6.0	7.3	413.8	1370.6	338.1	2122
47789 =		53423	Mandible, treatment of fracture of, requiring open reduction and internal fixation involving plate(s) (Assist.)	133	22	59	30	6.6	6.0	6.9	399.6	1367.3	336.6	2104
45713 =		52339	Cleft palate, secondary repair, lengthening procedure=20 (Assist.)	134	22	56	28	7.5	6.0	6.9	422.1	1366.4	314.2	2103
47756 =		53409	Mandible, treatment of fracture of, requiring splinting, wiring of teeth, circumosseous fixation or external fixation (Assist.)	135	22	69	30	6.6	3.7	5.1	318.8	1498.1	274.7	2092
39306 =		52812	Nerve trunk, primary repair of, using microsurgical techniques (Assist.)	136	18	67	20	7.0	6.0	6.0	327.3	1540.2	222.2	2090
46429			Flexor tendon of hand or wrist, secondary repair of, proximal to A1 pulley, each tendon (Assist.)	137	22	63	20	7.5	5.7	5.6	400.3	1470.6	216.4	2087
46306			Inter-phalangeal joint or metacarpophalangeal joint - interposition arthroplasty of and including tendon transfers or	138	23	62	30	6.6	6.0	5.1	397.9	1346.1	329.9	2074
47783 =		53419	Mandible, treatment of fracture of, requiring open reduction and internal fixation not involving plate(s) (Assist.)	139	23	53	40	6.6	6.0	6.5	413.3	1211.1	446.8	2071
47780 =		53418	Maxilla, treatment of fracture of, requiring open reduction and internal fixation not involving plate(s) (Assist.)	140	22	53	40	6.6	6.0	6.5	395.3	1211.1	446.8	2053

CG9&15 - PLASTIC SURGERY/HAND SURGERY/BURNS & DERMATOLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
45427			Free grafting (xenograft or homograft split skin) to burns including excision of burnt tissue - involving 3% or more but less than 10% of total body surface area	141	29	56	30	7.5	4.8	4.7	483.3	1266.2	299.6	2049
46307			Interphalangeal joint or metacarpophalangeal joint - volar plate arthroplasty for traumatic deformity including tendon transfers or	142	23	62	27	6.6	6.0	5.1	397.9	1346.1	296.9	2041
45584			Liposuction (suction assisted lipolysis) to 1 regional area (thigh, buttock, or similar), for treatment of post-traumatic	143	22	67	20	6.6	4.2	6.0	341.7	1503.7	193.4	2039
45045			Arteriovenous malformation on eyelid, nose, lip, ear, neck, hand, thumb, finger or genitals, excision of	144	22	56	20	7.5	6.0	7.3	426.4	1384.6	225.4	2036
45585			Liposuction (suction assisted lipolysis) to 1 regional area, not being a service to which item 45584 applies, where it can be	145	25	53	35	7.0	4.8	6.0	418.0	1218.4	355.2	1992
30165			Lipectomy - transverse wedge excision of abdominal apron=20 (Assist.)	146	27	75	45	4.8	2.2	3.8	269.5	1365.4	350.9	1986
46477			Amputation of 5 digits, proximal to nail bed, involving section of bone or joint and requiring soft tissue cover (Assist.)	147	22	65	30	6.6	3.7	4.7	314.5	1390.1	273.2	1978
45659			Lop ear, bat ear or similar deformity, correction of	148	22	64	20	6.6	4.8	5.6	353.6	1415.6	202.0	1971
45662			Congenital atresia, reconstruction of external auditory canal (Assist.)	149	22	59	20	6.6	6.0	6.5	395.3	1348.2	223.4	1967
45716			Velo-pharyngeal incompetence, pharyngeal flap for, or pharyngoplasty for	150	18	51	30	7.5	6.4	7.3	357.6	1261.0	347.7	1966
45650			Rhinoplasty, secondary revision of=20	151	22	53	20	7.5	6.0	7.3	426.4	1310.4	225.4	1962
45794 =	52627		Osseo-integration procedure - extra-oral, implantation of titanium fixture	152	19	55	20	8.3	4.8	6.9	354.1	1401.9	205.2	1961
45409			Free grafting (split skin) to burns, including excision of burnt tissue - involving 3% or more but less than 6% of total body surface area	153	28	45	40	7.5	4.8	5.6	478.8	1050.4	404.0	1933
45051			Contour reconstruction for pathological deformity, insertion of foreign implant (non biological but excluding injection of liquid silicone)	154	20	60	20	7.0	4.2	6.5	324.6	1403.7	194.6	1923
45555			Silicone breast prosthesis, removal of and replacement with prosthesis other than silicone gel prosthesis (Assist.)	155	25	51	30	7.5	4.8	5.6	427.5	1190.5	303.0	1921
46387			Dupuytren's contracture, fasciectomy for, from 1 ray, including dissection of nerves - operation for recurrence in that ray	156	14	62	20	6.6	6.0	6.9	254.3	1436.9	224.4	1916
45519			Extensive burn scars of skin (more than 1 percent of body surface area), excision of, for correction of scar contracture	157	22	56	43	6.6	3.7	4.7	314.5	1197.7	391.6	1904
46510			Macrodactyly, surgical reduction of enlarged elements - each digit (Assist.)	158	22	46	32	7.5	6.0	6.9	422.1	1122.4	359.1	1904
45656			Composite graft (chondro-cutaneous or chondro-mucosal) to nose, ear or eyelid=20 (Assist.)	159	22	56	30	6.6	4.8	5.6	353.6	1238.6	303.0	1895
46330			Inter-phalangeal joint or metacarpophalangeal joint, arthroscopy of, with ligamentous or capsular repair (Assist.)	160	25	62	27	5.7	4.8	4.7	365.4	1250.0	269.6	1885
45042			Arteriovenous malformation, (greater than 3 cms), excision of (Assist.)	161	22	51	20	7.5	5.4	6.9	406.0	1244.4	214.8	1865
45635			Rhinoplasty, correction of bony vault only	162	17	57	30	6.6	3.7	6.5	257.7	1302.5	280.0	1840
46442			Mallet finger with intra-articular fracture involving more than one-third of base of terminal phalanx - open reduction (Assist.)	163	22	64	28	5.7	3.7	4.7	292.0	1290.4	255.0	1837
46462			Operation for osteomyelitis on middle or proximal phalanx, metacarpal or carpus (Assist.)	164	22	52	57	5.7	3.7	4.2	286.7	1027.3	515.6	1830
45009			Single stage local muscle flap repair to 1 defect, simple and small (Assist.)	165	22	56	30	6.2	4.2	5.6	327.5	1208.1	288.6	1824
46303			Carpometacarpal joint, arthrodesis of (Assist.)	166	23	53	30	6.6	4.8	5.1	364.2	1150.7	301.1	1816
42605			Lacrimal canaliculus, immediate repair of (Assist.)	167	15	51	30	6.2	7.3	6.9	289.4	1154.2	367.8	1811
31000			Micrographically controlled serial excision of skin tumour utilising horizontal frozen sections with mapping of all excised	168	12	55	15	8.0	6.2	7.1	241.2	1388.4	171.1	1801

CG9&15 - PLASTIC SURGERY/HAND SURGERY/BURNS & DERMATOLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
46474			Amputation of 4 digits, proximal to nail bed, involving section of bone or joint and requiring soft tissue cover (Assist.)	169	22	54	40	6.2	3.7	4.7	304.5	1125.5	364.3	1794
46351			Digit, synovectomy of flexor tendon or tendons - 2 digits (Assist.)	170	23	60	27	5.7	4.8	4.2	330.6	1185.3	268.0	1784
45233			Indirect flap or tubed pedicle, preparation of intermediate or final site and attachment to the site=20 (Assist.)	171	22	53	20	7.0	4.8	5.6	363.6	1201.1	202.0	1767
47467			Sternum, treatment of fracture of, by open reduction	172	22	53	40	6.2	3.1	5.1	292.6	1121.9	347.1	1762
45758			Temporo-mandibular joint, arthroplasty (Assist.)	173	22	40	43	7.0	5.4	6.0	384.0	919.5	457.0	1761
45406			Free grafting (split skin) to burns, including excision of burnt tissue - involving not more than 3% of total body surface	174	23	46	40	7.5	3.7	4.7	352.4	1040.1	364.3	1757
45003			Single stage local myocutaneous flap repair to 1 defect, simple and small	175	22	59	30	5.7	3.7	4.7	292.0	1189.5	273.2	1755
46372			Dupuytren's contracture, fasciectomy for, from 1 ray, including dissection of nerves - 1 hand (Assist.)	176	18	51	25	6.6	5.4	6.5	310.3	1165.4	267.3	1743
46402			Phalanx or metacarpal, bone grafting of, for pseudarthrosis (non-union), including obtaining of graft material (Assist.)	177	22	56	20	6.6	4.8	4.7	344.1	1197.7	199.7	1741
47768 =	53413		Zygomatic bone, treatment of fracture of, requiring surgical reduction and involving internal or external fixation or both at 2	178	22	50	20	6.6	6.0	6.0	390.1	1122.2	222.2	1734
46399			Phalanx or metacarpal of the hand, osteotomy of, with internal fixation (Assist.)	179	23	56	26	5.7	4.8	4.7	336.1	1129.1	259.7	1725
46300			Inter-phalangeal joint or metacarpophalangeal joint, arthrodesis of (Assist.)	180	22	49	30	6.6	4.8	5.1	348.3	1063.9	301.1	1713
46471			Amputation of 3 digits, proximal to nail bed, involving section of bone or joint and requiring soft tissue cover (Assist.)	181	22	48	45	5.7	4.8	4.2	316.2	948.3	446.6	1711
45676			Macrostomia, operation for (Assist.)	182	22	53	30	6.2	3.7	5.1	308.7	1121.9	274.7	1705
39303			Cutaneous nerve (including digital nerve), secondary repair of, using microsurgical techniques (Assist.)	183	14	53	30	6.6	6.0	4.7	239.5	1133.5	328.4	1701
42869			Eyelid closure in facial nerve paralysis, insertion of foreign implant for (Assist.)	184	18	52	20	7.5	4.2	5.6	294.6	1213.9	192.4	1701
46444			Boutonniere deformity without joint contracture, reconstruction of (Assist.)	185	23	57	27	5.7	3.7	4.7	305.2	1149.2	245.9	1700
46492			Contracture of digits of hand, flexor or extensor, correction of, involving tissues deeper than skin and subcutaneous tissue	186	19	48	30	6.6	5.4	5.6	319.3	1061.7	317.4	1698
46468			Amputation of 2 digits, proximal to nail bed, involving section of bone or joint and requiring soft tissue cover (Assist.)	187	23	49	53	5.3	2.7	4.7	266.7	961.3	440.4	1668
45424			Free grafting (xenograft or homograft split skin) to burns including excision of burnt tissue - involving not more than 3% of	188	29	37	50	6.6	3.7	4.7	414.6	791.3	455.4	1661
45033			Angioma (haemangioma or lymphangioma or both), large or involving deeper tissue including facial muscle or breast,	189	18	45	20	7.0	6.0	7.3	338.6	1082.0	225.4	1646
45698			Cleft lip, primary columella lengthening procedure, bilateral	190	22	40	24	7.5	6.0	6.0	412.6	946.7	266.6	1626
46411			Flexor tendon pulley, reconstruction of, by graft (Assist.)	191	14	45	40	6.6	4.8	5.6	225.0	995.3	404.0	1624
46453			Flexor tendon, tenolysis of, following tendon injury, repair or graft (Assist.)	192	24	43	26	6.6	6.0	4.7	410.5	919.6	284.6	1615
45545			Nipple or areola or both, reconstruction of by any technique=20 (Assist.)	193	18	42	40	6.6	4.2	6.0	279.6	942.6	386.8	1609
45445			Free grafting (split skin) as inlay graft to 1 defect including elective dissection using a mould (including insertion of and	194	15	44	43	6.6	3.7	5.6	220.9	973.2	396.5	1591
34106			Artery or vein (including brachial, radial, ulnar or tibial), ligation of, by elective operation, or exploration of, not being a service	195	23	47	34	5.7	3.7	5.1	309.7	962.9	311.4	1584
31225			Tumours (other than viral verrucae [common warts] and seborrheic keratoses), cysts, ulcers or scars (other than scars	196	18	70	23	3.6	3.4	4.4	186.6	1194.2	203.1	1584

CG9&15 - PLASTIC SURGERY/HAND SURGERY/BURNS & DERMATOLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
45551			Breast prosthesis, removal of, with complete excision of fibrous capsule (Assist.)	197	22	40	30	7.0	4.8	5.6	363.6	906.5	303.0	1573
45026			Carbon dioxide laser resurfacing of the face or neck for severely disfiguring scarring resulting from trauma, burns or cystic acne -	198	21	34	40	7.0	5.0	6.4	360.3	792.6	414.4	1567
30168			Lipectomy - wedge excision of skin or fat (not being a service to which item 30165 applies) - 1 excision (Assist.)	199	20	62	30	4.8	2.2	3.8	199.6	1128.7	233.9	1562
45442			Free grafting (split skin) to 1 defect, including elective dissection, extensive (Assist.)	200	19	40	38	6.6	4.8	5.1	300.8	868.5	381.4	1551
47765 =		53412	Zygomatic bone, treatment of fracture of, requiring surgical reduction and involving internal or external fixation at 1 site	201	22	41	30	6.2	4.8	6.0	347.8	897.9	304.5	1550
41729			Dermoid of nose, excision of, with intranasal extension (Assist.)	202	22	43	20	6.6	4.8	6.5	363.1	982.6	204.2	1550
47777 =		53416	Mandible, treatment of fracture of, requiring open reduction (Assist.)	203	19	41	29	6.6	4.8	6.5	313.6	936.9	296.1	1547
45617			Upper eyelid, reduction of, for skin redundancy obscuring vision, herniation of orbital fat in exophthalmos, facial nerve palsy or	204	18	47	20	7.0	3.7	6.0	276.8	1080.4	185.4	1543
45675			Macrocheilia or macroglossia, operation for (Assist.)	205	22	46	30	5.7	3.7	5.6	301.5	961.1	276.6	1539
14118			Laser photocoagulation using laser light within the wave length of 510-1064nm in the treatment of port wine stains,	206.5	4	69	10	5.0	5.2	5.6	58.9	1375.9	104.2	1539
14132			Laser photocoagulation using laser light within the wave length of 510-1064nm in the treatment of port wine stains,	206.5	4	69	10	5.0	5.2	5.6	58.9	1375.9	104.2	1539
45024			Abrasive therapy to more than 1 aesthetic area	208	22	40	30	7.0	3.1	6.5	327.5	935.8	265.6	1529
39300			Cutaneous nerve (including digital nerve), primary repair of, using microsurgical techniques (Assist.)	209	15	47	30	6.6	4.8	4.1	230.3	982.2	297.4	1510
46339			Extensor tendons or flexor tendons of hand or wrist, synovectomy of (Assist.)	210	21	43	27	6.6	3.7	5.6	309.3	951.1	248.9	1509
46480			Amputation of single digit, proximal to nail bed, involving section of bone or joint and requiring soft tissue cover, including	211	23	46	30	5.7	3.7	4.7	305.2	927.4	273.2	1506
45218			Direct flap repair, cross leg, second stage=20 (Assist.)	212	22	42	20	7.0	4.2	5.6	347.5	951.8	192.4	1492
45212			Direct flap repair (cross arm, abdominal or similar), second stage	213	22	40	20	7.5	3.7	5.6	346.6	933.7	184.4	1465
31250			Giant hairy or compound naevus, excision of an area at least 1 percent of body surface where the specimen is sent for	214	22	53	24	5.7	2.2	3.8	242.2	1029.8	187.1	1459
45020			Full face chemical peel for severe chloasma or melasma refractory to all other treatments, where it can be demonstrated	215	22	27	44	6.6	4.2	8.2	364.9	654.3	437.6	1457
46396			Phalanx or metacarpal of the hand, osteotomy or osteectomy of (Assist.)	216	23	46	27	5.7	3.7	4.2	299.7	908.7	244.2	1453
50106			Joint, stabilisation of, involving 1 or more of: repair of capsule, repair of ligament or internal fixation, not being a service to	217	21	38	30	6.2	4.8	5.6	328.0	819.8	303.0	1451
47774 =		53415	Maxilla, treatment of fracture of, requiring open operation (Assist.)	218	20	41	20	6.6	4.8	6.0	325.3	920.2	203.0	1448
45652			Rhinophyma, carbon dioxide laser excision-ablation of	219	22	37	30	6.2	4.8	5.6	343.6	798.2	303.0	1445
45674			Lip or eyelid reconstruction using full thickness flap (Abbe or similar), second stage=20	220	18	57	20	4.8	2.7	4.7	198.4	1079.4	166.2	1444
46489			Nail bed, secondary exploration and accurate repair of nail bed deformity using magnification, undertaken in the operating	221	14	48	20	6.6	4.5	4.7	213.8	1026.6	194.9	1435
45653			Rhinophyma, shaving of=20	222	22	37	20	7.0	5.4	5.6	379.8	838.5	211.6	1430
45755			Temporo-mandibular meniscectomy (Assist.)	223	18	40	20	7.0	4.8	6.0	301.0	919.5	203.0	1423
45206			Single stage local flap where indicated to repair 1 defect, on eyelid, nose, lip, ear, neck, hand, thumb, finger or genitals	224	18	37	20	7.0	6.2	6.3	334.3	859.6	226.1	1420

CG9&15 - PLASTIC SURGERY/HAND SURGERY/BURNS & DERMATOLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
46503			Recurrent ganglion of volar wrist joint, excision of, not being a service associated with a service to which item 30106 or 30107	225	23	44	20	6.2	3.7	4.7	318.4	917.1	182.2	1418
46348			Digit, synovectomy of flexor tendon or tendons - 1 digit	226	22	41	28	5.7	4.8	4.2	316.2	810.0	277.9	1404
45236			Indirect flap or tubed pedicle, spreading of pedicle, as a separate procedure	227	18	40	30	6.6	3.7	5.1	260.8	868.5	274.7	1404
41671 =		53016	Nasal septum, septoplasty, submucous resection or closure of septal perforation	228	16	38	30	6.6	4.8	5.6	257.2	840.5	303.0	1401
47306			Distal phalanx of finger or thumb, treatment of fracture of, by open reduction	229	19	49	25	5.7	3.1	3.8	230.0	952.1	212.9	1395
45221			Direct flap repair, small (cross finger or similar), first stage=20	230	22	34	30	6.6	4.8	5.1	348.3	738.2	301.1	1388
46441			Mallet finger, open repair of, including pin fixation when performed (Assist.)	231	20	45	26	5.7	3.7	4.2	260.6	889.0	235.2	1385
90761			Consultation in rooms of approximately 45 minutes duration with a new patient seen on a referred basis.	232.5	5	45	10	8.0	8.0	7.1	111.5	1135.9	128.4	1376
91061			Home visit of approximately 45 minutes duration with a new patient seen on a referred basis.	232.5	5	45	10	8.0	8.0	7.1	111.5	1135.9	128.4	1376
31355			Malignant tumour of soft tissue, removal of by surgical excision, where histological proof of malignancy has been obtained, not	234	21	38	55	2.4	5.2	4.1	232.1	576.9	562.7	1372
45203			Single stage local flap, where indicated to repair 1 defect, complicated or large, excluding flap for male pattern baldness	235	17	41	27	5.4	5.0	5.6	254.1	839.9	277.0	1371
45019			Fullface chemical peel for severely sun-damaged skin, where it can be demonstrated that the damage affects 75% of the facial	236	22	27	28	7.5	4.2	8.2	387.5	687.3	278.5	1353
45689			Cleft lip, lip adhesion procedure, unilateral or bilateral (Assist.)	237	22	37	20	6.6	4.2	5.6	337.5	818.4	192.4	1348
45018			Dermis, dermofat or fascia graft (excluding transfer of fat by injection) (Assist.)	238	11	42	19	7.0	4.8	6.0	183.9	965.5	192.8	1342
45015			Muscle or myocutaneous flap, delay of	239	22	37	25	7.0	3.7	4.2	319.3	796.4	226.1	1342
14115			Laser photocoagulation using laser light within the wave length of 510-1064nm in the treatment of port wine stains,	240.5	8	55	10	5.0	5.2	5.6	117.9	1096.7	104.2	1319
14130			Laser photocoagulation using laser light within the wave length of 510-1064nm in the treatment of port wine stains,	240.5	8	55	10	5.0	5.2	5.6	117.9	1096.7	104.2	1319
45403			Free grafting (split skin) of a granulating area, extensive=20 (Assist.)	242	20	30	42	6.6	3.7	4.7	286.0	641.6	382.5	1310
42872			Eyebrow, elevation of, for paretic states	243	15	47	20	5.7	3.1	4.7	188.1	947.6	172.6	1308
90861			Consultation at a nursing home of approximately 45 minutes duration with a new patient seen on a referred basis.	245	3	45	8	8.0	8.0	7.1	66.9	1135.9	102.7	1306
90961			Consultation at other institution of approximately 45 minutes duration with a new patient seen on a referred basis.	245	3	45	8	8.0	8.0	7.1	66.9	1135.9	102.7	1306
91261			Consultation in a hospital of approximately 45 minutes duration with a new patient seen on a referred basis.	245	3	45	8	8.0	8.0	7.1	66.9	1135.9	102.7	1306
46423			Extensor tendony of hand or wrist, secondary repair of, each tendon (Assist.)	247	23	39	26	5.7	3.7	4.2	299.7	770.5	235.2	1305
46450			Extensor tendon, tenolysis of, following tendon injury, repair or graft=20	248	23	35	28	5.7	4.8	4.2	330.6	691.4	277.9	1300
45451			Free grafting (full thickness) to 1 defect, excluding grafts for male pattern baldness (Assist.)	249	14	36	30	5.9	5.2	5.6	220.7	762.0	312.6	1295
45000			Single stage local muscle flap repair, on eyelid, nose, lip, neck, hand, thumb, finger or genitals	250	22	34	20	6.6	4.8	5.1	348.3	738.2	200.7	1287
45692			Cleft lip, partial revision, including minor flap revision alignment and adjustment, including revision of minor whistle deformity if	251	22	37	20	6.6	3.7	4.5	312.4	785.3	181.7	1279
39330 =		52800	Neurolysis by open operation without transposition, not being a service associated with a service to which item 39312 applies	252	20	32	30	6.6	3.7	5.6	294.6	707.8	276.6	1279

CG9&15 - PLASTIC SURGERY/HAND SURGERY/BURNS & DERMATOLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
46522			Flexor tendon sheath of finger or thumb - open operation and drainage for infection (Assist.)	253	18	37	38	5.7	2.7	4.7	216.9	746.0	315.7	1279
46426			Flexor tendon of hand or wrist, primary repair of, proximal to A1 pulley, each tendon (Assist.)	254	14	37	20	6.6	4.8	5.6	225.0	818.4	202.0	1245
90762			Consultation in rooms of approximately 45 minutes duration with an existing patient seen on a referred basis.	255.5	5	45	8	6.4	8.0	7.1	102.4	1038.0	102.7	1243
91062			Home visit of approximately 45 minutes duration with an existing patient seen on a referred basis.	255.5	5	45	8	6.4	8.0	7.1	102.4	1038.0	102.7	1243
30190			Angiofibromas, trichoepitheliomas or other severely disfiguring tumours suitable for laser excision as confirmed by specialist	257	13	41	30	4.9	3.9	4.9	165.1	788.7	278.8	1233
46502			Recurrent ganglion of dorsal wrist joint, excision of, not being a service associated with a service to which item 30106 or 30107	258	23	40	20	4.8	4.8	3.8	302.6	728.2	197.5	1228
30183			Axillary hyperhidrosis, total excision of sweat gland bearing area	259	22	43	30	4.8	1.8	3.8	208.9	782.8	224.3	1216
30023			Wound of soft tissue, deep or extensively contaminated, debridement of, under general anaesthesia or regional or field	260	19	32	36	5.7	3.7	4.2	247.6	632.2	325.6	1205
46336			Inter-phalangeal joint or metacarpophalangeal joint, synovectomy, capsulectomy or debridement of, not being a	261	23	33	28	5.7	3.7	4.2	299.7	651.9	253.3	1205
46483			Revision of amputation stump to provide adequate soft tissue cover (Assist.)	262	17	36	25	6.2	4.2	3.8	238.3	724.0	234.9	1197
53225			Arthrocentesis, irrigation of temporomandibular joint after insertion of 2 cannuli into the appropriate joint space(s) (Assist.)	263	14	37	20	6.6	3.7	5.1	202.9	803.3	183.2	1189
42590			Canthoplasty, medial or lateral (Assist.)	264	19	33	20	6.2	4.2	5.6	282.8	711.9	192.4	1187
90862			Consultation at a nursing home of approximately 45 minutes duration with an existing patient seen on a referred basis.	266	3	45	6	6.4	8.0	7.1	61.4	1038.0	77.1	1176
90962			Consultation at other institution of approximately 45 minutes duration with an existing patient seen on a referred basis.	266	3	45	6	6.4	8.0	7.1	61.4	1038.0	77.1	1176
91262			Consultation in a hospital of approximately 45 minutes duration with an existing patient seen on a referred basis.	266	3	45	6	6.4	8.0	7.1	61.4	1038.0	77.1	1176
46327			Inter-phalangeal joint or metacarpophalangeal joint, arthrotomy of	268	23	30	30	5.7	3.7	4.2	299.7	592.7	271.4	1164
45039			Arteriovenous malformation (3 cms or less) of superficial tissue, excision of=20	269	18	31	20	7.0	3.7	5.6	273.3	702.5	184.4	1160
45230			Direct or indirect flap or tubed pedicle, delay of=20	270	22	33	20	6.6	2.7	4.7	287.7	705.8	166.2	1160
31305			Malignant melanoma, appendageal carcinoma, malignant fibrous tumour of skin, merkel cell carcinoma of skin or	271	21	29	23	5.4	5.1	5.9	319.5	601.1	238.7	1159
45448			Free grafting (split skin) to 1 defect, including elective dissection on eyelid, nose, lip, ear, neck, hand, thumb, finger or genitals,	272	14	35	20	5.8	4.9	5.6	214.0	736.0	203.6	1154
31320			Malignant melanoma, appendageal carcinoma, malignant fibrous tumour of skin, merkel cell carcinoma of skin or	273	22	33	23	4.7	4.4	5.1	289.9	631.2	223.5	1145
45668 =	52111		Vermilionectomy, by surgical excision	274	18	37	20	4.7	4.2	5.1	232.8	707.7	191.1	1132
14103			Laser photocoagulation using laser light within the wave length of 510-600nm in the treatment of severely disfiguring vascular	275	8	55	10	3.7	4.3	4.1	91.5	932.4	95.1	1119
45200			Single stage local flap, where indicated to repair 1 defect, simple and small, excluding flap for male pattern baldness	276	16	32	20	5.6	4.7	5.9	239.3	672.0	201.1	1112
46420			Extensor tendon of hand or wrist, primary repair of, each tendon=20	277	15	34	22	6.6	2.7	4.7	196.2	727.1	182.8	1106
45548			Breast prosthesis, removal of, as an independent procedure	278	22	25	30	6.6	3.1	5.1	302.7	542.8	260.4	1106
31340 +	31255		Muscle, bone or cartilage, excision of one or more of, where clinically indicated, performed in association with excision of	279	16	35	20	5.7	3.7	4.7	212.3	705.7	182.2	1100
31350			Benign tumour of soft tissue, removal of by surgical excision, where specimen is sent for histological confirmation of	280	18	33	21	5.7	3.7	4.7	238.9	665.3	191.3	1095

CG9&15 - PLASTIC SURGERY/HAND SURGERY/BURNS & DERMATOLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
45025			Carbon dioxide laser resurfacing of the face or neck for severely disfiguring scarring resulting from trauma, burns or cystic acne -	281	16	23	30	6.2	4.5	7.2	256.3	526.1	301.8	1084
46519			Middle palmar, thenar or hypothenar spaces of hand, drainage of (excluding aftercare)	282	21	36	19	4.8	2.7	4.7	231.5	681.7	157.9	1071
30272 =		52078	Tongue, partial excision of (Assist.)	283	16	35	25	5.7	2.7	3.8	185.9	680.1	204.9	1071
47741 =		53460	Nasal bones, treatment of fracture of, by open reduction involving osteotomies (Assist.)	284	17	29	20	6.2	3.7	6.0	245.9	635.1	185.4	1066
45239			Direct, indirect or local flap, revision of=20	285	18	30	25	6.2	3.1	4.2	231.6	613.1	214.1	1059
31300			Malignant melanoma, appendageal carcinoma, malignant fibrous tumour of skin, merkel cell carcinoma of skin or Mallet finger, closed pin fixation of	286	20	26	23	5.4	4.7	5.7	292.6	534.7	230.7	1058
46438				287	20	31	27	5.7	2.7	3.8	232.4	602.3	221.3	1056
30187			Palmar or plantar warts, removal of, by carbon dioxide laser, requiring admission to a hospital or day hospital facility, or Free grafting (split skin) of a granulating area, small=20	288	17	39	20	4.8	2.7	3.8	180.1	710.0	163.9	1054
45400				289	13	32	33	5.7	2.9	3.8	154.2	621.8	275.8	1052
31260			Basal cell carcinoma or squamous cell carcinoma (including keratocanthoma), removal from nose, eyelid, lip, ear, digit or Skin and subcutaneous tissue, extensive excision of, in the treatment of suppurative hydradenitis (excision from axilla, groin	290	18	28	20	5.5	4.7	5.8	266.3	581.9	200.9	1049
31245				291	17	24	37	3.7	5.2	5.6	225.3	436.1	385.5	1047
31335			Malignant melanoma, appendageal carcinoma, malignant fibrous tumour of skin, merkel cell carcinoma of skin or Scar, other than on face or neck, more than 7 cms in length, revision of, as an independent procedure, where undertaken in	292	21	31	25	4.1	4.4	4.4	255.3	549.9	240.7	1046
45518				293	14	41	20	4.8	2.0	3.8	136.3	746.4	152.7	1035
31315			Malignant melanoma, appendageal carcinoma, malignant fibrous tumour of skin, merkel cell carcinoma of skin or Amputation of single digit, proximal to nail bed, involving section of bone or joint and requiring soft tissue cover	294	20	29	22	4.7	4.2	5.1	258.7	554.7	210.3	1024
46465				295	20	26	37	4.8	2.7	4.7	220.5	492.4	307.4	1020
46459			Operation for osteomyelitis on distal phalanx	296	21	27	30	5.7	2.7	3.8	244.0	524.6	245.9	1014
45512			Scar, of face or neck, more than 3 cm in length, revision of, where undertaken in the operating theatre of a hospital or	297	16	28	30	5.7	2.7	4.7	192.8	564.5	249.3	1007
31310			Malignant melanoma, appendageal carcinoma, malignant fibrous tumour of skin, merkel cell carcinoma of skin or Tarsorrhaphy=20 (Assist.)	298	17	30	24	4.7	3.9	4.9	212.0	568.9	223.0	1004
42584				299	15	29	20	5.7	4.8	4.7	219.2	584.7	199.7	1004
45581			Facial nerve palsy, excision of tissue for	300	14	34	20	5.7	2.7	4.2	165.3	671.7	164.9	1002
30049 =		52009	Skin and subcutaneous tissue or mucous membrane, repair of recent wound of, on face or neck, large (more than 7cm long), Ganglion of volar wrist joint, excision of, not being a service associated with a service to which item 30106 or 30107 applies	301	14	37	29	4.1	2.0	4.2	127.8	650.4	222.9	1001
46501				302	20	30	20	5.3	3.7	3.8	247.7	566.6	179.9	994
45665 =		52108	Lip, eyelid or ear, full thickness wedge excision of, with repair by direct sutures=20	303	14	25	20	5.4	5.4	7.0	225.5	540.6	215.1	981
31275			Basal cell carcinoma or squamous cell carcinoma (including keratocanthoma), removal from face, neck (anterior to the Cleft lip reconstruction using full thickness flap (Abbe or similar), second stage	304	16	31	20	4.7	4.1	4.9	203.5	587.9	189.0	980
45704				305	18	28	30	4.8	2.7	4.7	198.4	530.2	249.3	978
30197			Cancer of skin or mucous membrane proven by histopathology or confirmed by specialist opinion, removal of, by serial Free grafting (split skin) to 1 defect, including elective dissection, small	306	16	34	21	4.9	3.5	3.3	183.1	609.8	184.2	977
45439				307	13	27	35	4.7	3.9	4.2	157.8	496.6	322.2	977
45572			Intra-operative tissue expansion performed during an operation when combined with a service to which another item in Group	308	14	31	0	7.5	4.8	6.0	242.1	733.7	0.0	976

CG9&15 - PLASTIC SURGERY/HAND SURGERY/BURNS & DERMATOLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
30042			Skin and subcutaneous tissue or mucous membrane, repair of recent wound of, other than on face or neck, large (more than	309	15	34	28	4.3	2.7	3.8	150.3	595.8	229.5	976
30370			Inverted nipple, surgical eversion of	310	22	27	20	5.7	2.7	4.7	265.1	544.4	166.2	976
31295			Basal cell carcinoma or squamous cell carcinoma, residual or recurrent (where lesion treated by previous surgery, serial	311	14	26	23	5.5	4.4	5.7	201.3	538.3	225.2	965
46486			Nail bed, accurate reconstruction of nail bed laceration using magnification, undertaken in the operating theatre of a hospital	312	20	27	20	5.7	3.7	3.8	256.8	524.6	179.9	961
30014			Extensive burns, dressing of, under general anaesthesia (not involving grafting)	313	14	42	20	4.1	1.8	2.9	115.7	693.9	147.3	957
31220			Tumours (other than viral verrucae [common warts] and seborrheic keratoses), cysts, ulcers or scars (other than scars	314	14	40	18	3.1	3.0	4.7	132.3	664.9	153.9	951
14122			Laser photocoagulation using laser light within the wave length of 510-600nm in the treatment of severely disfiguring vascular	315	8	55	5	2.4	3.3	4.1	69.9	835.0	43.6	948
31270			Basal cell carcinoma or squamous cell carcinoma (including keratocanthoma), removal from face, neck (anterior to the	316	11	34	17	4.7	3.9	5.1	138.2	650.3	158.4	947
45797 =	52630		Osseo-integration procedure, fixation of transcutaneous abutment	317	16	25	20	6.6	3.1	5.1	220.1	542.8	173.6	936
31290			Basal cell carcinoma or squamous cell carcinoma (including keratocanthoma), removal from areas of the body not covered	318	16	29	22	4.7	3.9	4.1	193.4	531.1	202.2	927
31330			Malignant melanoma, appendageal carcinoma, malignant fibrous tumour of skin, merkel cell carcinoma of skin or	319	17	28	24	4.1	3.9	4.4	196.3	496.7	221.5	915
46500			Ganglion of dorsal wrist joint, excision of, not being a service associated with a service to which item 30106 or 30107 applies	320	20	27	20	4.8	3.7	3.8	236.3	491.5	179.9	908
31255			Basal cell carcinoma or squamous cell carcinoma (including keratocanthoma), removal from nose, eyelid, lip, ear, digit or	321	12	27	17	5.5	4.4	5.9	173.7	563.4	166.9	904
45506			Scar, of face or neck, not more than 3 cm in length, revision of, where undertaken in the operating theatre of a hospital or	322	13	28	20	5.7	2.7	4.7	156.7	564.5	166.2	887
46494			Ganglion of hand, excision of, not being a service associated with a service to which an item in this Group applies	323	14	28	20	5.7	3.1	3.8	169.5	544.0	170.3	884
30369			Accessory breast tissue, excision of (Assist.)	324	15	29	20	4.8	2.7	4.7	165.4	549.2	166.2	881
47762 =	53411		Zygomatic bone, treatment of fracture of, requiring surgical reduction by a temporal, intra-oral or other approach	325	20	21	20	5.7	3.1	5.6	259.4	438.8	174.8	873
45030			Angioma (haemangioma or lymphangioma or both) of skin and subcutaneous tissue (excluding facial muscle or breast) or	326	14	25	20	5.7	3.7	4.7	185.8	504.0	182.2	872
90751			Consultation in rooms of approximately 30 minutes duration with a new patient seen on a referred basis.	327.5	5	30	10	6.4	7.1	5.6	93.3	655.4	119.4	868
91051			Home visit of approximately 30 minutes duration with a new patient seen on a referred basis.	327.5	5	30	10	6.4	7.1	5.6	93.3	655.4	119.4	868
14112			Laser photocoagulation using laser light within the wave length of 510-1064nm in the treatment of port wine stains.	329.5	8	37	10	3.7	4.3	5.6	97.3	672.3	97.0	867
14128			Laser photocoagulation using laser light within the wave length of 510-1064nm in the treatment of port wine stains,	329.5	8	37	10	3.7	4.3	5.6	97.3	672.3	97.0	867
30052			Full thickness laceration of ear, eyelid, nose or lip, repair of, with accurate apposition of each layer of tissue=20 (Assist.)	331	9	38	16	4.1	2.2	3.8	82.7	655.6	124.7	863
31345			Lipoma, excision of, where lesion is subcutaneous and greater than 50mm in diameter, or is sub-fascial	332	17	28	25	3.6	3.4	4.0	173.0	468.6	219.5	861
41689 =	53018		Turbinectomy or turbinectomies, partial or total, unilateral	333	11	27	20	5.7	2.7	4.7	132.6	544.4	166.2	843
45515			Scar, other than on face or neck, not more than 7 cms in length, revision of, as an independent procedure, where undertaken in	334	13	31	20	4.8	1.8	3.8	123.4	564.4	149.5	837
46534			Nail plate injury or deformity, radical excision of nail germinal matrix	335	14	25	24	5.3	2.7	4.2	159.0	480.3	197.9	837
46495			Ganglion or mucous cyst of distal digit, excision of, not being a service associated with a service to which item 30106 or 30107	336	17	22	20	5.7	3.1	4.7	213.2	443.6	172.6	829

CG9&15 - PLASTIC SURGERY/HAND SURGERY/BURNS & DERMATOLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
46363			Tendon sheath of hand or wrist, open operation on, for stenosing tenosynovitis=20	337	19	20	28	5.7	2.2	4.1	211.9	393.5	219.4	825
45021			Abrasive therapy, limited to 1 aesthetic area	338	15	21	15	5.8	4.4	6.0	223.0	448.5	147.4	819
42573			Dermoid, periorbital, excision of	339	10	26	17	5.7	3.7	4.7	132.7	524.2	154.8	812
46498			Ganglion of flexor tendon sheath, excision of, not being a service associated with a service to which item 30106 or 30107	340	18	21	20	5.7	3.1	4.2	221.4	414.9	171.3	808
45224			Direct flap repair, small (cross finger or similar), second stage=20	341	14	23	20	6.2	2.7	4.1	172.7	468.2	164.7	805
90851			Consultation at a nursing home of approximately 30 minutes duration with a new patient seen on a referred basis.	343	3	30	7	6.4	7.1	5.6	56.0	655.4	83.6	795
90951			Consultation at other institution of approximately 30 minutes duration with a new patient seen on a referred basis.	343	3	30	7	6.4	7.1	5.6	56.0	655.4	83.6	795
91251			Consultation in a hospital of approximately 30 minutes duration with a new patient seen on a referred basis.	343	3	30	7	6.4	7.1	5.6	56.0	655.4	83.6	795
14109			Laser photocoagulation using laser light within the wave length of 510-1064nm in the treatment of port wine stains.	345.5	8	28	10	5.0	5.2	5.6	117.9	558.3	104.2	780
14124			Laser photocoagulation using laser light within the wave length of 510-1064nm in the treatment of port wine stains.	345.5	8	28	10	5.0	5.2	5.6	117.9	558.3	104.2	780
90752			Consultation in rooms of approximately 30 minutes duration with an existing patient seen on a referred basis.	347.5	5	30	8	5.0	7.1	5.6	85.3	598.2	95.5	779
91052			Home visit of approximately 30 minutes duration with an existing patient seen on a referred basis.	347.5	5	30	8	5.0	7.1	5.6	85.3	598.2	95.5	779
31325			Malignant melanoma, appendageal carcinoma, malignant fibrous tumour of skin, merkel cell carcinoma of skin or	349	14	26	20	2.4	5.2	4.1	154.7	394.8	204.6	754
46464			Amputation of a supernumerary complete digit	350	12	22	23	5.3	2.7	3.8	134.0	415.5	188.5	738
30068 =	52018		Foreign body in muscle, tendon or other deep tissue, removal of, as an independent procedure=20 (Assist.)	351	17	23	20	4.3	2.2	4.2	163.3	410.5	156.9	731
45669			Vermilionectomy, using carbon dioxide laser excision-ablation	352	11	18	30	4.7	3.5	4.1	127.6	329.6	266.2	723
31285			Basal cell carcinoma or squamous cell carcinoma (including keratocanthoma), removal from areas of the body not covered	353	9	27	17	3.7	4.3	4.1	102.9	457.7	161.7	722
90852			Consultation at a nursing home of approximately 30 minutes duration with an existing patient seen on a referred basis.	355	3	30	5	5.0	7.1	5.6	51.2	598.2	59.7	709
90952			Consultation at other institution of approximately 30 minutes duration with an existing patient seen on a referred basis.	355	3	30	5	5.0	7.1	5.6	51.2	598.2	59.7	709
91252			Consultation in a hospital of approximately 30 minutes duration with an existing patient seen on a referred basis.	355	3	30	5	5.0	7.1	5.6	51.2	598.2	59.7	709
31265			Basal cell carcinoma or squamous cell carcinoma (including keratocanthoma), removal from face, neck (anterior to the	357	9	23	16	3.7	5.2	5.6	119.3	417.9	166.7	704
14126			Laser photocoagulation using laser light within the wave length of 510-1064nm in the treatment of port wine stains,	358	8	28	10	3.7	4.3	5.6	97.3	508.8	97.0	703
46456			Finger, percutaneous tenotomy of	359	19	17	20	5.7	1.8	4.2	203.5	335.8	150.5	690
14100			Laser photocoagulation using laser light within the wave length of 510-600nm in the treatment of severely disfiguring vascular	360.5	8	28	10	3.7	4.3	4.1	91.5	474.7	95.1	661
14120			Laser photocoagulation using laser light within the wave length of 510-600nm in the treatment of severely disfiguring vascular	360.5	8	28	10	3.7	4.3	4.1	91.5	474.7	95.1	661
31240			Tumour (other than viral verrucae [common warts] and seborrheic keratoses), cyst, ulcer or scar (other than a scar	362	10	26	15	3.6	3.0	4.0	96.9	435.1	126.9	659
46528			Ingrowing nail of finger or thumb, wedge resection for, including removal of segment of nail, unqual fold and portion of the nail	363	11	19	20	4.8	2.7	3.8	116.5	345.9	163.9	626
31230			Tumour (other than viral verrucae [common warts] and seborrheic keratoses), cyst, ulcer or scar (other than a scar	364	11	21	15	3.6	3.9	4.7	122.3	363.4	139.0	625

CG9&15 - PLASTIC SURGERY/HAND SURGERY/BURNS & DERMATOLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
31215			Tumour (other than viral verrucae [common warts] and seborrheic keratoses), cyst, ulcer or scar (other than a scar	365	9	25	16	2.4	4.3	4.1	89.6	379.6	152.2	621
90743			Consultation in rooms of approximately 20 minutes duration and the nature of the service requires breaks in continuity with a	366.5	5	20	8	6.4	6.2	4.1	84.2	412.5	88.2	585
91043			Home visit of approximately 20 minutes duration and the nature of the service requires breaks in continuity with a new or	366.5	5	20	8	6.4	6.2	4.1	84.2	412.5	88.2	585
30372			Accessory nipple, excision of	368	12	21	20	3.8	1.8	2.9	95.1	338.4	147.3	581
31235			Tumour (other than viral verrucae [common warts] and seborrheic keratoses), cyst, ulcer or scar (other than a scar	369	10	19	15	3.6	3.2	4.7	102.7	328.8	130.6	562
90843			Consultation at a nursing home of approximately 20 minutes duration and the nature of the service requires breaks in	371	3	20	7	6.4	6.2	4.1	50.5	412.5	77.2	540
90943			Consultation at other institution of approximately 20 minutes duration and the nature of the service requires breaks in	371	3	20	7	6.4	6.2	4.1	50.5	412.5	77.2	540
91243			Consultation in a hospital of approximately 20 minutes duration and the nature of the service requires breaks in continuity with a	371	3	20	7	6.4	6.2	4.1	50.5	412.5	77.2	540
90740			Consultation in rooms of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	373.5	5	20	8	5.0	6.2	4.1	76.2	374.4	88.2	539
91040			Home visit of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	373.5	5	20	8	5.0	6.2	4.1	76.2	374.4	88.2	539
46531			Ingrowing nail of finger or thumb, partial resection of nail, including phenolisation but not including excision of nail bed	375	11	15	20	4.8	1.8	3.8	104.4	273.1	149.5	527
31280			Basal cell carcinoma or squamous cell carcinoma (including keratocanthoma), removal from areas of the body not covered	376	8	19	16	2.4	4.3	4.1	79.6	288.5	152.2	520
30210			Keloid and other skin lesions, extensive, multiple injections of hydrocortisone or similar preparations where undertaken in the	377	22	11	20	4.8	1.2	3.2	186.4	194.9	138.5	520
30203			Cancer of skin or mucous membrane proven by histopathology or confirmed by specialist opinion, removal of, by liquid nitrogen	378	8	26	11	2.4	4.3	1.8	70.8	346.1	101.5	518
90840			Consultation at a nursing home of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	380	3	20	7	5.0	6.2	4.1	45.7	374.4	77.2	497
90940			Consultation at other institution of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	380	3	20	7	5.0	6.2	4.1	45.7	374.4	77.2	497
91240			Consultation in a hospital of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	380	3	20	7	5.0	6.2	4.1	45.7	374.4	77.2	497
31210			Tumour (other than viral verrucae [common warts] and seborrheic keratoses), cyst, ulcer or scar (other than a scar	382	9	20	15	2.4	3.3	2.9	73.4	284.1	128.4	486
30055			Wounds, dressing of, under general anaesthesia, with or without removal of sutures, not being a service associated with	383	11	20	18	2.7	1.2	2.9	65.3	292.3	123.9	482
14106			Laser photocoagulation using laser light within the wave length of 510-1064nm in the treatment of port wine stains,	384	6	14	10	5.0	5.2	5.6	88.4	279.2	104.2	472
90730			Consultation in rooms of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	385.5	5	15	7	5.0	6.2	4.1	76.2	280.8	77.2	434
91030			Home visit of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	385.5	5	15	7	5.0	6.2	4.1	76.2	280.8	77.2	434
41686			Dislocation of turbinate or turbinates, 1 or both sides, not being a service associated with a service to which another item in this	387	11	9	16	5.7	2.2	4.2	123.2	177.8	125.5	427
30214			Telangiectases or starburst vessels on the head or neck where lesions are visible from 4 metres, diathermy or sclerosant	388	8	18	5	2.4	5.2	4.1	88.4	273.3	51.2	413
90830			Consultation at a nursing home of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	390	3	15	7	5.0	6.2	4.1	45.7	280.8	77.2	404
90930			Consultation at other institution of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	390	3	15	7	5.0	6.2	4.1	45.7	280.8	77.2	404
91230			Consultation in a hospital of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	390	3	15	7	5.0	6.2	4.1	45.7	280.8	77.2	404
31205			Tumour (other than viral verrucae [common warts] and seborrheic keratoses), cyst, ulcer or scar (other than a scar	392	8	15	15	1.4	3.3	2.9	56.1	192.7	128.4	377

CG9&15 - PLASTIC SURGERY/HAND SURGERY/BURNS & DERMATOLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
30213			Telangiectases or starburst vessels on the head or neck where lesions are visible from 4 metres, diathermy or sclerosant	393	6	16	5	2.4	5.2	4.1	66.3	242.9	51.2	360
31200			Tumour (other than viral verrucae [common warts] and seborrheic keratoses), cyst, ulcer or scar (other than a scar	394	8	16	10	1.4	3.3	2.9	56.1	205.5	85.6	347
46516			Digital nail of finger or thumb, removal of, in the operating theatre of a hospital or approved day hospital facility	395	14	6	16	4.6	1.2	2.9	113.4	103.2	110.2	327
90720			Consultation in rooms of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	396.5	5	10	6	3.7	5.2	2.9	59.8	159.8	60.5	280
91020			Home visit of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	396.5	5	10	6	3.7	5.2	2.9	59.8	159.8	60.5	280
12021			Epicutaneous patch testing in the investigation of allergic dermatitis, performed by a specialist in the practice of his or her	398	8	18	4	2.4	1.2	0.0	33.6	213.3	26.1	273
30071 =	52024		Biopsy of skin or mucous membrane, as an independent procedure	399	5	14	7	2.4	3.3	1.0	36.2	177.3	58.3	272
46513			Digital nail of finger or thumb, removal of, not being a service to which item 46516 applies	400	8	10	5	3.8	1.8	2.9	63.4	161.1	36.8	261
46525			Pulp space infection, paronychia of hand, incision for, when performed in an operating theatre of a hospital or approved day	401	8	10	0	4.8	1.8	3.8	76.0	182.1	0.0	258
30205			Cancer of skin proven by histopathology, removal of, by liquid nitrogen cryotherapy using repeat freeze- thaw cycles where	402	4	13	5	2.4	4.3	1.8	35.4	173.1	46.1	255
90820			Consultation at a nursing home of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	404	3	10	5	3.7	5.2	2.9	35.9	159.8	50.4	246
90920			Consultation at other institution of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	404	3	10	5	3.7	5.2	2.9	35.9	159.8	50.4	246
91220			Consultation in a hospital of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	404	3	10	5	3.7	5.2	2.9	35.9	159.8	50.4	246
30195			Neoplastic skin lesions, other than viral verrucae (common warts) and seborrheic keratoses, treatment by electrosurgical	406	4	14	1	1.4	3.3	1.8	26.0	167.3	8.4	202
30196			Cancer of skin or mucous membrane proven by histopathology or confirmed by specialist opinion, removal of, by serial	407	4	6	4	3.7	4.3	2.9	43.4	95.9	37.4	177
30202			Cancer of skin or mucous membrane proven by histopathology or confirmed by specialist opinion, removal of, by liquid nitrogen	408	3	7	5	2.4	4.3	1.8	26.6	93.2	46.1	166
90710			Consultation in rooms of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	409.5	5	5	5	2.4	4.3	1.8	44.3	66.6	46.1	157
91010			Home visit of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	409.5	5	5	5	2.4	4.3	1.8	44.3	66.6	46.1	157
12018			Epicutaneous patch testing in the investigation of allergic dermatitis using all of the allergens in a standard patch test	411	4	9	4	2.4	1.2	0.0	16.8	106.6	26.1	150
30192			Premalignant skin lesions, treatment of, by galvanocautery or electrodesiccation or cryocautery (10 or more lesions)	412	4	8	1	1.4	3.3	2.9	28.1	102.8	8.6	139
90810			Consultation at a nursing home of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	414	3	5	4	2.4	4.3	1.8	26.6	66.6	36.9	130
90910			Consultation at other institution of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	414	3	5	4	2.4	4.3	1.8	26.6	66.6	36.9	130
91210			Consultation in a hospital of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	414	3	5	4	2.4	4.3	1.8	26.6	66.6	36.9	130
12015			Epicutaneous patch testing in the investigation of allergic dermatitis using all of the allergens in a standard patch test	416	4	6	6	2.4	1.2	0.0	16.8	71.1	39.1	127
30207			Skin lesions, multiple injections with hydrocortisone or similar preparations	417	3	7	1	0.5	3.3	0.3	14.2	66.6	8.2	89
15000			Radiotherapy, superficial (including treatment with x-rays, radium rays or other radioactive substances), not being a	418	2	1	3	3.7	4.3	2.9	21.7	16.0	28.1	66
14050			PUVA therapy or UVB therapy administered in whole body cabinet (not being a service associated with a service to which	419	2	3	3	1.4	0.0	2.9	6.0	38.5	17.8	62
15003			radiotherapy, superficial (including treatment with x-rays, radium rays or other radioactive substances), not being a	420	1	1	3	3.7	4.3	2.9	10.9	16.0	28.1	55

CG9&15 - PLASTIC SURGERY/HAND SURGERY/BURNS & DERMATOLOGY.
Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
14053			PUVA therapy or UVB therapy administered to localised body areas in a hand and foot cabinet (not being a service associated	421	2	3	3	1.4	0.0	0.3	3.5	32.2	16.8	52
12012			Epicutaneous patch testing in the investigation of allergic dermatitis using less than the number of allergens included in a	422	4	3	4	0.5	0.0	0.0	2.3	27.8	22.3	52
18234			Trigeminal nerve, primary division of, injection of an anaesthetic agent	423	1	3	1	0.5	3.3	1.0	5.1	30.2	8.3	44
18236			Trigeminal nerve, peripheral branch of, injection of an anaesthetic agent	424	1	3	1	0.0	1.2	0.3	1.6	26.5	6.6	35

CG12&19 - OPHTHALMOLOGY & RADIATION ONCOLOGY. Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
15600			Stereotactic radiosurgery, including all radiation oncology consultations, planning, simulation, dosimetry and treatment	1	90	475	15	7.4	7.0	7.0	2712.2	26959.5	559.6	30231
42779			Detached retina, revision operation for (Assist.)	2	22	107	40	9.3	9.8	9.2	766.2	7977.7	1888.4	10632
42656			Cornea, transplantation of, where there have been 2 previous graft operations (Assist.)	3	22	107	30	8.9	9.7	9.2	744.5	7912.7	1375.5	10033
42539			Orbit, exploration of, with removal of tumour or foreign body, requiring removal of bone (Assist.)	4	26	158	40	3.4	6.5	6.7	526.6	8102.8	967.0	9596
42545			Orbit, decompression of, for dysthyroid eye disease, 2 or more walls, 1 eye (Assist.)	5	26	153	50	3.4	5.8	5.1	526.6	6677.1	1140.6	8344
42536			Orbit, exenteration of, with or without skin graft and with or without temporalis muscle transplant (Assist.)	6	26	140	60	2.7	5.8	5.1	481.7	6040.0	1237.9	7760
42521			Anophthalmic socket, treatment of, by insertion of a wired-in conformer, integrated implant or dermofat graft, as a secondary	7	22	132	40	4.5	6.3	5.1	505.4	6077.4	1072.5	7655
42752			Glaucoma, insertion of Molteno valve for, 1 or more stages (Assist.)	8	18	92	30	4.7	8.4	8.1	422.4	5801.4	926.8	7151
42626			Dacryocystorhinostomy where a previous dacryocystorhinostomy has been performed (Assist.)	9	22	105	23	3.7	6.9	7.5	461.9	5825.4	594.5	6882
42749			Glaucoma, filtering operation for, where previous filtering operation has been performed (Assist.)	10	18	66	30	9.3	9.4	8.9	626.9	4768.9	1399.4	6795
42776			Detached retina, buckling or resection operation for (Assist.)	11	19	73	30	6.2	9.5	8.8	516.2	5112.7	1112.2	6741
42557			Eyeball, perforating wound of, with incarceration of lens or vitreous - repair (Assist.)	12	18	79	40	5.5	8.0	7.6	458.0	4791.7	1310.1	6560
42767			Tumour, involving ciliary body or ciliary body and iris, excision of (Assist.)	13	18	79	30	5.5	8.4	8.0	458.0	5000.1	1000.5	6459
15327			Implantation of a sealed radioactive source (having a half-life of less than 115 days including iodine, gold, iridium or tantalum) to	14	60	60	45	7.0	6.4	6.2	1748.8	3110.6	1579.3	6439
42569			Intraocular foreign body, nonmagnetic removal from posterior segment (Assist.)	15	18	79	30	5.5	8.0	7.6	458.0	4791.7	982.5	6232
42725			Vitrectomy by posterior chamber sclerotomy - including the removal of vitreous, division of bands or removal of pre-retinal	16	19	72	30	5.1	8.9	8.4	464.6	4749.7	984.6	6199
42653			Cornea, transplantation of, full thickness (Assist.)	17	20	63	30	6.2	9.5	8.8	543.4	4412.3	1112.2	6068
42716			Cataract, juvenile, removal of, including subsequent needlings (Assist.)	18	18	53	30	9.1	10.0	9.5	618.0	4031.8	1407.7	6057
42662			Sclera, transplantation of, full thickness, including collection of donor material (Assist.)	19	22	105	20	3.4	6.2	6.1	445.6	5071.1	472.4	5989
42731			Capsulectomy or lensectomy by posterior chamber sclerotomy in conjunction with the removal of vitreous or division of vitreous	20	22	55	30	8.0	9.6	9.1	695.6	3995.8	1286.9	5978
42554			Eyeball, perforating wound of, with incarceration or prolapse of uveal tissue - repair (Assist.)	21	18	88	30	4.4	6.4	6.0	409.1	4340.1	807.9	5557
42629			Conjunctivorhinostomy including dacryocystorhinostomy and fashioning of conjunctival flaps (Assist.)	22	26	92	40	2.7	5.7	5.8	481.7	4155.9	830.5	5468
42860			Lid, upper or lower, scleral graft to, with recession of the lid retractors (Assist.)	23	18	79	30	5.6	7.1	5.7	462.4	4062.8	941.0	5466
42851			Squint, muscle transplant for (Hummelshheim type, or similar operation) where there have been 2 or more previous squint	24	22	70	30	7.5	6.6	6.0	668.4	3652.1	1104.4	5425
42548			Optic nerve meninges, incision of (Assist.)	25	22	53	30	6.2	9.2	8.8	597.8	3660.5	1101.9	5360
42659			Cornea, transplantation of, superficial or lamellar (Assist.)	27	18	53	30	6.7	8.9	8.4	511.3	3556.7	1134.0	5202
42773			Detached retina, diathermy or cryotherapy for, not being a service associated with a service to which item 42776 applies	27	18	53	30	6.7	8.9	8.4	511.3	3556.7	1134.0	5202
42710			Artificial lens, removal of, and replacement with a lens inserted into the posterior chamber and sutured to the iris or sclera	28	18	70	20	5.5	7.5	7.3	458.0	4062.0	641.4	5161
42698			Lens extraction	29	18	48	20	9.7	9.3	8.8	644.7	3450.3	954.9	5050

CG12&19 - OPHTHALMOLOGY & RADIATION ONCOLOGY. Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
42842			Squint, operation for, on 1 or both eyes, the operation involving a total of 3 or more muscles where there have been 2 or more	30	22	75	20	7.0	5.9	6.0	641.2	3716.5	689.0	5047
45671			Lip or eyelid reconstruction using full thickness flap (Abbe or similar), first stage (Assist.)	31	20	67	30	6.0	6.4	6.1	533.5	3403.2	958.4	4895
42509			Eye, enucleation of, with insertion of integrated implant (Assist.)	32	22	75	35	4.7	5.5	5.7	516.3	3421.1	935.4	4873
42510			Eye, enucleation of, with insertion of hydroxy apatite implant (coral implant), by 1 or more stages (Assist.)	33	18	66	40	4.4	6.4	6.5	409.1	3366.0	1084.1	4859
15328			Implantation of a sealed radioactive source (having a half-life of less than 115 days including iodine, gold, iridium or tantalum) to	34	60	60	45	6.8	2.8	3.0	1719.2	1758.2	1314.9	4792
42566			Intraocular foreign body, magnetic removal from posterior segment (Assist.)	35	18	70	40	3.1	6.3	6.5	351.3	3482.6	917.6	4751
42863			Eyelid upper, recession of (Assist.)	36	22	79	20	3.5	6.0	6.3	451.0	3823.1	475.4	4750
42836			Squint, operation for, on 1 or both eyes, the operation involving a total of 1 or 2 muscles where there have been 2 or more	37	20	70	20	7.0	5.9	6.0	582.9	3468.8	689.0	4741
42703			Artificial lens, insertion of, into the posterior chamber and suture to the iris and sclera (Assist.)	38	26	53	20	6.0	6.7	9.2	693.6	3295.9	667.5	4657
42602			Lacrimal canalicular system, establishment of patency by open operation, 1 eye (Assist.)	39	18	75	20	5.5	5.5	6.2	458.0	3589.9	587.8	4636
42623			Dacryocystorhinostomy (Assist.)	40	21	69	20	3.6	6.9	6.8	435.7	3660.8	505.8	4602
42746			Glaucoma, filtering operation for (Assist.)	41	21	43	30	7.0	8.5	8.1	612.1	2795.8	1145.1	4553
42758			Goniotomy (Assist.)	42	18	66	30	3.5	6.3	6.5	369.0	3302.4	725.6	4397
42551			Eyeball, perforating wound of, not involving intraocular structures - repair involving suture of cornea or sclera, or both,	43	18	79	30	2.9	5.3	5.6	342.4	3424.6	625.6	4393
42515			Globe, evisceration of, and insertion of intrascleral ball or cartilage (Assist.)	44	22	70	35	4.6	4.9	5.3	510.8	2958.1	895.4	4364
42702			Lens extraction and insertion of artificial lens	45	26	30	20	10.0	10.0	10.0	950.5	2351.8	998.0	4300
42527			Contracted socket, reconstruction including mucous membrane grafting and stent mould (Assist.)	46	22	92	20	3.0	4.9	4.2	423.9	3442.7	404.4	4271
42866			Entropion, repair of, by tightening, shortening or repair of inferior retractors by open operation (Assist.)	47	17	53	20	5.2	7.9	7.7	419.9	3204.0	634.7	4259
42506			Eye, enucleation of, with or without sphere implant (Assist.)	48	25	68	37	3.7	4.9	5.3	524.9	2830.0	842.9	4198
42707			Artificial lens, removal of and replacement with a different lens	49	20	36	20	8.7	9.4	9.0	666.9	2598.0	896.3	4161
42839			Squint, operation for, on 1 or both eyes, the operation involving a total of 3 or more muscles (Assist.)	50	22	56	20	6.6	5.9	6.2	619.5	2796.7	665.5	4082
15331			Implantation of a sealed radioactive source (having a half-life of less than 115 days including iodine, gold, iridium or tantalum) to	52	60	45	45	5.5	2.8	3.0	1526.5	1277.0	1132.7	3936
15332			Implantation of a sealed radioactive source (having a half-life of less than 115 days including iodine, gold, iridium or tantalum) to	52	60	45	45	5.5	2.8	3.0	1526.5	1277.0	1132.7	3936
45623			Ptosis of eyelid (unilateral), correction of (Assist.)	53	17	45	20	5.5	8.2	8.0	432.5	2819.1	662.4	3914
42848			Squint, muscle transplant for (Hummelsheim type, or similar operation) (Assist.)	54	22	48	20	7.3	6.6	6.2	657.5	2529.7	725.2	3912
42743			Anterior chamber, irrigation of blood from, as an independent procedure (Assist.)	55	15	39	30	6.2	8.0	8.1	407.6	2450.5	1053.2	3911
42599			Lacrimal canalicular system, establishment of patency by closed operation using silicone tubes or similar, 1 eye (Assist.)	56	18	53	20	5.3	6.7	6.8	449.1	2841.8	607.1	3898
42671			Refractive keratoplasty with penetrating incisions (excluding radial keratotomy) following corneal grafting or intraocular	57	22	41	20	6.7	7.8	7.6	624.9	2495.3	725.2	3845
42512			Globe, evisceration of (Assist.)	58	22	70	30	3.7	4.0	5.3	461.9	2709.6	652.4	3824

CG12&19 - OPHTHALMOLOGY & RADIATION ONCOLOGY. Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post							
42815			Posterior chamber, removal of silicone oil from (Assist.)	59	18	57	20	3.4	6.3	6.5	364.6	2848.0	477.5	3690
42665			Sclera, transplantation of, superficial or lamellar, including collection of donor material (Assist.)	60	18	70	20	2.2	5.1	5.6	311.2	2954.3	368.9	3634
42722			Capsulectomy by posterior chamber sclerotomy or removal of vitreous or vitreous bands from the anterior chamber by	61	18	70	20	2.2	5.0	5.4	311.2	2884.6	365.2	3561
42701			Artificial lens, insertion of	62	27	36	20	5.6	6.7	8.8	693.6	2180.0	639.8	3513
42563			Intraocular foreign body, nonmagnetic removal from anterior segment (Assist.)	63	18	70	30	2.0	4.6	5.0	302.3	2690.0	511.2	3504
42833			Squint, operation for, on 1 or both eyes, the operation involving a total of 1 or 2 muscles (Assist.)	64	21	44	20	6.5	5.9	6.2	586.2	2194.3	659.3	3440
91281			Consultation in a hospital of approximately 75 minutes duration with a new patient seen on a referred basis.	65	15	75	20	6.2	3.8	2.5	407.6	2282.1	566.5	3256
42719			Capsulectomy or removal of vitreous via the anterior chamber by any method, not being a service associated with any other	66	16	53	20	4.4	5.3	5.7	363.6	2372.0	511.2	3247
45614			Eyelid, whole thickness reconstruction of, other than by direct suture only (Assist.)	67	19	61	20	2.3	5.0	5.5	333.2	2538.6	372.1	3244
42818			Retina, cryotherapy to, as an independent procedure, with external probe	68	22	39	30	3.4	7.0	6.2	445.6	1997.5	737.2	3180
42764			Iridectomy (including excision of tumour of iris) or iridotomy, as an independent procedure, other than by laser (Assist.)	69	18	44	30	3.6	5.7	6.0	373.5	2045.4	709.0	3128
42605			Lacrimal canaliculus, immediate repair of (Assist.)	70	15	51	30	2.9	5.3	5.3	285.3	2159.4	622.5	3067
42542			Orbit, exploration of, with removal of tumour or of foreign body (Assist.)	71	16	44	20	3.5	6.4	6.5	328.0	2215.8	486.0	3030
42755			Glaucoma, removal of Molteno valve	72	18	53	20	2.7	4.8	5.7	333.5	2222.1	393.8	2949
42596			Lacrimal sac, excision of, or operation on (Assist.)	73	18	53	20	2.0	5.3	5.7	302.3	2281.4	361.7	2945
42761			Division of anterior or posterior synechiae, as an independent procedure, other than by laser (Assist.)	74	18	48	20	2.9	5.6	5.9	342.4	2175.8	426.1	2944
42713			Intraocular lenses, repositioning of, by the use of a McCannell suture or similar (Assist.)	75	18	53	20	3.7	4.4	5.3	377.9	2120.1	444.1	2942
42574			Dermoid, orbital, excision of (Assist.)	76	16	53	20	2.3	5.2	5.7	280.6	2275.6	378.1	2934
15319			Combined intrauterine and intravaginal treatment using radioactive sealed sources having a half-life greater than 115	79	20	40	45	6.5	2.8	2.5	558.2	1096.3	1265.0	2920
15320			Combined intrauterine and intravaginal treatment using radioactive sealed sources having a half-life greater than 115	79	20	40	45	6.5	2.8	2.5	558.2	1096.3	1265.0	2920
15323			Combined intrauterine and intravaginal treatment using radioactive sealed sources having a half-life of less than 115	79	20	40	45	6.5	2.8	2.5	558.2	1096.3	1265.0	2920
15324			Combined intrauterine and intravaginal treatment using radioactive sealed sources having a half-life of less than 115	79	20	40	45	6.5	2.8	2.5	558.2	1096.3	1265.0	2920
42641			Autoconjunctival transplant, or mucous membrane graft (Assist.)	81	18	53	20	2.2	5.1	5.6	311.2	2236.9	368.9	2917
45629			Symblepharon, grafting for (Assist.)	82	18	57	20	1.9	4.7	5.3	297.9	2262.3	338.9	2899
42578			Tarsal cartilage, excision of (Assist.)	83	18	39	30	3.7	5.7	5.7	377.9	1776.4	715.2	2870
42869			Eyelid closure in facial nerve paralysis, insertion of foreign implant for (Assist.)	84	18	52	20	2.2	5.1	5.5	311.2	2177.2	368.2	2857
42704			Artificial lens, removal or repositioning of by open operation - not being a service associated with a service to which item	85	18	39	20	5.5	5.6	5.6	458.0	1800.7	585.9	2845
91282			Consultation in a hospital of approximately 75 minutes duration with an existing patient seen on a referred basis.	86	5	75	15	6.2	3.8	2.5	135.9	2282.1	424.9	2843
90781			Consultation in rooms exceeding 75 minutes duration with a new patient seen on a referred basis.	87	12	75	15	5.5	2.0	3.5	305.3	2060.4	366.4	2732

CG12&19 - OPHTHALMOLOGY & RADIATION ONCOLOGY. Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
15506			Radiation field setting using a simulator or isocentric x-ray or megavoltage machine of 3 or more areas, or of total body or	89	15	30	15	7.4	7.0	7.0	452.0	1702.7	559.6	2714
15515			Radiation field setting using a diagnostic x-ray unit of 3 or more areas, or of total body or half body irradiation, or of mantle	89	15	30	15	7.4	7.0	7.0	452.0	1702.7	559.6	2714
42674			Corneal incisions, non penetrating, for the correction of astigmatism following surgery of anterior chamber or corneal	90	22	26	20	5.6	7.8	6.4	565.2	1457.2	648.3	2671
15536			Brachytherapy planning, computerised radiation dosimetry	91	20	10	40	7.4	7.0	7.0	602.7	567.6	1492.4	2663
42695			Limbic tumour, excision of, requiring keratectomy or sclerectomy (Assist.)	92	18	53	20	1.7	4.4	5.3	289.0	2044.6	319.6	2653
42854			Ruptured medial palpebral ligament or ruptured extra-ocular muscle, repair of (Assist.)	93	18	66	20	1.1	3.7	4.0	262.3	2080.1	257.1	2599
42533			Orbit, exploration of, with drainage or biopsy not requiring removal of bone (Assist.)	94	16	53	20	2.9	4.0	4.6	304.3	1896.6	380.2	2581
42560			Intraocular foreign body, magnetic removal from anterior segment (Assist.)	95	18	57	20	1.5	3.6	4.7	280.1	1928.4	284.6	2493
51315			Assistance at cataract and intraocular lens surgery covered by items 42698,42701, 42702, 42704, 42707, 42710 when	96	7	53	0	2.6	5.4	5.8	128.0	2339.0	0.0	2467
42518			Anophthalmic orbit, insertion of cartilage or artificial implant as a delayed procedure, or removal of implant from socket; or	97	18	66	20	0.8	3.5	3.8	249.0	1978.9	232.4	2460
42638			Conjunctival graft over cornea (Assist.)	98	18	47	20	1.7	4.1	5.4	289.0	1783.3	313.4	2386
15524			Radiation Dosimetry by a CT interfacing planning computer for megavoltage or teletherapy radiotherapy to 3 or more areas, or	100	15	10	35	7.4	7.0	7.0	452.0	567.6	1305.8	2325
15533			Radiation Dosimetry by a non-CT interfacing planning computer for megavoltage or teletherapy radiotherapy to 3 or more areas,	100	15	10	35	7.4	7.0	7.0	452.0	567.6	1305.8	2325
91271			Consultation in a hospital of approximately 60 minutes duration with a new patient seen on a referred basis.	101	7	60	19	4.0	3.6	2.6	152.2	1713.1	404.3	2270
90782			Consultation in rooms exceeding 75 minutes duration with an existing patient seen on a referred basis.	102	12	75	15	5.5	2.0	1.6	305.3	1581.3	356.5	2243
91272			Consultation in a hospital of approximately 60 minutes duration with an existing patient seen on a referred basis.	103	7	60	16	4.3	3.6	2.6	157.3	1725.9	355.4	2239
90771			Consultation in rooms of approximately 60 minutes duration with a new patient seen on a referred basis.	104	11	60	17	4.0	2.7	3.1	239.1	1639.3	347.1	2226
42734			Capsulotomy, other than by laser (Assist.)	105	18	53	20	1.2	3.8	4.0	266.8	1691.3	265.6	2224
45674			Lip or eyelid reconstruction using full thickness flap (Abbe or similar), second stage	106	18	57	20	0.8	3.4	4.0	249.0	1729.0	231.5	2209
15335			Implantation of a sealed radioactive source (having a half-life of less than 115 days including iodine, gold, iridium or tantalum) to	108	20	20	45	5.5	2.8	3.0	508.8	567.5	1132.7	2209
15336			Implantation of a sealed radioactive source (having a half-life of less than 115 days including iodine, gold, iridium or tantalum) to	108	20	20	45	5.5	2.8	3.0	508.8	567.5	1132.7	2209
42782			Laser trabeculoplasty - each treatment to 1 eye, to a maximum of 4 treatments to that eye in a 2 year period (Assist.)	109	7	18	20	6.0	9.2	8.9	186.7	1246.7	722.8	2156
15303			Intrauterine treatment alone using radioactive sealed sources having a half-life greater than 115 days using manual	112	20	20	45	6.2	2.0	1.6	543.4	431.7	1167.4	2143
15304			Intrauterine treatment alone using radioactive sealed sources having a half life greater than 115 days using automatic	112	20	20	45	6.2	2.0	1.6	543.4	431.7	1167.4	2143
15307			Intrauterine treatment alone using radioactive sealed sources having a half-life of less than 115 days including iodine, gold,	112	20	20	45	6.2	2.0	1.6	543.4	431.7	1167.4	2143
15308			Intrauterine treatment alone using radioactive sealed sources having a half life of less than 115 days including iodine, gold,	112	20	20	45	6.2	2.0	1.6	543.4	431.7	1167.4	2143
42806			Iris tumour, laser photocoagulation of (Assist.)	114	7	18	16	8.8	8.4	7.8	235.2	1169.4	696.9	2102
42809			Retina, photocoagulation of (Assist.)	115	5	26	10	5.1	8.1	7.9	122.3	1604.2	317.3	2044
45626			Ectropion or entropion, correction of (unilateral)	116	15	41	20	1.5	4.3	4.9	233.4	1507.4	302.0	2043

CG12&19 - OPHTHALMOLOGY & RADIATION ONCOLOGY. Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
42783			Laser trabeculoplasty - each treatment to 1 eye - where it can be demonstrated that a 5th or subsequent treatment to that eye	117	7	18	16	6.0	9.2	8.9	186.7	1246.7	578.3	2012
90871			Consultation at a nursing home of approximately 60 minutes duration with a new patient seen on a referred basis.	119	7	60	17	2.4	3.1	2.8	124.5	1588.1	268.5	1981
90971			Consultation at other institution of approximately 60 minutes duration with a new patient seen on a referred basis.	119	7	60	17	2.4	3.1	2.8	124.5	1588.1	268.5	1981
91071			Home visit of approximately 60 minutes duration with a new patient seen on a referred basis.	119	7	60	17	2.4	3.1	2.8	124.5	1588.1	268.5	1981
90772			Consultation in rooms of approximately 60 minutes duration with an existing patient seen on a referred basis.	121	9	60	16	3.8	2.7	2.2	191.2	1449.2	311.7	1952
42647			Corneal scars, removal of, by partial keratectomy, not being a service associated with a service to which item 42686 applies	122	18	44	20	2.0	3.0	4.2	302.3	1344.9	298.4	1946
90872			Consultation at a nursing home of approximately 60 minutes duration with an existing patient seen on a referred basis.	124	7	60	17	2.0	3.1	2.8	117.6	1571.0	247.3	1936
90972			Consultation at other institution of approximately 60 minutes duration with an existing patient seen on a referred basis.	124	7	60	17	2.0	3.1	2.8	117.6	1571.0	247.3	1936
91072			Home visit of approximately 60 minutes duration with an existing patient seen on a referred basis.	124	7	60	17	2.0	3.1	2.8	117.6	1571.0	247.3	1936
42740			Paracentesis of anterior or posterior chamber or both, for the injection of therapeutic substances, or the removal of aqueous	126	15	31	20	2.0	5.4	5.4	252.0	1313.2	361.9	1927
42810			Phototherapeutic keratectomy, by laser, for corneal scarring or disease, excluding surgery for refractive error	127	20	26	20	3.0	5.0	5.7	385.3	1112.5	417.1	1915
42524			Orbit, skin graft to, as a delayed procedure	128	18	53	20	1.4	3.0	3.0	275.7	1383.6	252.7	1912
42635			Corneal perforations, sealing of, with tissue adhesive (Assist.)	129	15	35	16	1.7	4.5	5.7	240.8	1408.6	259.7	1909
42857			Resuturing of wound following intraocular procedures with or without excision of prolapsed iris (Assist.)	130	18	26	20	2.8	5.8	5.4	337.9	1149.8	421.0	1909
15342			Construction and application of a radioactive mould using a sealed source having a half-life of greater than 115 days, to	132	20	45	10	6.2	2.8	1.6	543.4	1087.6	268.6	1900
15345			Construction and application of a radioactive mould using a sealed source having a half-life of less than 115 days including	132	20	45	10	6.2	2.8	1.6	543.4	1087.6	268.6	1900
42608			Lacrimal drainage by insertion of glass tube, as an independent procedure (Assist.)	134	15	35	20	1.7	4.5	5.0	240.8	1326.2	319.8	1887
42737			Needling of posterior capsule (Assist.)	134	15	35	20	1.7	4.5	5.0	240.8	1326.2	319.8	1887
91261			Consultation in a hospital of approximately 45 minutes duration with a new patient seen on a referred basis.	135	8	45	18	4.1	3.6	2.6	175.9	1288.0	388.6	1853
42593			Lacrimal gland, excision of palpebral lobe	136	18	48	20	1.5	3.1	3.2	280.1	1304.2	262.6	1847
42680			Conjunctiva, cryotherapy to, for melanotic lesions or similar using CO=FD or N=FD0	137	15	26	20	2.8	5.7	5.4	281.6	1141.4	418.7	1842
42812			Detached retina, removal of encircling silicone band from	138	18	35	20	2.9	3.8	3.6	342.4	1112.2	368.7	1823
91262			Consultation in a hospital of approximately 45 minutes duration with an existing patient seen on a referred basis.	139	7	45	16	4.3	3.6	2.6	157.3	1294.4	355.4	1807
42692			Limbic tumour, removal of (Assist.)	140	18	39	20	1.1	3.7	4.4	262.3	1281.6	259.8	1804
90761			Consultation in rooms of approximately 45 minutes duration with a new patient seen on a referred basis.	141	10	45	17	4.0	2.7	3.1	217.4	1229.5	347.1	1794
42584			Tarsorrhaphy (Assist.)	142	15	29	20	2.0	4.8	5.4	252.0	1172.2	348.2	1772
51318			Assistance at cataract and intraocular lens surgery where patient has: - total loss of vision, including no potential for	143	7	39	0	1.4	4.9	5.8	107.2	1624.8	0.0	1732
42788			Laser capsulotomy - each treatment to 1 eye, to a maximum of 2 treatments to that eye in a 2 year period (Assist.)	144	7	13	20	6.0	7.9	7.8	186.7	797.7	685.3	1670
42791			Laser vitreolysis or corticolysis of lens material or fibrinolysis - each treatment to 1 eye, to a maximum of 2 treatments to that	145	7	13	20	6.0	7.9	7.7	186.7	793.3	684.6	1665

CG12&19 - OPHTHALMOLOGY & RADIATION ONCOLOGY. Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
42686			Pterygium, removal of	146	18	31	20	1.3	4.0	4.6	271.2	1074.0	280.6	1626
42770			Cyclodestructive procedures for the treatment of intractable glaucoma, treatment to 1 eye, to a maximum of 2 treatments to	147	15	26	20	1.7	4.8	5.4	240.8	1045.4	329.5	1616
15311			Intravaginal treatment alone using radioactive sealed sources having a half-life greater than 115 days using manual	150	20	10	45	5.1	0.5	1.6	489.1	159.5	935.7	1584
15312			Intravaginal treatment alone using radioactive sealed sources having a half-life greater than 115 days using automatic	150	20	10	45	5.1	0.5	1.6	489.1	159.5	935.7	1584
15315			Intravaginal treatment alone using radioactive sealed sources having a half-life of less than 115 days including iodine, gold,	150	20	10	45	5.1	0.5	1.6	489.1	159.5	935.7	1584
15316			Intravaginal treatment alone using radioactive sealed sources having a half-life of less than 115 days including iodine, gold,	150	20	10	45	5.1	0.5	1.6	489.1	159.5	935.7	1584
90762			Consultation in rooms of approximately 45 minutes duration with an existing patient seen on a referred basis.	152	8	45	16	3.8	2.7	2.2	169.9	1086.9	311.7	1569
90861			Consultation at a nursing home of approximately 45 minutes duration with a new patient seen on a referred basis.	154	6	45	16	2.4	3.1	2.8	106.7	1191.0	252.7	1550
90961			Consultation at other institution of approximately 45 minutes duration with a new patient seen on a referred basis.	154	6	45	16	2.4	3.1	2.8	106.7	1191.0	252.7	1550
91061			Home visit of approximately 45 minutes duration with a new patient seen on a referred basis.	154	6	45	16	2.4	3.1	2.8	106.7	1191.0	252.7	1550
42785			Laser iridotomy - each treatment to 1 eye, to a maximum of 2 treatments to that eye in a 2 year period (Assist.)	158	7	13	16	6.0	7.9	7.7	186.7	793.3	547.7	1528
42786			Laser iridotomy - each treatment to 1 eye - where it can be demonstrated that a 3rd or subsequent treatment to that eye	158	7	13	16	6.0	7.9	7.7	186.7	793.3	547.7	1528
42789			Laser capsulotomy - each treatment to 1 eye - where it can be demonstrated that a 3rd or subsequent treatment to that eye	158	7	13	16	6.0	7.9	7.7	186.7	793.3	547.7	1528
42792			Laser vitreolysis or corticolysis of lens material or fibrinolysis - each treatment to 1 eye - where it can be demonstrated that a	158	7	13	16	6.0	7.9	7.7	186.7	793.3	547.7	1528
90862			Consultation at a nursing home of approximately 45 minutes duration with an existing patient seen on a referred basis.	161	6	45	16	2.0	3.1	2.8	100.8	1178.2	232.8	1512
90962			Consultation at other institution of approximately 45 minutes duration with an existing patient seen on a referred basis.	161	6	45	16	2.0	3.1	2.8	100.8	1178.2	232.8	1512
91062			Home visit of approximately 45 minutes duration with an existing patient seen on a referred basis.	161	6	45	16	2.0	3.1	2.8	100.8	1178.2	232.8	1512
45617			Upper eyelid, reduction of, for skin redundancy obscuring vision, herniation of orbital fat in exophthalmos, facial nerve palsy or	163	18	47	20	0.1	2.4	3.2	217.9	1123.9	159.3	1501
42590			Canthoplasty, medial or lateral (Assist.)	164	19	33	20	0.6	3.3	4.2	253.4	1007.8	218.1	1479
42872			Eyebrow, elevation of, for parietic states	165	15	47	20	0.2	2.4	3.2	185.3	1127.2	165.5	1478
15503			Radiation field setting using a simulator or isocentric x-ray or megavoltage machine of a single area, where views in more	168	15	15	15	6.2	4.8	4.5	407.6	605.8	452.6	1466
15512			Radiation field setting using a diagnostic x-ray unit of a single area, where views in more than 1 plane are required for	168	15	15	15	6.2	4.8	4.5	407.6	605.8	452.6	1466
15521			Radiation Dosimetry by a CT interfacing planning computer for megavoltage or teletherapy radiotherapy to a single area by 3 or	168	15	15	15	6.2	4.8	4.5	407.6	605.8	452.6	1466
15530			Radiation Dosimetry by a non-CT interfacing planning computer for megavoltage or teletherapy radiotherapy to a single area by	168	15	15	15	6.2	4.8	4.5	407.6	605.8	452.6	1466
42728			Cryotherapy of retina or other intraocular structures with an internal probe, being a service associated with a service to	170	15	31	20	1.0	3.6	4.2	214.9	985.6	249.9	1450
45665 =	52108		Lip, eyelid or ear, full thickness wedge excision of, with repair by direct sutures	171	14	25	20	1.5	4.3	4.9	217.9	919.2	302.0	1439
91251			Consultation in a hospital of approximately 30 minutes duration with a new patient seen on a referred basis.	172	9	30	20	3.7	3.6	2.2	189.0	809.8	404.1	1403
91252			Consultation in a hospital of approximately 30 minutes duration with an existing patient seen on a referred basis.	173	7	30	15	3.6	3.6	2.2	145.2	807.6	298.4	1251
10804			Attendance for the investigation and evaluation of a patient for the fitting of contact lenses, with keratometry and testing with	174	4	35	12	2.4	3.6	2.8	71.1	982.9	196.4	1250

CG12&19 - OPHTHALMOLOGY & RADIATION ONCOLOGY. Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Pre	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
42845			Readjustment of adjustable sutures, 1 or both eyes, as an independent procedure following an operation for correction of	175	15	26	20	1.1	3.2	3.9	218.6	768.7	244.9	1232
10803			Attendance for the investigation and evaluation of a patient for the fitting of contact lenses, with keratometry and testing with	176	4	35	12	2.4	3.4	2.8	71.1	960.3	193.6	1225
10806			Attendance for the investigation and evaluation of a patient for the fitting of contact lenses, with keratometry and testing with	177	4	35	12	2.2	3.4	2.8	69.2	955.3	186.2	1211
10807			Attendance for the investigation and evaluation of a patient for the fitting of contact lenses, with keratometry and testing with	178	4	35	12	2.1	3.4	2.8	68.2	952.8	182.4	1203
42800			Pterygium, removal by laser in 1 or more stages	179	15	18	20	1.3	4.0	5.4	226.0	672.0	286.2	1184
90751			Consultation in rooms of approximately 30 minutes duration with a new patient seen on a referred basis.	180	9	30	14	3.6	2.7	2.2	186.7	720.4	264.0	1171
90851			Consultation at a nursing home of approximately 30 minutes duration with a new patient seen on a referred basis.	182	5	30	15	2.4	3.1	2.8	88.9	794.0	236.9	1120
90951			Consultation at other institution of approximately 30 minutes duration with a new patient seen on a referred basis.	182	5	30	15	2.4	3.1	2.8	88.9	794.0	236.9	1120
91051			Home visit of approximately 30 minutes duration with a new patient seen on a referred basis.	182	5	30	15	2.4	3.1	2.8	88.9	794.0	236.9	1120
90752			Consultation in rooms of approximately 30 minutes duration with an existing patient seen on a referred basis.	184	7	30	13	3.4	2.7	2.2	141.8	716.1	237.1	1095
10801			Attendance for the investigation and evaluation of a patient for the fitting of contact lenses, with keratometry and testing with	188	4	31	12	2.1	3.4	2.8	68.2	843.9	182.4	1095
10802			Attendance for the investigation and evaluation of a patient for the fitting of contact lenses, with keratometry and testing with	188	4	31	12	2.1	3.4	2.8	68.2	843.9	182.4	1095
10805			Attendance for the investigation and evaluation of a patient for the fitting of contact lenses, with keratometry and testing with	188	4	31	12	2.1	3.4	2.8	68.2	843.9	182.4	1095
10808			Attendance for the investigation and evaluation of a patient for the fitting of contact lenses, with keratometry and testing with	188	4	31	12	2.1	3.4	2.8	68.2	843.9	182.4	1095
10809			Attendance for the investigation and evaluation of a patient for the fitting of contact lenses, with keratometry and testing with	188	4	31	12	2.1	3.4	2.8	68.2	843.9	182.4	1095
10815			Attendance for the refitting of contact lenses with keratotomy and testing with trial lenses and the issue of a prescription	188	4	31	12	2.1	3.4	2.8	68.2	843.9	182.4	1095
10816			Attendance for the refitting of contact lenses with keratotomy and testing with trial lenses and the issue of a prescription,	188	4	31	12	2.1	3.4	2.8	68.2	843.9	182.4	1095
90852			Consultation at a nursing home of approximately 30 minutes duration with an existing patient seen on a referred basis.	193	5	30	15	2.0	3.1	2.8	84.0	785.5	218.2	1088
90952			Consultation at other institution of approximately 30 minutes duration with an existing patient seen on a referred basis.	193	5	30	15	2.0	3.1	2.8	84.0	785.5	218.2	1088
91052			Home visit of approximately 30 minutes duration with an existing patient seen on a referred basis.	193	5	30	15	2.0	3.1	2.8	84.0	785.5	218.2	1088
42807			Photomydriasis, laser	196	7	13	16	3.1	5.5	6.1	136.6	595.7	350.1	1082
42808			Photiridosyneresis, laser	196	7	13	16	3.1	5.5	6.1	136.6	595.7	350.1	1082
11212			Optic fundi, examination of following intravenous dye injection	197	7	9	5	7.5	8.4	8.8	212.7	606.7	199.3	1019
91243			Consultation in a hospital of approximately 20 minutes duration and the nature of the service requires breaks in continuity with a	198	8	20	18	3.7	3.1	1.5	168.0	460.5	349.0	977
42572			Orbital abscess or cyst, drainage of	199	11	26	20	0.4	2.4	3.2	141.3	627.3	178.0	947
91240			Consultation in a hospital of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	200	7	20	16	4.0	3.1	1.5	152.2	464.7	325.1	942
42503			Ophthalmological examination under general anaesthesia, not being a service associated with a service to which another item	201	9	15	10	4.4	3.5	3.5	204.5	473.1	227.2	905
42667			Running corneal suture, manipulation of, performed within 4 months of corneal grafting, to reduce astigmatism where a	202	11	14	8	2.1	4.8	5.4	187.5	566.9	141.8	896
42617			Punctum snip operation	203	9	13	10	2.1	4.9	5.4	153.4	530.6	178.3	862

CG12&19 - OPHTHALMOLOGY & RADIATION ONCOLOGY. Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Pre	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
15348			Subsequent applications of radioactive mould referred to in item 15342 or 15345 - each attendance	204	10	25	10	4.6	2.0	0.3	232.2	401.8	205.1	839
90843			Consultation at a nursing home of approximately 20 minutes duration and the nature of the service requires breaks in	206	4	20	15	2.2	3.1	2.8	69.2	526.5	227.5	823
90943			Consultation at other institution of approximately 20 minutes duration and the nature of the service requires breaks in	206	4	20	15	2.2	3.1	2.8	69.2	526.5	227.5	823
91043			Home visit of approximately 20 minutes duration and the nature of the service requires breaks in continuity with a new or	206	4	20	15	2.2	3.1	2.8	69.2	526.5	227.5	823
42676			Conjunctiva, biopsy of, as an independent procedure	208	7	26	15	0.1	2.3	3.2	84.7	613.3	117.8	816
42611			Nasolacrimal tube (bilateral) replacement of, or lacrimal passages, probing for obstruction, bilateral, with or without	209	11	10	10	2.9	4.9	4.7	209.2	390.3	200.8	800
42632			Conjunctival peritomy or repair of corneal laceration by conjunctival flap	210	7	22	20	0.4	2.4	3.2	89.9	530.8	178.0	799
42830			Botulinus toxin, injection of, for strabismus including all such injections on any 1 day and associated electromyography	211	13	20	14	0.4	2.6	3.3	167.0	502.2	128.3	797
42689			Pinguecula, removal of, not being a service associated with the fitting of contact lenses	212	7	26	10	0.1	2.4	3.2	84.7	621.7	79.7	786
90840			Consultation at a nursing home of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	214	4	20	13	2.0	3.1	2.8	67.2	523.7	189.1	780
90940			Consultation at other institution of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	214	4	20	13	2.0	3.1	2.8	67.2	523.7	189.1	780
91040			Home visit of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	214	4	20	13	2.0	3.1	2.8	67.2	523.7	189.1	780
42581			Ectropion or entropion, tarsal cauterisation of	216	11	9	10	2.3	5.3	5.7	192.9	389.3	190.2	772
90743			Consultation in rooms of approximately 20 minutes duration and the nature of the service requires breaks in continuity with a	217	6	20	10	3.5	2.5	1.9	123.0	445.7	182.1	751
42610			Nasolacrimal tube (unilateral) replacement of, or lacrimal passages, probing for obstruction, unilateral, with or without	218	10	9	10	2.7	5.1	4.7	185.3	355.8	196.9	738
90740			Consultation in rooms of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	219	6	20	10	3.4	2.5	1.8	121.5	437.6	178.7	738
42683			Conjunctival cysts, removal of, requiring admission to hospital or approved day hospital facility	220	7	9	10	2.6	5.4	5.8	128.0	397.2	201.1	726
15500			Radiation field setting using a simulator or isocentric x-ray or megavoltage machine of a single area for treatment by a single	223	10	10	10	4.6	2.8	2.5	232.2	260.6	221.9	715
15509			Radiation field setting using a diagnostic x-ray unit of a single area for treatment by a single field or parallel opposed fields	223	10	10	10	4.6	2.8	2.5	232.2	260.6	221.9	715
15518			Radiation Dosimetry by a CT interfacing planning computer for megavoltage or teletherapy radiotherapy by a single field or	223	10	10	10	4.6	2.8	2.5	232.2	260.6	221.9	715
15527			Radiation Dosimetry by a non-CT interfacing planning computer for megavoltage or teletherapy radiotherapy by a single field or	223	10	10	10	4.6	2.8	2.5	232.2	260.6	221.9	715
11235			Examination of the eye by impression cytology of cornea for the investigation of ocular surface dysplasia, including the	225	7	9	8	2.7	5.5	5.9	129.7	403.8	164.5	698
18292			Nerve branch, destruction by a neurolytic agent, not being a service to which any other item in this Group applies	226	6	21	6	0.5	2.8	3.5	78.6	556.5	58.7	694
15339			Removal of a sealed radioactive source under general anaesthesia, or under epidural or spinal nerve block	227	7	26	8	0.1	1.9	2.5	84.7	518.5	57.2	660
42668			Corneal sutures, removal of, not earlier than 6 weeks after operation requiring use of slit lamp or operating microscope	228	7	18	10	0.4	2.7	3.5	89.9	469.9	93.5	653
91230			Consultation in a hospital of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	229	3	15	14	3.6	2.7	1.5	62.2	324.9	260.6	648
11222			Full quantitative computerised perimetry (automated absolute static threshold), performed by a specialist in the practice of his	230	1	14	4	4.4	4.2	4.6	22.7	525.0	95.7	643
42644			Cornea or sclera, removal of imbedded foreign body from (excluding after-care)	231	4	14	0	2.3	4.9	5.0	70.2	554.6	0.0	625
90830			Consultation at a nursing home of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	233	3	15	11	2.0	3.1	2.8	50.4	392.7	160.0	603

CG12&19 - OPHTHALMOLOGY & RADIATION ONCOLOGY. Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Pre	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
90930			Consultation at other institution of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	233	3	15	11	2.0	3.1	2.8	50.4	392.7	160.0	603
91030			Home visit of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	233	3	15	11	2.0	3.1	2.8	50.4	392.7	160.0	603
42803			Pinguecula, removal of by laser in 1 or more stages (not for contact lenses)	235	7	18	10	0.0	2.4	3.2	83.0	429.1	76.5	589
18240			Retrobulbar or peribulbar injection of an anaesthetic agent	236	7	15	10	0.3	2.9	3.6	88.2	405.2	93.0	586
42575			Tarsal cyst, extirpation of	238	11	13	10	0.3	2.7	3.5	138.6	338.4	90.4	567
42622			Punctum, permanent occlusion of, by use of electrical cautery	238	11	13	10	0.3	2.7	3.5	138.6	338.4	90.4	567
55055			Orbital contents, ultrasonic echography of, unidimensional, not being a service associated with a service to which another item	239	7	16	10	1.4	2.0	2.5	107.2	339.1	113.1	559
42821			Retrobulbar transillumination, as an independent procedure	240	7	14	8	0.4	2.9	3.6	89.9	379.2	76.9	546
91220			Consultation in a hospital of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	241	4	10	12	4.0	2.7	1.5	86.9	219.4	238.3	545
15354			Construction and first application of a radioactive mould more than 5 cm in diameter to an external surface	242	5	15	5	3.6	2.8	1.6	103.7	334.8	93.8	532
90730			Consultation in rooms of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	243	4	15	8	2.9	2.3	1.5	76.1	298.0	127.8	502
15112			Radiotherapy, deep or orthovoltage - attendance at which a single dose technique is applied - 1 field	244	10	5	3	5.5	3.8	3.5	254.4	166.5	79.5	500
15351			Construction and first application of a radioactive mould not exceeding 5 cm in diameter to an external surface	245	5	15	5	1.9	2.6	2.4	82.8	347.3	67.6	498
42650			Cornea, epithelial debridement for corneal ulcer or corneal erosion (excluding after-care)	246	7	9	1	2.3	4.9	5.0	122.8	356.5	18.3	498
42587			Trichiasis, treatment of by cryotherapy, laser or electrolysis - each eyelid	247	4	7	5	3.9	4.9	5.2	86.0	290.0	116.8	493
42615			Nasolacrimal tube (bilateral) replacement of, or lacrimal passages, probing for obstruction, bilateral, with or without	248	7	9	0	2.7	4.9	4.7	129.7	350.0	0.0	480
42621			Punctum, temporary occlusion of, by use of electrical cautery	249	7	9	4	1.9	4.0	4.0	115.9	297.5	62.8	476
42797			Laser coagulation of corneal or scleral blood vessels - each treatment to 1 eye, to a maximum of 4 treatments to that eye in	250	4	9	10	1.0	4.0	3.2	57.3	267.5	126.1	451
42677			Conjunctiva, cautery of, including treatment of pannus - each attendance at which treatment is given including any associated	251	7	9	5	0.6	3.5	4.2	93.4	280.7	55.7	430
42794			Division of suture by laser following trabeculoplasty, each treatment to 1 eye, to a maximum of 2 treatments to that eye in	252	4	9	4	1.0	4.0	4.6	57.3	309.9	52.4	420
42824			Retrobulbar injection of alcohol or other drug, as an independent procedure	253	7	9	10	0.1	2.9	3.6	84.7	241.9	86.8	413
11218			Retinal photography, multiple exposures of both eyes with intravenous dye injection	254	7	0	5	7.5	8.4	8.8	212.7	0.0	199.3	412
11215			Retinal photography, multiple exposures, of 1 eye with intravenous dye injection	255	7	0	5	7.3	8.4	8.8	209.2	0.0	196.2	405
90820			Consultation at a nursing home of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	257	2	10	7	2.0	3.1	2.8	33.6	261.8	101.8	397
90920			Consultation at other institution of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	257	2	10	7	2.0	3.1	2.8	33.6	261.8	101.8	397
91020			Home visit of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	257	2	10	7	2.0	3.1	2.8	33.6	261.8	101.8	397
15012			Radiotherapy, superficial - each attendance at which treatment is given to an eye	259	10	5	3	2.9	3.4	3.6	190.2	152.4	53.9	397
90720			Consultation in rooms of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	260	4	10	6	2.9	2.3	1.5	76.1	198.7	95.9	371
42620			Punctum, occlusion of, by use of a plug	261	5	9	5	0.9	3.0	3.4	70.4	243.8	56.1	370

CG12&19 - OPHTHALMOLOGY & RADIATION ONCOLOGY. Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Final Adjustment			Pre	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
11225			Full quantitative computerised perimetry (automated absolute static threshold), performed by a specialist in the practice of his	262	1	7	3	4.0	4.2	4.6	21.7	260.5	68.0	350
42827			Botulinus toxin, injection of, for blepharospasm, including all such injections on any 1 day	263	8	5	5	1.4	3.9	3.6	122.5	155.2	69.4	347
91210			Consultation in a hospital of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	264	3	5	9	3.1	2.7	1.4	58.5	104.8	153.2	317
42614			Nasolacrimal tube (unilateral) replacement of, or lacrimal passages, probing for obstruction, unilateral, with or without	265	7	4	0	2.6	4.9	4.2	128.0	148.5	0.0	276
90810			Consultation at a nursing home of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	267	2	5	7	2.0	3.0	2.8	33.6	129.3	101.0	264
90910			Consultation at other institution of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	267	2	5	7	2.0	3.0	2.8	33.6	129.3	101.0	264
91010			Home visit of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	267	2	5	7	2.0	3.0	2.8	33.6	129.3	101.0	264
15357			Attendance upon a patient to apply a radioactive mould constructed for application to an external surface of the patient	269	5	10	1	1.7	1.2	1.6	80.3	157.9	11.0	249
90710			Consultation in rooms of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	270	3	5	5	2.9	2.0	1.4	57.1	92.8	78.0	228
11203			Tonography - in the investigation or management of glaucoma, of 1 or both eyes - using an electrical tonography machine	271	4	0	4	5.6	4.2	6.4	102.8	0.0	113.1	216
11221			Full quantitative computerised perimetry - (automated absolute static threshold) performed by a specialist in the practice of his	272	1	0	5	4.4	4.2	4.6	22.7	0.0	119.6	142
11200			Provocative test or tests for glaucoma, including water drinking	273	1	0	4	5.2	3.0	4.2	24.7	0.0	99.5	124
15203			Radiation oncology treatment, using a single photon energy linear accelerator, with or without electron facilities - each	275	2	2	3	4.6	0.0	0.0	46.4	17.2	54.3	118
15207			Radiation oncology treatment, using a dual photon energy linear accelerator with a minimum higher energy of 10 MV photons or	275	2	2	3	4.6	0.0	0.0	46.4	17.2	54.3	118
15211			Radiation oncology treatment, using cobalt unit or caesium teletherapy unit - each attendance at which treatment is given -	275	2	2	3	4.6	0.0	0.0	46.4	17.2	54.3	118
15000			Radiotherapy, superficial (including treatment with x-rays, radium rays or other radioactive substances), not being a	278	2	1	3	3.6	1.2	0.0	41.5	11.8	49.1	102
15100			Radiotherapy, deep or orthovoltage - each attendance at which fractionated treatment is given at 3 or more treatments per	278	2	1	3	3.6	1.2	0.0	41.5	11.8	49.1	102
15106			Radiotherapy, deep or orthovoltage - each attendance at which fractionated treatment is given at 2 treatments per week or less	278	2	1	3	3.6	1.2	0.0	41.5	11.8	49.1	102
15009			Radiotherapy, superficial - attendance at which a single dose technique is applied - 2 or more fields up to a maximum of 5	281	1	1	3	4.6	1.2	0.0	23.2	12.5	58.4	94
15115			Radiotherapy, deep or orthovoltage - attendance at which a single dose technique is applied - 2 or more fields up to a	281	1	1	3	4.6	1.2	0.0	23.2	12.5	58.4	94
11224			Full quantitative computerised perimetry - (automated absolute static threshold) performed by a specialist in the practice of his	283	1	0	3	4.0	4.2	4.6	21.7	0.0	68.0	90
11227			Full quantitative computerised perimetry - (automated absolute static threshold) performed by a specialist in the practice of his	283	1	0	3	4.0	4.2	4.6	21.7	0.0	68.0	90
15003			Radiotherapy, superficial (including treatment with x-rays, radium rays or other radioactive substances), not being a	285	1	1	3	3.6	1.2	0.0	20.7	11.8	49.1	82
15103			Radiotherapy, deep or orthovoltage - each attendance at which fractionated treatment is given at 3 or more treatments per	285	1	1	3	3.6	1.2	0.0	20.7	11.8	49.1	82
15109			Radiotherapy, deep or orthovoltage - each attendance at which fractionated treatment is given at 2 treatments per week or less	285	1	1	3	3.6	1.2	0.0	20.7	11.8	49.1	82
15204			Radiation oncology treatment, using a single photon energy linear accelerator, with or without electron facilities - each	288	1	1	3	3.6	0.0	0.0	20.7	7.9	45.0	74
15208			Radiation oncology treatment, using a dual photon energy linear accelerator with a minimum higher energy of 10 MV photons or	288	1	1	3	3.6	0.0	0.0	20.7	7.9	45.0	74
15214			Radiation oncology treatment, using cobalt unit or caesium teletherapy unit - each attendance at which treatment is given -	288	1	1	3	3.6	0.0	0.0	20.7	7.9	45.0	74
15006			Radiotherapy, superficial - attendance at which a single dose technique is applied - 1 field	290	1	1	3	0.4	2.7	3.5	12.8	26.1	28.0	67

CG12&19 - OPHTHALMOLOGY & RADIATION ONCOLOGY. Final time estimates, intensity ratings and rank

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
11209			Electroretinography of 1 or both eyes and electro-oculography of 1 or both eyes	291	1	0	7	0.4	1.5	2.5	12.8	0.0	53.4	66

**CG14,16,17,18,20,21,22&23 - ANAESTHETICS, PAEDIATRIC MEDICINE/THORACIC MEDICINE, GENERAL MEDICINE/ENDOCRINOLOGY/
GERIATRIC MEDICINE/IMMUNOLOGY/OCCUPATIONAL MEDICINE/INFECTIOUS DISEASES/NUCLEAR MEDICINE/
REHABILITATION MEDICINE/RHEUMATOLOGY, CARDIOLOGY/RENAL MEDICINE/ICU, GASTROENTEROLOGY,
NEUROLOGY, CLINICAL HAEMATOLOGY/MEDICAL ONCOLOGY & PSYCHIATRY
Final time estimates, intensity ratings and rank**

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
13603			Whole body perfusion, cardiac bypass, using heart-lung machine or equivalent	1	25	270	20	6.9	6.5	10.0	509.6	13271.2	344.3	14125
38518			Ventricular arrhythmia with mapping and muscle ablation, with or without aneurysmectomy (Assist.)	2	14	184	23	10.0	10.0	10.0	300.9	11369.9	500.5	12171
38536			Ventricular arrhythmia with mapping and ablation, including all associated electrophysiological studies performed on the same	3	14	184	22	10.0	10.0	10.0	300.9	11369.9	478.7	12150
38533			Ablation of arrhythmia circuits or foci, or isolation procedure involving both atrial chambers and including curative procedures	4	14	184	22	10.0	10.0	9.2	288.6	11049.5	478.7	11817
38515			Division of accessory pathway, isolation procedure, procedure on atrioventricular node or perinodal tissues involving both atrial	5	14	166	22	10.0	10.0	9.2	288.6	9968.5	478.7	10736
38512			Division of accessory pathway, isolation procedure, procedure on atrioventricular node or perinodal tissues involving 1 atrial	6	14	138	23	8.8	8.4	9.2	281.5	7538.0	452.7	8272
38530			Ablation of arrhythmia circuit or focus or isolation procedure involving 1 atrial chamber (Assist.)	7	14	138	22	8.8	8.4	9.2	281.5	7538.0	433.0	8253
38270			Balloon valvuloplasty or septostomy, including cardiac catheterisations before and after balloon dilatation	8	21	110	16	9.3	10.0	10.0	451.4	6673.0	348.2	7473
13030			Hyperbaric oxygen therapy performed in a comprehensive hyperbaric medicine facility where the medical practitioner is	9	17	165	17	5.8	6.5	7.1	292.3	6775.5	292.7	7361
13600			Perfusion of limb or organ using heart-lung machine or equivalent	10	25	120	25	6.9	6.5	10.0	509.6	5898.3	430.4	6838
13309			Blood transfusion with venesection and complete replacement of blood, using blood already collected	11	21	150	12	4.6	5.3	7.0	350.8	5443.7	187.9	5982
35305			Transluminal balloon angioplasty of more than 1 coronary artery, percutaneous or by open exposure, excluding associated	12	11	92	23	8.8	8.4	9.6	226.0	5105.5	452.7	5784
13020			Hyperbaric oxygen therapy performed in a comprehensive hyperbaric medicine facility for a period in the hyperbaric	13	6	150	6	4.7	6.5	6.1	96.6	5566.7	103.3	5767
35310			Transluminal stent insertion including associated balloon dilatation for coronary artery, percutaneous or by open	14	11	83	23	8.8	9.2	9.6	228.8	4750.9	476.6	5456
38212			Cardiac electrophysiological study - 4 or more catheter supraventricular tachycardia investigation; or complex	15	14	101	16	8.8	6.8	6.9	239.0	4658.6	281.7	5179
13870			Management of a patient in an Intensive Care Unit by a specialist or consultant physician - including initial and	16	4	92	2	8.9	5.3	8.6	73.9	4297.7	31.3	4403
13306			Blood transfusion with venesection and complete replacement of blood, including collection from donor	17	8	120	5	3.6	5.6	5.1	117.7	3743.4	80.2	3941
13851			Circulatory support device, management of, on first day	18	1	109	4	4.4	5.5	6.4	16.1	3825.7	63.7	3906
35304			Transluminal balloon angioplasty of 1 coronary artery, percutaneous or by open exposure, excluding associated	19	11	64	23	7.6	6.8	8.8	210.8	3092.8	404.9	3708
81081			Home visit exceeding 75 minutes duration with a new patient seen on a referred basis.	20	13	75	23	7.8	5.6	5.7	199.8	2946.0	369.1	3515
18294			Coeliac plexus or splanchnic nerves, destruction by a neurolytic agent	21	13	60	20	4.7	8.0	9.0	256.9	2801.9	383.3	3442
38259			Permanent dual chamber transvenous electrodes, insertion, removal or replacement of	22	10	76	27	5.3	5.4	6.9	166.3	2844.0	426.3	3437
81082			Home visit exceeding 75 minutes duration with an existing patient seen on a referred basis.	23	12	75	23	7.4	5.4	5.5	181.1	2832.2	363.2	3376
38209			Cardiac electrophysiological study - up to and including 3 catheter investigation of any 1 or more of - syncope, atrio-	24	14	69	16	7.6	5.4	6.9	232.8	2838.2	252.6	3324
80781			Consultation in rooms exceeding 75 minutes duration with a new patient seen on a referred basis.	25	7	75	21	7.4	5.4	5.7	107.2	2864.9	331.6	3304
41883			Tracheostomy (Assist.)	26	13	54	33	6.4	6.8	8.5	244.8	2469.7	581.0	3295

**CG14,16,17,18,20,21,22&23 - ANAESTHETICS, PAEDIATRIC MEDICINE/THORACIC MEDICINE, GENERAL MEDICINE/ENDOCRINOLOGY/
GERIATRIC MEDICINE/IMMUNOLOGY/OCCUPATIONAL MEDICINE/INFECTIOUS DISEASES/NUCLEAR MEDICINE/
REHABILITATION MEDICINE/RHEUMATOLOGY, CARDIOLOGY/RENAL MEDICINE/ICU, GASTROENTEROLOGY,
NEUROLOGY, CLINICAL HAEMATOLOGY/MEDICAL ONCOLOGY & PSYCHIATRY
Final time estimates, intensity ratings and rank**

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
80881			Consultation at a nursing home exceeding 75 minutes duration with a new patient seen on a referred basis.	28	5	75	15	7.8	5.7	5.7	77.0	2962.4	242.7	3282
80981			Consultation at other institution exceeding 75 minutes duration with a new patient seen on a referred basis.	28	5	75	15	7.8	5.7	5.7	77.0	2962.4	242.7	3282
80782			Consultation in rooms exceeding 75 minutes duration with an existing patient seen on a referred basis.	29	7	75	20	7.0	5.1	5.9	108.0	2800.0	308.0	3216
81281			Consultation in a hospital of approximately 75 minutes duration with a new patient seen on a referred basis.	30	4	75	15	7.6	5.4	5.8	61.7	2905.4	236.8	3204
41901			Endoscopic laser resection of endobronchial tumours for relief of obstruction including any associated endoscopic procedures	31	7	60	31	6.0	6.2	7.7	124.3	2522.3	521.7	3168
80882			Consultation at a nursing home exceeding 75 minutes duration with an existing patient seen on a referred basis.	33	4	75	15	7.4	5.5	5.6	60.9	2864.9	238.8	3165
80982			Consultation at other institution exceeding 75 minutes duration with an existing patient seen on a referred basis.	33	4	75	15	7.4	5.5	5.6	60.9	2864.9	238.8	3165
39130			Percutaneous epidural electrode, insertion of 1 or more of - for spinal stimulation	34	10	72	10	4.7	7.2	6.1	163.2	2782.0	181.3	3126
81282			Consultation in a hospital of approximately 75 minutes duration with an existing patient seen on a referred basis.	35	4	75	15	7.1	4.7	6.0	61.7	2763.0	223.2	3048
30485			Endoscopic sphincterotomy with or without extraction of stones from common bile duct	36	13	54	25	8.4	5.9	6.9	218.2	2349.8	411.0	2979
30494			Endoscopic biliary dilatation	37	14	59	23	7.3	5.6	6.2	222.9	2334.1	369.1	2926
30493			Biliary manometry	38	14	60	23	7.0	5.3	6.2	221.6	2305.4	360.2	2887
18219			Intrathecal or epidural infusion of a therapeutic substance, initial injection or commencement of, where continuous attendance	39	4	75	10	3.6	6.5	6.1	64.4	2650.2	172.2	2887
81071			Home visit of approximately 60 minutes duration with a new patient seen on a referred basis.	40	13	60	20	7.7	5.5	5.6	198.0	2321.0	318.4	2837
39127			Subcutaneous reservoir and spinal catheter for pain, insertion of	41	7	64	53	3.6	5.6	4.2	96.1	1871.1	850.6	2818
81072			Home visit of approximately 60 minutes duration with an existing patient seen on a referred basis.	42	12	60	20	7.4	5.4	5.4	179.7	2252.7	315.8	2748
13606			Induced controlled hypothermia - total body=20	43	4	84	4	4.4	3.8	6.0	60.5	2563.5	54.8	2679
13873			Management of a patient in an Intensive Care Unit by a specialist or consultant physician - including all attendances,	44	3	60	3	7.8	4.7	8.3	53.8	2578.6	44.6	2677
80871			Consultation at a nursing home of approximately 60 minutes duration with a new patient seen on a referred basis.	46	5	60	13	7.7	5.7	5.7	77.0	2360.2	210.3	2648
80971			Consultation at other institution of approximately 60 minutes duration with a new patient seen on a referred basis.	46	5	60	13	7.7	5.7	5.7	77.0	2360.2	210.3	2648
350			Professional attendance by a consultant physician in the practice of his or her specialty of psychiatry, where the patient is	47	10	60	15	5.3	6.1	6.1	159.7	2232.4	250.5	2643
80771			Consultation in rooms of approximately 60 minutes duration with a new patient seen on a referred basis.	48	6	60	16	7.4	5.3	5.7	91.7	2278.8	250.6	2621
81271			Consultation in a hospital of approximately 60 minutes duration with a new patient seen on a referred basis.	49	4	60	13	7.6	5.4	5.8	61.7	2324.3	205.3	2591
30479			Endoscopic laser therapy for neoplasia and benign vascular lesions or strictures of the gastrointestinal tract	50	5	60	23	5.8	5.2	5.8	76.8	2123.8	357.2	2558
80872			Consultation at a nursing home of approximately 60 minutes duration with an existing patient seen on a referred basis.	52	4	60	13	7.4	5.5	5.5	60.5	2278.9	206.9	2546
80972			Consultation at other institution of approximately 60 minutes duration with an existing patient seen on a referred basis.	52	4	60	13	7.4	5.5	5.5	60.5	2278.9	206.9	2546

**CG14,16,17,18,20,21,22&23 - ANAESTHETICS, PAEDIATRIC MEDICINE/THORACIC MEDICINE, GENERAL MEDICINE/ENDOCRINOLOGY/
GERIATRIC MEDICINE/IMMUNOLOGY/OCCUPATIONAL MEDICINE/INFECTIOUS DISEASES/NUCLEAR MEDICINE/
REHABILITATION MEDICINE/RHEUMATOLOGY, CARDIOLOGY/RENAL MEDICINE/ICU, GASTROENTEROLOGY,
NEUROLOGY, CLINICAL HAEMATOLOGY/MEDICAL ONCOLOGY & PSYCHIATRY
Final time estimates, intensity ratings and rank**

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
13857			Mechanical ventilation, initiation of (other than initiation of ventilation in the context of an anaesthetic for surgery), outside	53	12	44	23	5.8	6.5	8.1	219.5	1902.6	396.0	2518
80772			Consultation in rooms of approximately 60 minutes duration with an existing patient seen on a referred basis.	54	7	60	15	6.9	4.6	5.8	106.1	2151.8	221.3	2479
81272			Consultation in a hospital of approximately 60 minutes duration with an existing patient seen on a referred basis.	55	4	60	12	7.1	4.7	6.0	61.7	2210.4	178.6	2451
13879			Mechanical ventilation, initiation of, by a specialist or consultant physician, in an Intensive Care Unit, including subsequent	56	11	40	15	7.1	6.9	8.7	209.9	1900.7	266.0	2377
13703			Administration of blood including collection from donor=20	57	2	116	2	3.0	3.2	2.8	22.8	2318.0	25.9	2367
30490			Oesophageal prosthesis, insertion of, including endoscopy and dilatation	58	7	50	23	6.6	5.2	6.2	110.6	1878.0	357.2	2346
38206			Right heart catheterisation with left heart catheterisation via the right heart or by any other procedure - including fluoroscopy,	59	7	48	16	6.4	5.4	7.6	121.8	1954.6	252.6	2329
90781			Consultation in rooms exceeding 75 minutes duration with a new patient seen on a referred basis.	61	20	75	30	3.6	3.4	3.2	238.5	1669.4	395.8	2304
91081			Home visit exceeding 75 minutes duration with a new patient seen on a referred basis.	61	20	75	30	3.6	3.4	3.2	238.5	1669.4	395.8	2304
30484			Endoscopic retrograde cholangio-pancreatography	62	10	46	24	6.6	5.2	6.2	157.9	1727.7	372.7	2258
38412			Percutaneous needle biopsy of lung=20	63	7	45	12	6.5	6.2	7.7	124.3	1928.0	201.9	2254
13700			Harvesting of homologous (including allogeneic) or autologous bone marrow for the purpose of transplantation =20	64	25	47	30	3.5	5.8	4.4	350.2	1407.5	489.3	2247
32094			Endoscopic dilatation of colorectal strictures including colonoscopy	65	13	45	24	6.6	5.2	5.8	199.6	1651.0	372.7	2223
90782			Consultation in rooms exceeding 75 minutes duration with an existing patient seen on a referred basis.	67	14	75	26	3.6	3.4	3.2	166.9	1669.4	343.0	2179
91082			Home visit exceeding 75 minutes duration with an existing patient seen on a referred basis.	67	14	75	26	3.6	3.4	3.2	166.9	1669.4	343.0	2179
81061			Home visit of approximately 45 minutes duration with a new patient seen on a referred basis.	68	13	45	15	7.7	5.5	5.6	198.0	1740.7	238.8	2178
38275			Myocardial biopsy, by cardiac catheterisation	69	7	37	16	7.6	6.8	8.5	131.8	1763.8	281.7	2177
39128			Automated subcutaneous infusion device and spinal catheter, insertion of (Assist.)	70	7	61	18	3.6	5.6	4.2	96.1	1783.4	288.9	2168
38215			Selective coronary arteriography - placement of catheters and injection of opaque material	71	7	44	16	6.4	5.4	7.6	121.8	1791.7	252.6	2166
13112			Peritoneal dialysis, establishment of, by abdominal puncture and insertion of temporary catheter (including associated	72	21	29	37	4.0	6.1	8.0	379.2	1138.1	617.8	2135
41831			Oesophagus, endoscopic pneumatic dilatation of (Assist.)	73	9	45	23	5.8	5.2	6.2	142.1	1632.1	357.2	2131
18230			Intrathecal or epidural injection of neurolytic substance	74	13	30	20	4.7	8.0	10.0	271.2	1466.2	383.3	2121
41895			Bronchus, removal of foreign body in (Assist.)	75	15	34	25	6.0	6.2	7.7	266.4	1429.3	420.7	2116
30491			Bile duct, endoscopic stenting of (including endoscopy and dilatation)	76	15	35	30	7.3	5.6	6.2	238.8	1384.7	481.5	2105
38256			Temporary transvenous pacemaking electrode, insertion of	77	8	46	20	4.7	4.8	7.2	134.1	1646.7	300.2	2081
81062			Home visit of approximately 45 minutes duration with an existing patient seen on a referred basis.	78	10	45	15	7.4	5.4	5.3	148.7	1679.7	236.8	2065

**CG14,16,17,18,20,21,22&23 - ANAESTHETICS, PAEDIATRIC MEDICINE/THORACIC MEDICINE, GENERAL MEDICINE/ENDOCRINOLOGY/
GERIATRIC MEDICINE/IMMUNOLOGY/OCCUPATIONAL MEDICINE/INFECTIOUS DISEASES/NUCLEAR MEDICINE/
REHABILITATION MEDICINE/RHEUMATOLOGY, CARDIOLOGY/RENAL MEDICINE/ICU, GASTROENTEROLOGY,
NEUROLOGY, CLINICAL HAEMATOLOGY/MEDICAL ONCOLOGY & PSYCHIATRY
Final time estimates, intensity ratings and rank**

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
13845			Counterpulsation by intra-aortic balloon - management on the first day, including percutaneous insertion, initial and	79	7	37	31	5.3	5.4	7.6	121.8	1441.0	489.5	2052
80861			Consultation at a nursing home of approximately 45 minutes duration with a new patient seen on a referred basis.	81	5	45	13	7.7	5.7	5.6	76.5	1760.4	210.3	2047
80961			Consultation at other institution of approximately 45 minutes duration with a new patient seen on a referred basis.	81	5	45	13	7.7	5.7	5.6	76.5	1760.4	210.3	2047
38200			Right heart catheterisation, including fluoroscopy, oximetry, dye dilution curves, cardiac output measurement by any method,	82	7	41	16	6.4	5.4	7.6	121.8	1669.5	252.6	2044
18276			Paravertebral nerves, injection of an anaesthetic agent, (multiple levels)	83	8	50	10	4.7	6.5	5.1	120.0	1746.7	172.2	2039
80761			Consultation in rooms of approximately 45 minutes duration with a new patient seen on a referred basis.	84	6	45	15	7.4	5.3	5.7	91.7	1709.1	234.9	2036
36561			Renal biopsy (closed)	85	19	28	22	6.4	6.8	8.5	357.8	1280.6	387.3	2026
13818			Right heart balloon catheter, insertion of, including pulmonary wedge pressure and cardiac output measurement	86	8	44	11	5.1	6.3	6.6	132.7	1690.0	186.5	2009
38250			Single chamber permanent transvenous electrode, insertion of	87	11	41	27	5.3	4.2	6.9	178.7	1426.9	384.3	1990
90881			Consultation at a nursing home exceeding 75 minutes duration with a new patient seen on a referred basis.	89	10	75	15	3.6	3.4	3.2	119.2	1669.4	197.9	1987
90981			Consultation at other institution exceeding 75 minutes duration with a new patient seen on a referred basis.	89	10	75	15	3.6	3.4	3.2	119.2	1669.4	197.9	1987
91281			Consultation in a hospital of approximately 75 minutes duration with a new patient seen on a referred basis.	89	10	75	15	3.6	3.4	3.2	119.2	1669.4	197.9	1987
81261			Consultation in a hospital of approximately 45 minutes duration with a new patient seen on a referred basis.	91	4	45	12	7.5	5.4	5.7	61.2	1726.2	189.5	1977
38203			Left heart catheterisation by percutaneous arterial puncture, arteriotomy or percutaneous left ventricular puncture -	92	11	37	12	5.3	5.4	9.2	210.7	1569.9	189.5	1970
80862			Consultation at a nursing home of approximately 45 minutes duration with an existing patient seen on a referred basis.	94	4	45	13	7.4	5.5	5.3	59.6	1689.6	206.9	1956
80962			Consultation at other institution of approximately 45 minutes duration with an existing patient seen on a referred basis.	94	4	45	13	7.4	5.5	5.3	59.6	1689.6	206.9	1956
38213			Cardiac electrophysiological study, for follow-up testing of implanted defibrillator - not being a service associated with a	95	11	41	8	7.6	4.2	7.6	187.2	1641.6	113.9	1943
18298			Cervical or thoracic sympathetic chain, destruction by a neurolytic agent	96	8	30	15	4.7	8.0	10.0	166.9	1466.2	287.5	1921
80762			Consultation in rooms of approximately 45 minutes duration with an existing patient seen on a referred basis.	97	7	45	14	6.9	4.6	5.7	105.4	1604.1	206.5	1916
30475			Endoscopy with balloon dilatation of gastric or gastroduodenal stricture	98	5	45	15	5.8	5.2	5.8	76.8	1592.9	232.9	1903
90771			Consultation in rooms of approximately 60 minutes duration with a new patient seen on a referred basis.	100	18	60	26	3.6	3.4	3.2	214.6	1335.5	343.0	1893
91071			Home visit of approximately 60 minutes duration with a new patient seen on a referred basis.	100	18	60	26	3.6	3.4	3.2	214.6	1335.5	343.0	1893
81262			Consultation in a hospital of approximately 45 minutes duration with an existing patient seen on a referred basis.	101	4	45	12	7.1	4.7	5.9	61.2	1648.0	178.6	1888
38218			Selective coronary arteriography - placement of catheters and injection of opaque material with right or left heart	102	5	37	16	6.4	5.4	7.6	87.0	1506.7	252.6	1846
38603 +	00000		Peripheral cannulation for cardiopulmonary bypass excluding post-operative management (Assist.)	103	0	50	0	6.4	4.2	6.9	0.0	1828.9	0.0	1829
90882			Consultation at a nursing home exceeding 75 minutes duration with an existing patient seen on a referred basis.	105	5	75	7	3.6	3.4	3.2	59.6	1669.4	92.4	1821

**CG14,16,17,18,20,21,22&23 - ANAESTHETICS, PAEDIATRIC MEDICINE/THORACIC MEDICINE, GENERAL MEDICINE/ENDOCRINOLOGY/
GERIATRIC MEDICINE/IMMUNOLOGY/OCCUPATIONAL MEDICINE/INFECTIOUS DISEASES/NUCLEAR MEDICINE/
REHABILITATION MEDICINE/RHEUMATOLOGY, CARDIOLOGY/RENAL MEDICINE/ICU, GASTROENTEROLOGY,
NEUROLOGY, CLINICAL HAEMATOLOGY/MEDICAL ONCOLOGY & PSYCHIATRY
Final time estimates, intensity ratings and rank**

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
90982			Consultation at other institution exceeding 75 minutes duration with an existing patient seen on a referred basis.	105	5	75	7	3.6	3.4	3.2	59.6	1669.4	92.4	1821
91282			Consultation in a hospital of approximately 75 minutes duration with an existing patient seen on a referred basis.	105	5	75	7	3.6	3.4	3.2	59.6	1669.4	92.4	1821
38406			Pericardium, paracentesis of (excluding after-care)	107	8	35	10	7.2	5.6	8.0	143.2	1516.2	160.5	1820
13318			Central vein catheterisation (via jugular or subclavian vein) - by open exposure, in a person under 12 years of age	108	7	37	15	4.0	5.4	8.5	128.7	1435.8	236.8	1801
90772			Consultation in rooms of approximately 60 minutes duration with an existing patient seen on a referred basis.	110	13	60	22	3.6	3.4	3.2	155.0	1335.5	290.3	1781
91072			Home visit of approximately 60 minutes duration with an existing patient seen on a referred basis.	110	13	60	22	3.6	3.4	3.2	155.0	1335.5	290.3	1781
13885			Continuous arterio venous or veno venous haemofiltration, management by a specialist or consultant physician - on the	111	3	54	4	6.2	2.9	5.6	43.2	1651.8	50.2	1745
30569			Endoscopic examination of small bowel with flexible endoscope passed at laparotomy, with or without biopsies (Assist.)	112	21	45	8	5.8	4.3	4.0	274.9	1328.2	114.9	1718
13100			Supervision in hospital by a medical specialist of - haemodialysis, haemofiltration, haemoperfusion or peritoneal	113	5	53	4	6.2	2.9	5.1	69.3	1563.5	50.2	1683
18288			Coeliac plexus or splanchnic nerves, injection of an anaesthetic agent	114	4	40	10	3.6	6.5	6.1	64.4	1413.4	172.2	1650
11724			Up-right tilt table testing for the investigation of syncope of suspected cardiothoracic origin, including blood pressure	115	11	55	8	2.8	3.0	5.3	155.2	1356.6	101.4	1613
13319			Central vein catheterisation in a neonate via peripheral vein	116	8	36	9	5.1	5.3	7.0	133.6	1335.5	140.9	1610
39013			Injection under image intensification with 1 or more of contrast media, local anaesthetic or corticosteroid into 1 or more zygo-	117	3	45	10	3.6	5.6	5.1	44.1	1403.8	160.5	1608
346			Group psychotherapy (including any associated consultations with a patient taking place on the same occasion and relating to	118	5	38	5	5.5	6.2	6.2	80.6	1442.7	84.1	1607
90871			Consultation at a nursing home of approximately 60 minutes duration with a new patient seen on a referred basis.	120	8	60	13	3.6	3.4	3.2	95.4	1335.5	171.5	1602
90971			Consultation at other institution of approximately 60 minutes duration with a new patient seen on a referred basis.	120	8	60	13	3.6	3.4	3.2	95.4	1335.5	171.5	1602
91271			Consultation in a hospital of approximately 60 minutes duration with a new patient seen on a referred basis.	120	8	60	13	3.6	3.4	3.2	95.4	1335.5	171.5	1602
13110			Tenckhoff peritoneal dialysis catheter, removal of (including catheter cuffs)	122	10	30	10	5.8	6.5	7.1	172.0	1231.9	172.2	1576
38253			Permanent pacemaker, insertion, removal or replacement of	123	9	37	20	4.0	4.2	6.1	138.3	1145.6	284.6	1569
39134			Spinal neurostimulator receiver or pulse generator, subcutaneous placement of (Assist.)	124	6	40	13	3.6	4.7	6.1	93.1	1256.3	193.4	1543
38410			Intercostal drain, insertion of, with pleurodesis and not involving resection of rib (excluding aftercare)	125	12	30	14	5.1	5.3	7.0	200.5	1112.9	219.2	1533
39323			Percutaneous neurotomy by cryoneurotomy or radiofrequency lesion generator, not being a service to which another item	126	8	27	23	4.7	6.5	6.1	128.8	1002.0	396.0	1527
41898			Fibreoptic bronchoscopy with 1 or more transbronchial lung biopsies, with or without bronchial or broncho-alveolar lavage,	127	7	28	12	6.5	6.2	7.7	124.3	1199.7	201.9	1526
90761			Consultation in rooms of approximately 45 minutes duration with a new patient seen on a referred basis.	129	16	45	22	3.6	3.4	3.2	190.8	1001.6	290.3	1483
91061			Home visit of approximately 45 minutes duration with a new patient seen on a referred basis.	129	16	45	22	3.6	3.4	3.2	190.8	1001.6	290.3	1483
90872			Consultation at a nursing home of approximately 60 minutes duration with an existing patient seen on a referred basis.	131	4	60	6	3.6	3.4	3.2	47.7	1335.5	79.2	1462

**CG14,16,17,18,20,21,22&23 - ANAESTHETICS, PAEDIATRIC MEDICINE/THORACIC MEDICINE, GENERAL MEDICINE/ENDOCRINOLOGY/
GERIATRIC MEDICINE/IMMUNOLOGY/OCCUPATIONAL MEDICINE/INFECTIOUS DISEASES/NUCLEAR MEDICINE/
REHABILITATION MEDICINE/RHEUMATOLOGY, CARDIOLOGY/RENAL MEDICINE/ICU, GASTROENTEROLOGY,
NEUROLOGY, CLINICAL HAEMATOLOGY/MEDICAL ONCOLOGY & PSYCHIATRY
Final time estimates, intensity ratings and rank**

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
90972			Consultation at other institution of approximately 60 minutes duration with an existing patient seen on a referred basis.	131	4	60	6	3.6	3.4	3.2	47.7	1335.5	79.2	1462
91272			Consultation in a hospital of approximately 60 minutes duration with an existing patient seen on a referred basis.	131	4	60	6	3.6	3.4	3.2	47.7	1335.5	79.2	1462
39118			Percutaneous neurotomy for facet joint denervation by radio-frequency probe or cryoprobe using radiological imaging control	133	7	27	20	4.7	6.5	6.1	112.7	1002.0	344.3	1459
41892			Bronchoscopy with 1 or more endobronchial biopsies or other diagnostic or therapeutic procedures	134	8	23	19	6.2	6.1	7.7	141.8	969.3	317.3	1428
81051			Home visit of approximately 30 minutes duration with a new patient seen on a referred basis.	135	10	30	13	6.8	5.1	5.3	147.7	1071.1	200.2	1419
39125			Spinal catheter, insertion of - for an automated infusion device (Assist.)	136	5	40	10	3.6	5.6	4.2	68.6	1169.4	160.5	1399
38409			Intercostal drain, insertion of, not involving resection of rib (excluding after-care)=20	137	10	24	16	5.9	5.4	7.6	174.0	957.9	252.6	1385
90762			Consultation in rooms of approximately 45 minutes duration with an existing patient seen on a referred basis.	139	12	45	18	3.6	3.4	3.2	143.1	1001.6	237.5	1382
91062			Home visit of approximately 45 minutes duration with an existing patient seen on a referred basis.	139	12	45	18	3.6	3.4	3.2	143.1	1001.6	237.5	1382
13882			Ventilatory support in an Intensive Care Unit, management of, by a specialist or consultant physician - not being a service to Cardioplegia, retrograde administration of, involving crystalloid or blood, via a roller pump or pump-oxygenator	140	5	37	7	5.3	4.6	5.4	73.6	1199.2	103.3	1376
13609			Fibreoptic colonoscopy - examination of colon beyond the hepatic flexure with removal of 1 or more polyps	141	13	20	13	6.9	5.6	9.0	247.0	900.2	208.6	1356
32093			Home visit of approximately 30 minutes duration with an existing patient seen on a referred basis.	142	7	26	17	6.6	5.2	6.2	110.6	976.5	264.0	1351
81052			In vitro processing (and cryopreservation) of bone marrow or peripheral blood for autologous stem cell transplantation as an	143	8	30	13	6.5	5.0	4.9	114.4	1023.9	198.5	1337
13760			Lumbar sympathetic chain, destruction by a neurolytic agent	144	25	20	20	4.8	6.9	3.4	331.4	645.4	354.7	1332
18296			Consultation at a nursing home of approximately 30 minutes duration with a new patient seen on a referred basis.	145	10	18	20	4.7	7.2	8.1	185.2	773.9	362.5	1322
80851			Consultation at other institution of approximately 30 minutes duration with a new patient seen on a referred basis.	147	5	30	10	6.8	5.3	5.2	73.6	1077.7	156.6	1308
80951			Consultation in rooms of approximately 30 minutes duration with a new patient seen on a referred basis.	147	5	30	10	6.8	5.3	5.2	73.6	1077.7	156.6	1308
80751			Consultation in rooms of approximately 30 minutes duration with a new patient seen on a referred basis.	148	4	30	12	6.4	4.9	5.5	59.7	1051.7	181.7	1293
13290			Semen, collection of, from a patient with spinal injuries or medically induced impotence, for the purposes of analysis.	149	12	30	18	6.0	4.6	3.4	150.3	875.6	265.5	1291
81251			Consultation in a hospital of approximately 30 minutes duration with a new patient seen on a referred basis.	150	4	30	10	6.5	5.0	5.6	60.3	1069.7	152.7	1283
90861			Consultation at a nursing home of approximately 45 minutes duration with a new patient seen on a referred basis.	152	7	45	11	3.6	3.4	3.2	83.5	1001.6	145.1	1230
90961			Consultation at other institution of approximately 45 minutes duration with a new patient seen on a referred basis.	152	7	45	11	3.6	3.4	3.2	83.5	1001.6	145.1	1230
91261			Consultation in a hospital of approximately 45 minutes duration with a new patient seen on a referred basis.	152	7	45	11	3.6	3.4	3.2	83.5	1001.6	145.1	1230
344			Group psychotherapy (including any associated consultations with a patient taking place on the same occasion and relating to	154	5	28	5	5.5	6.2	6.2	80.6	1063.0	84.1	1228
348			Professional attendance by a consultant physician in the practice of his or her specialty of psychiatry, where the patient is	156	5	30	10	4.6	5.4	5.4	74.9	990.8	157.9	1224
352			Professional attendance by a consultant physician in the practice of his or her specialty of psychiatry, where the patient is	156	5	30	10	4.6	5.4	5.4	74.9	990.8	157.9	1224

**CG14,16,17,18,20,21,22&23 - ANAESTHETICS, PAEDIATRIC MEDICINE/THORACIC MEDICINE, GENERAL MEDICINE/ENDOCRINOLOGY/
GERIATRIC MEDICINE/IMMUNOLOGY/OCCUPATIONAL MEDICINE/INFECTIOUS DISEASES/NUCLEAR MEDICINE/
REHABILITATION MEDICINE/RHEUMATOLOGY, CARDIOLOGY/RENAL MEDICINE/ICU, GASTROENTEROLOGY,
NEUROLOGY, CLINICAL HAEMATOLOGY/MEDICAL ONCOLOGY & PSYCHIATRY
Final time estimates, intensity ratings and rank**

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
80852			Consultation at a nursing home of approximately 30 minutes duration with an existing patient seen on a referred basis.	158	4	30	10	6.5	5.1	4.6	56.0	1010.9	154.0	1221
80952			Consultation at other institution of approximately 30 minutes duration with an existing patient seen on a referred basis.	158	4	30	10	6.5	5.1	4.6	56.0	1010.9	154.0	1221
81252			Consultation in a hospital of approximately 30 minutes duration with an existing patient seen on a referred basis.	159	4	30	10	6.2	4.5	5.3	58.3	1002.8	146.2	1207
11903			Cystometrography, not being a service associated with a service to which item 11012-11027, 11912, 11915, 11918,	160	12	32	15	6.0	3.5	3.4	146.1	857.1	199.8	1203
80752			Consultation in rooms of approximately 30 minutes duration with an existing patient seen on a referred basis.	161	4	30	11	6.1	4.4	5.2	57.8	984.9	159.4	1202
38403			Thoracic cavity, aspiration of, with therapeutic drainage (paracentesis), with or without diagnostic sample=20	162	8	30	9	4.4	4.2	6.1	122.9	948.3	128.1	1199
13848			Counterpulsation by intra-aortic balloon - management on each day subsequent to the first, including associated consultations	163	7	23	8	6.4	5.4	7.6	121.8	936.6	126.3	1185
13303			Umbilical artery catheterisation with or without infusion	164	7	30	4	3.6	5.3	6.2	110.8	988.1	62.6	1161
30476			Oesophagoscopy (not being a service to which item 41816 or 41822 applies), gastroscopy, duodenoscopy or panendoscopy	166	7	21	21	6.6	4.6	5.8	106.1	743.0	309.8	1159
30478			Oesophagoscopy (not being a service to which item 41816, 41822 or 41825 applies), gastroscopy, duodenoscopy or	166	7	21	21	6.6	4.6	5.8	106.1	743.0	309.8	1159
11018			Neuromuscular electrodiagnosis - conduction studies on 4 or more nerves with or without electromyography or recordings	167	3	35	10	2.7	5.4	4.1	40.6	949.5	157.9	1148
13506			Gastro-oesophageal balloon intubation, minnesota, sengstaken-blakemore or similar, for control of bleeding from gastric	168	10	18	18	5.9	5.1	7.3	169.7	694.9	277.2	1142
16000			Administration of a therapeutic dose of a radioisotope - not being a service to which another item in this Group applies	170	14	20	15	6.9	3.5	6.8	222.8	712.8	199.8	1135
16015			Administration of Strontium 89 for painful bony metastases from carcinoma of the prostate where hormone therapy has failed	170	14	20	15	6.9	3.5	6.8	222.8	712.8	199.8	1135
40018			Lumbar cerebrospinal fluid drain, insertion of	171	4	21	27	2.4	6.5	4.2	56.0	614.5	464.9	1135
16003			Intra-cavitary administration of a therapeutic dose of Yttrium 90 (not including preliminary paracentesis)=20	172	7	20	12	6.0	5.7	7.6	122.4	814.6	194.1	1131
13103			Supervision in hospital by a medical specialist of - haemodialysis, haemofiltration, haemoperfusion or peritoneal	173	21	18	29	8.8	1.1	5.3	283.5	543.7	296.0	1123
30482			Percutaneous endoscopic gastrostomy (repeat procedure)	174	9	27	11	5.0	4.6	4.9	127.6	832.6	162.3	1122
13300			Umbilical or scalp vein catheterisation in a neonate with or without infusion; or cannulation of a vein	175	7	30	4	3.6	4.7	6.2	109.4	948.8	59.5	1118
90862			Consultation at a nursing home of approximately 45 minutes duration with an existing patient seen on a referred basis.	177	3	45	5	3.6	3.4	3.2	35.8	1001.6	66.0	1103
90962			Consultation at other institution of approximately 45 minutes duration with an existing patient seen on a referred basis.	177	3	45	5	3.6	3.4	3.2	35.8	1001.6	66.0	1103
91262			Consultation in a hospital of approximately 45 minutes duration with an existing patient seen on a referred basis.	177	3	45	5	3.6	3.4	3.2	35.8	1001.6	66.0	1103
13815			Central vein catheterisation (via jugular, subclavian or femoral vein) by percutaneous or open exposure not being a service to	179	5	26	9	3.6	5.6	6.2	79.6	873.3	144.4	1097
16012			Intravenous administration of a therapeutic dose of Phosphorous 32	180	14	20	12	6.9	3.5	6.8	222.8	712.8	159.9	1095
18274			Paravertebral, cervical, thoracic, lumbar, sacral or coccygeal nerves, injection of an anaesthetic agent, (single vertebral level)	181	4	30	6	3.6	5.6	5.1	58.8	935.9	96.3	1091
32090			Fibreoptic colonoscopy - examination of colon beyond the hepatic flexure with or without biopsy	182	8	20	15	6.6	5.2	5.8	122.8	733.8	232.9	1090

**CG14,16,17,18,20,21,22&23 - ANAESTHETICS, PAEDIATRIC MEDICINE/THORACIC MEDICINE, GENERAL MEDICINE/ENDOCRINOLOGY/
GERIATRIC MEDICINE/IMMUNOLOGY/OCCUPATIONAL MEDICINE/INFECTIOUS DISEASES/NUCLEAR MEDICINE/
REHABILITATION MEDICINE/RHEUMATOLOGY, CARDIOLOGY/RENAL MEDICINE/ICU, GASTROENTEROLOGY,
NEUROLOGY, CLINICAL HAEMATOLOGY/MEDICAL ONCOLOGY & PSYCHIATRY
Final time estimates, intensity ratings and rank**

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
30481			Percutaneous endoscopic gastrostomy (initial procedure)	184	8	21	17	5.8	4.8	5.4	118.3	706.7	255.2	1080
32087			Flexible fibreoptic sigmoidoscopy or fibreoptic colonoscopy up to the hepatic flexure with removal of 1 or more polyps - not	184	8	21	17	5.8	4.8	5.4	118.3	706.7	255.2	1080
13854			Circulatory support device, management of, on each day subsequent to the first	185	1	29	1	5.0	5.5	6.4	16.1	1045.9	15.9	1078
50115			Joint or joints, manipulation of, performed in the operating theatre of a hospital or approved day hospital facility, not being	186	15	12	30	5.3	4.6	5.9	229.1	402.0	442.5	1074
18233			Epidural injection of blood for blood patch	187	6	17	15	4.7	7.2	7.1	104.5	693.9	271.9	1070
30094			Percutaneous aspiration biopsy of deep organ using interventional techniques - but not including imaging	188	11	20	12	6.9	3.5	6.8	175.0	712.8	159.9	1048
11712			Multi channel ECG monitoring and recording during exercise (motorised treadmill or cycle ergometer capable of quantifying	189	8	25	10	5.4	3.3	6.0	119.8	776.0	130.6	1026
41884			Cricothyrostomy (Minitrach)	190	10	19	14	5.3	4.2	6.9	162.4	661.3	199.2	1023
39126			Automated subcutaneous infusion device, insertion of (Assist.)	191	8	30	10	2.4	4.7	4.2	107.5	760.1	148.8	1016
90751			Consultation in rooms of approximately 30 minutes duration with a new patient seen on a referred basis.	193	14	30	18	2.4	3.4	3.2	166.9	609.7	237.5	1014
91051			Home visit of approximately 30 minutes duration with a new patient seen on a referred basis.	193	14	30	18	2.4	3.4	3.2	166.9	609.7	237.5	1014
18216			Intrathecal or epidural infusion of a therapeutic substance, initial injection or commencement of, including up to 1 hour of	194	5	20	10	4.4	5.9	7.3	86.1	758.6	164.4	1009
18286			Lumbar or thoracic nerves, injection of an anaesthetic agent, (paravertebral sympathetic block)	195	5	21	10	3.6	6.5	6.1	80.5	742.1	172.2	995
41819			Oesophageal and anastomic stricture, endoscopic dilatation of	196	8	16	18	5.8	5.2	5.8	122.8	566.4	279.5	969
13888			Continuous arterio venous or veno venous haemofiltration, management by a specialist or consultant physician - on each	197	21	18	12	8.8	1.1	5.3	283.5	543.7	122.5	950
11918			Cystometrography in conjunction with imaging, with measurement of any 1 or more of urine flow rate, urethral	198	11	20	15	6.0	4.6	3.4	137.8	583.7	221.3	943
18254			Brachial plexus, injection of an anaesthetic agent	199	7	19	9	3.6	6.5	6.1	112.7	671.4	155.0	939
41889			Bronchoscopy, as an independent procedure	200	9	15	14	6.0	5.1	7.0	149.8	571.7	215.6	937
90752			Consultation in rooms of approximately 30 minutes duration with an existing patient seen on a referred basis.	202	11	30	14	2.4	3.4	3.2	131.2	609.7	184.7	926
91052			Home visit of approximately 30 minutes duration with an existing patient seen on a referred basis.	202	11	30	14	2.4	3.4	3.2	131.2	609.7	184.7	926
81040			Home visit of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	203	8	20	10	5.5	4.8	4.9	113.9	641.6	150.1	906
14209			Intra-arterial infusion or retrograde intravenous perfusion of a sympatholytic agent	204	8	20	10	3.6	5.6	5.1	117.7	623.9	160.5	902
81043			Home visit of approximately 20 minutes duration and the nature of the service requires breaks in continuity with a new or	205	8	20	10	5.7	4.2	5.2	115.0	635.0	142.3	892
16006			Administration of a therapeutic dose of Iodine 131 for thyroid cancer by single dose technique	206	14	20	15	6.0	1.8	5.1	189.0	535.5	166.7	891
18292			Nerve branch, destruction by a neurolytic agent, not being a service to which any other item in this Group applies	207	6	21	6	5.3	4.6	5.9	91.6	703.5	88.5	884
13830			Intracranial pressure, monitoring of, by intraventricular or subdural catheter, subarachnoid bolt or similar, by a specialist	208	4	28	8	5.3	1.9	5.3	55.0	736.4	90.0	881

**CG14,16,17,18,20,21,22&23 - ANAESTHETICS, PAEDIATRIC MEDICINE/THORACIC MEDICINE, GENERAL MEDICINE/ENDOCRINOLOGY/
GERIATRIC MEDICINE/IMMUNOLOGY/OCCUPATIONAL MEDICINE/INFECTIOUS DISEASES/NUCLEAR MEDICINE/
REHABILITATION MEDICINE/RHEUMATOLOGY, CARDIOLOGY/RENAL MEDICINE/ICU, GASTROENTEROLOGY,
NEUROLOGY, CLINICAL HAEMATOLOGY/MEDICAL ONCOLOGY & PSYCHIATRY
Final time estimates, intensity ratings and rank**

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
13025			Hyperbaric oxygen therapy performed in a comprehensive hyperbaric medicine facility for a period in the hyperbaric	209	4	20	4	4.7	6.5	6.1	64.4	742.2	68.9	875
39140			Epidural catheter, insertion of, under imaging control, with epidurogram and epidural therapeutic injection for lysis of	210	9	14	9	4.7	7.2	6.1	146.9	540.9	163.1	851
18232			Intrathecal or epidural injection of substance other than anaesthetic, contrast or neurolytic solutions, not being a service	211	6	18	9	4.1	5.5	5.5	90.7	587.8	143.3	822
81243			Consultation in a hospital of approximately 20 minutes duration and the nature of the service requires breaks in continuity with a	212	3	20	9	6.4	3.9	5.4	43.5	653.2	124.6	821
80843			Consultation in a nursing home of approximately 20 minutes duration where the clinical record demonstrates that more than	213	3	20	8	5.7	4.6	5.3	43.8	656.8	118.0	819
13750			Therapeutic haemapheresis for the removal of plasma or cellular (or both) elements of blood, utilising continuous or	215	17	20	10	3.5	3.8	3.4	208.6	468.1	137.1	814
13755			Donor haemapheresis for the collection of blood products for transfusion, utilising continuous or intermittent flow techniques;	215	17	20	10	3.5	3.8	3.4	208.6	468.1	137.1	814
30090			Biopsy of pleura, percutaneous - 1 or more biopsies on any 1 occasion	216	11	15	12	4.6	3.9	6.2	169.2	472.4	166.1	808
18228			Interpleural block, initial injection or commencement of infusion of a therapeutic substance	217	4	20	10	2.4	5.6	5.1	58.8	585.2	160.5	805
80943			Consultation in an institution of approximately 20 minutes duration where the clinical record demonstrates that more than	218	3	20	7	5.7	4.6	5.3	43.8	656.8	103.3	804
42830			Botulinus toxin, injection of, for strabismus including all such injections on any 1 day and associated electromyography	219	13	20	14	0.5	4.4	4.1	172.0	427.9	202.9	803
90851			Consultation at a nursing home of approximately 30 minutes duration with a new patient seen on a referred basis.	221	6	30	9	2.4	3.4	3.2	71.5	609.7	118.7	800
90951			Consultation at other institution of approximately 30 minutes duration with a new patient seen on a referred basis.	221	6	30	9	2.4	3.4	3.2	71.5	609.7	118.7	800
91251			Consultation in a hospital of approximately 30 minutes duration with a new patient seen on a referred basis.	221	6	30	9	2.4	3.4	3.2	71.5	609.7	118.7	800
340			Attendance for electroconvulsive therapy, with or without the use of stimulus dosing techniques, including any	223	5	25	1	2.0	5.4	5.1	73.2	704.4	15.8	793
18211			Introduction of a regional or field nerve block peri-operatively performed in the induction room, theatre or recovery room for	225	4	20	4	3.6	6.5	5.1	60.0	663.2	68.9	792
18212			Introduction of a regional or field nerve block peri-operatively performed in the induction room, theatre or recovery room for	225	4	20	4	3.6	6.5	5.1	60.0	663.2	68.9	792
18244			Vagus nerve, injection of an anaesthetic agent	225	4	20	4	3.6	6.5	5.1	60.0	663.2	68.9	792
13948			Cytotoxic agent, instillation of, into a body cavity	227	11	22	11	3.1	3.8	3.4	135.0	500.7	150.8	787
39000			Lumbar puncture	228	7	17	6	5.2	5.0	5.9	107.8	581.6	91.6	781
342			Group psychotherapy (including any associated consultations with a patient taking place on the same occasion and relating to	229	4	17	4	5.5	6.2	6.2	64.4	645.4	67.3	777
80840			Consultation at a nursing home of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	230	3	20	8	5.2	4.7	4.6	41.6	614.5	119.0	775
81240			Consultation in a hospital of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	231	3	20	8	5.3	4.3	5.0	42.6	617.7	114.9	775
80740			Consultation in rooms of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	232	3	20	9	5.1	4.2	4.9	42.1	602.5	128.1	773
80743			Consultation in rooms of approximately 20 minutes duration and the nature of the service requires breaks in continuity with a	233	3	20	9	6.0	3.6	5.0	41.9	609.7	121.1	773
80940			Consultation at other institution of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	234	3	20	7	5.2	4.7	4.6	41.6	614.5	104.2	760

**CG14,16,17,18,20,21,22&23 - ANAESTHETICS, PAEDIATRIC MEDICINE/THORACIC MEDICINE, GENERAL MEDICINE/ENDOCRINOLOGY/
GERIATRIC MEDICINE/IMMUNOLOGY/OCCUPATIONAL MEDICINE/INFECTIOUS DISEASES/NUCLEAR MEDICINE/
REHABILITATION MEDICINE/RHEUMATOLOGY, CARDIOLOGY/RENAL MEDICINE/ICU, GASTROENTEROLOGY,
NEUROLOGY, CLINICAL HAEMATOLOGY/MEDICAL ONCOLOGY & PSYCHIATRY
Final time estimates, intensity ratings and rank**

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
39131			Percutaneous epidural electrodes, management, adjustment, electronic programming and trial of stimulation of, by a medical	235	0	30	0	2.4	4.7	4.2	0.0	760.1	0.0	760
13400			Restoration of cardiac rhythm by electrical stimulation (cardioversion), other than in the course of cardiac surgery	236	8	15	11	5.8	2.0	7.6	130.5	485.0	125.1	741
18284			Stellate ganglion, injection of an anaesthetic agent, (cervical sympathetic block)	237	9	13	10	3.6	5.6	6.1	142.3	433.8	160.5	737
18248			Phrenic nerve, injection of an anaesthetic agent	238	4	15	10	3.6	6.5	5.1	60.0	497.4	172.2	730
30487			Small bowel intubation with biopsy	239	12	26	16	1.6	2.9	2.0	125.4	398.5	200.7	725
90740			Consultation in rooms of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	242	10	20	14	2.4	3.4	3.2	119.2	406.4	184.7	710
90743			Consultation in rooms of approximately 20 minutes duration and the nature of the service requires breaks in continuity with a	242	10	20	14	2.4	3.4	3.2	119.2	406.4	184.7	710
91040			Home visit of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	242	10	20	14	2.4	3.4	3.2	119.2	406.4	184.7	710
91043			Home visit of approximately 20 minutes duration and the nature of the service requires breaks in continuity with a new or	242	10	20	14	2.4	3.4	3.2	119.2	406.4	184.7	710
32084			Flexible fiberoptic sigmoidoscopy or fiberoptic colonoscopy up to the hepatic flexure, with or without biopsy	244	7	17	9	4.1	4.3	4.7	97.0	481.0	129.3	707
11015			Neuromuscular electrodiagnosis - conduction studies on 2 or 3 nerves with or without electromyography (not being a service	245	3	25	5	1.9	4.9	3.5	38.2	586.0	75.7	700
90852			Consultation at a nursing home of approximately 30 minutes duration with an existing patient seen on a referred basis.	247	3	30	4	2.4	3.4	3.2	35.8	609.7	52.8	698
90952			Consultation at other institution of approximately 30 minutes duration with an existing patient seen on a referred basis.	247	3	30	4	2.4	3.4	3.2	35.8	609.7	52.8	698
91252			Consultation in a hospital of approximately 30 minutes duration with an existing patient seen on a referred basis.	247	3	30	4	2.4	3.4	3.2	35.8	609.7	52.8	698
18225			Infusion of a therapeutic substance to maintain regional anaesthesia or analgesia, subsequent injection or revision of,	249	2	25	2	2.4	4.7	4.2	26.9	633.4	29.8	690
81030			Home visit of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	250	8	15	10	4.9	4.1	4.6	109.5	434.0	141.0	684
30087			Biopsy of bone marrow by aspiration or punch biopsy of synovial membrane=20	251	8	20	12	3.5	3.8	2.5	90.3	428.9	164.5	684
32095			Endoscopic examination of small bowel with flexible endoscope passed by stoma, with or without biopsies	252	8	17	9	4.1	3.8	4.0	103.4	436.6	123.4	663
11021			Neuromuscular electrodiagnosis - repetitive stimulation for study of neuromuscular conduction or electromyography with	253	1	20	10	1.9	5.4	3.5	12.9	490.6	157.9	661
30473			Oesophagoscopy (not being a service to which item 41816 or 41822 applies), gastroscopy, duodenoscopy or panendoscopy	254	6	11	11	7.6	4.6	5.3	87.7	395.0	162.3	645
11003			Electroencephalography, prolonged recording of at least 3 hours duration, not being a service: (a) associated with a	255	10	0	40	4.9	3.4	3.0	117.0	0.0	527.7	645
30409			Liver biopsy, percutaneous	256	9	20	15	2.7	0.7	4.9	116.4	372.3	145.3	634
18210			Introduction of a regional or field nerve block peri-operatively performed in the induction room, theatre or recovery room for	257	4	15	4	3.6	6.5	5.1	60.0	497.4	68.9	626
41832			Oesophagus, balloon dilatation of, using interventional imaging techniques	258	5	15	8	3.3	4.6	4.9	70.9	421.4	118.0	610
13876			Central venous pressure, pulmonary arterial pressure, systemic arterial pressure or cardiac intracavity pressure, continuous	259	2	20	5	3.8	3.3	4.7	27.1	512.6	65.3	605
18246			Glossopharyngeal nerve, injection of an anaesthetic agent	260	4	15	4	3.6	6.5	4.2	56.0	468.0	68.9	593

**CG14,16,17,18,20,21,22&23 - ANAESTHETICS, PAEDIATRIC MEDICINE/THORACIC MEDICINE, GENERAL MEDICINE/ENDOCRINOLOGY/
GERIATRIC MEDICINE/IMMUNOLOGY/OCCUPATIONAL MEDICINE/INFECTIOUS DISEASES/NUCLEAR MEDICINE/
REHABILITATION MEDICINE/RHEUMATOLOGY, CARDIOLOGY/RENAL MEDICINE/ICU, GASTROENTEROLOGY,
NEUROLOGY, CLINICAL HAEMATOLOGY/MEDICAL ONCOLOGY & PSYCHIATRY
Final time estimates, intensity ratings and rank**

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
18282			Carotid sinus, injection of an anaesthetic agent, as an independent percutaneous procedure	261	4	15	4	3.6	5.6	5.1	58.8	467.9	64.2	591
18252			Cervical plexus, injection of an anaesthetic agent	262	4	15	6	3.6	5.6	4.2	54.9	438.5	96.3	590
18260			Intercostal nerves (multiple), injection of an anaesthetic agent	263	3	13	8	3.6	5.6	5.1	44.1	405.5	128.4	578
80730			Consultation in rooms of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	264	3	15	8	4.8	4.0	4.4	40.3	421.8	111.8	574
11627			Pulmonary artery pressure monitoring during open heart surgery, in a person under 12 years of age	265	2	20	2	2.4	4.7	4.2	26.9	506.7	29.8	563
90730			Consultation in rooms of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	267	8	15	12	2.4	3.4	3.2	95.4	304.8	158.3	559
91030			Home visit of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	267	8	15	12	2.4	3.4	3.2	95.4	304.8	158.3	559
90840			Consultation at a nursing home of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	271	5	20	7	2.4	3.4	3.2	59.6	406.4	92.4	558
90843			Consultation at a nursing home of approximately 20 minutes duration and the nature of the service requires breaks in	271	5	20	7	2.4	3.4	3.2	59.6	406.4	92.4	558
90940			Consultation at other institution of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	271	5	20	7	2.4	3.4	3.2	59.6	406.4	92.4	558
90943			Consultation at other institution of approximately 20 minutes duration and the nature of the service requires breaks in	271	5	20	7	2.4	3.4	3.2	59.6	406.4	92.4	558
91240			Consultation in a hospital of approximately 20 minutes duration with a new or existing patient seen on a referred basis.	271	5	20	7	2.4	3.4	3.2	59.6	406.4	92.4	558
91243			Consultation in a hospital of approximately 20 minutes duration and the nature of the service requires breaks in continuity with a	271	5	20	7	2.4	3.4	3.2	59.6	406.4	92.4	558
80830			Consultation at a nursing home of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	275	3	15	6	4.9	4.2	4.3	40.2	427.5	85.4	553
80930			Consultation at other institution of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	275	3	15	6	4.9	4.2	4.3	40.2	427.5	85.4	553
81230			Consultation in a hospital of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	276	3	15	6	4.9	4.0	4.5	40.6	427.4	83.8	552
13842			Intra-arterial cannulisation for the purpose of taking multiple arterial blood samples for blood gas analysis	277	4	11	10	3.2	5.5	5.1	58.7	333.6	159.2	552
12503			Erythrocyte radioactive uptake survival time test or iron kinetic test=20	278	11	10	12	6.0	4.6	1.6	116.0	252.7	177.0	546
18250			Spinal accessory nerve, injection of an anaesthetic agent	279	4	15	4	3.6	4.7	4.2	53.7	409.1	59.5	522
30081			Biopsy of bone marrow by trephine using an open approach	281	8	15	10	3.5	3.8	1.8	84.1	298.8	137.1	520
30084			Biopsy of bone marrow by trephine using a percutaneous approach with a Jamshidi needle or similar device	281	8	15	10	3.5	3.8	1.8	84.1	298.8	137.1	520
16009			Administration of a therapeutic dose of Iodine 131 for thyrotoxicosis by single dose technique=20	282	14	10	4	5.3	1.8	5.9	201.4	273.9	44.5	520
13930			Chemotherapy, administration of, by intra-arterial infusion of more than 1 hours duration but not more than 6 hours duration -	283	4	15	5	4.8	3.8	3.4	49.1	382.6	68.6	500
30406			Paracentesis abdominis	284	7	19	4	4.6	1.8	2.6	75.3	362.4	44.5	482
50124			Joint or other synovial cavity, aspiration of, injection into, or both of these procedures; payable on not more than 25 occasions in	285	7	12	8	3.8	3.5	3.4	85.2	278.8	106.6	471
13709			Collection of blood for autologous transfusion or when homologous blood is required for immediate transfusion in	286	4	21	2	3.0	3.2	2.3	43.5	396.8	25.9	466

**CG14,16,17,18,20,21,22&23 - ANAESTHETICS, PAEDIATRIC MEDICINE/THORACIC MEDICINE, GENERAL MEDICINE/ENDOCRINOLOGY/
GERIATRIC MEDICINE/IMMUNOLOGY/OCCUPATIONAL MEDICINE/INFECTIOUS DISEASES/NUCLEAR MEDICINE/
REHABILITATION MEDICINE/RHEUMATOLOGY, CARDIOLOGY/RENAL MEDICINE/ICU, GASTROENTEROLOGY,
NEUROLOGY, CLINICAL HAEMATOLOGY/MEDICAL ONCOLOGY & PSYCHIATRY
Final time estimates, intensity ratings and rank**

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
18256			Suprascapular nerve, injection of an anaesthetic agent	287	4	10	6	4.4	5.1	5.0	57.8	311.8	92.4	462
13918			Chemotherapy, administration of, by intravenous infusion of more than 1 hours duration but not more than 6 hours duration -	288	5	15	5	4.1	2.4	3.8	61.3	332.8	59.5	454
12207			Overnight investigation for sleep apnoea for a period of at least 8 hours duration, where: (a) continuous monitoring of	289	11	0	31	6.0	1.4	2.0	109.7	0.0	328.5	438
11601			Blood pressure monitoring (central venous, pulmonary arterial, systemic arterial or cardiac intracavity), by indwelling catheter -	290	2	15	2	2.4	4.7	4.2	26.9	380.0	29.8	437
39136			Percutaneous epidural implant for management of pain, removal of	291	3	18	5	1.0	3.4	3.2	35.8	325.1	66.0	427
30488			Small bowel intubation - as an independent procedure	292	2	30	2	0.8	2.3	2.0	20.5	381.8	23.5	426
11006			Electroencephalography, temporosphenoidal, not being a service involving quantitative topographic mapping using	293	10	0	20	4.9	4.4	4.1	132.3	0.0	289.8	422
13921			Chemotherapy, administration of, by intravenous infusion of more than 6 hours duration - for the first day of treatment	294	4	15	5	4.8	1.8	3.4	46.5	317.1	55.6	419
90830			Consultation at a nursing home of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	296	4	15	5	2.4	3.4	3.2	47.7	304.8	66.0	418
90930			Consultation at other institution of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	296	4	15	5	2.4	3.4	3.2	47.7	304.8	66.0	418
91230			Consultation in a hospital of approximately 15 minutes duration with a new or existing patient seen on a referred basis.	296	4	15	5	2.4	3.4	3.2	47.7	304.8	66.0	418
81020			Home visit of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	298	4	10	8	4.1	3.3	4.6	53.7	259.0	104.5	417
18268			Obturator nerve, injection of an anaesthetic agent	299	4	10	5	2.4	5.6	4.2	54.9	273.0	80.2	408
11600			Blood pressure monitoring (central venous, pulmonary arterial, systemic arterial or cardiac intracavity), by indwelling catheter -	300	2	15	0	2.4	4.7	4.2	26.9	380.0	0.0	407
90720			Consultation in rooms of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	302	6	10	10	2.4	3.4	3.2	71.5	203.2	131.9	407
91020			Home visit of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	302	6	10	10	2.4	3.4	3.2	71.5	203.2	131.9	407
11810			Clinical assessment of gastro-oesophageal reflux disease involving 24 hour pH monitoring, including analysis,	303	7	15	8	1.6	2.9	2.0	73.1	229.9	100.4	403
12003			Skin sensitivity testing for allergens, using more than 20 allergens, not being a service associated with a service to	304	3	18	5	5.8	1.4	1.5	28.3	319.4	53.0	401
32072			Sigmoidoscopic examination (with rigid sigmoidoscope), with or without biopsy	305	4	10	9	4.8	3.0	3.4	48.1	237.6	114.1	400
18270			Femoral nerve, injection of an anaesthetic agent	306	4	9	5	3.6	5.6	4.2	54.9	263.1	80.2	398
12209			Overnight investigation for sleep apnoea for a period of at least 8 hours duration where: (a) continuous monitoring of oxygen	307	10	0	30	0.5	1.2	0.5	82.6	0.0	310.1	393
13927			Chemotherapy, administration of, either by intra-arterial push technique (directly into an artery, a butterfly needle or the side-	308	4	15	5	4.1	2.8	1.8	40.8	280.6	62.1	383
30483			Gastrostomy button, non-endoscopic insertion of, or non-endoscopic replacement of	309	4	14	7	1.6	2.9	3.1	46.6	248.1	87.8	383
80820			Consultation at a nursing home of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	310	3	10	4	4.1	3.4	4.4	39.7	256.8	52.8	349
38400			Thoracic cavity, aspiration of, for diagnostic purposes, not being a service associated with a service to which item 38403 applies	311	7	6	8	4.4	2.6	5.0	95.5	154.3	97.2	347
18209			Introduction of local anaesthetic, for control of post-operative pain, into the epidural or intrathecal space, in conjunction with	312	2	5	10	3.6	5.6	5.1	29.4	156.0	160.5	346

**CG14,16,17,18,20,21,22&23 - ANAESTHETICS, PAEDIATRIC MEDICINE/THORACIC MEDICINE, GENERAL MEDICINE/ENDOCRINOLOGY/
GERIATRIC MEDICINE/IMMUNOLOGY/OCCUPATIONAL MEDICINE/INFECTIOUS DISEASES/NUCLEAR MEDICINE/
REHABILITATION MEDICINE/RHEUMATOLOGY, CARDIOLOGY/RENAL MEDICINE/ICU, GASTROENTEROLOGY,
NEUROLOGY, CLINICAL HAEMATOLOGY/MEDICAL ONCOLOGY & PSYCHIATRY
Final time estimates, intensity ratings and rank**

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
80920			Consultation at other institution of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	313	3	10	4	4.0	3.6	4.1	38.9	253.0	53.8	346
11706			Phonocardiography with electrocardiograph lead with indirect arterial or venous pulse tracing, with or without apex cardiogram	314	4	18	8	4.0	0.0	2.0	38.1	231.7	70.2	340
81220			Consultation in a hospital of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	315	3	10	5	3.9	3.1	3.9	37.8	236.1	64.0	338
13706			Administration of blood or bone marrow already collected=20	316	4	9	8	3.1	3.0	3.3	47.6	187.2	101.4	336
50125			Joint or other synovial cavity, aspiration of, or injection into, or both of these procedures - where=20 it can be demonstrated	317	4	10	4	3.8	3.5	3.4	48.7	232.4	53.3	334
11912			Cystometrography with simultaneous measurement of rectal pressure, not being a service associated with a service to which	318	11	0	10	7.6	6.8	4.3	156.4	0.0	176.1	332
18222			Infusion of a therapeutic substance to maintain regional anaesthesia or analgesia, subsequent injection or revision of,	319	2	10	3	3.8	3.3	5.0	27.7	262.8	39.2	330
80720			Consultation in rooms of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	320	2	10	5	3.8	3.1	3.8	25.0	232.3	64.0	321
12000			Skin sensitivity testing for allergens, using 1 to 20 allergens, not being a service associated with a service to which item 12012,	321	3	13	5	5.8	1.4	1.5	28.3	230.7	53.0	312
11012			Neuromuscular electrodiagnosis - conduction studies on 1 nerve or electromyography of 1 or more muscles using	322	3	10	5	1.2	4.4	3.0	36.1	201.3	72.5	310
12203			Overnight investigation for sleep apnoea for a period of at least 8 hours duration where:(a) continuous monitoring of oxygen	323	4	0	20	5.7	3.3	3.2	47.6	0.0	261.3	309
13915			Chemotherapy, administration of, either by intravenous push technique (directly into a vein, or a butterfly needle, or the side-	324	5	9	5	4.6	1.9	3.4	58.3	189.3	56.2	304
11711			Ambulatory ECG monitoring for 12 hours or more, patient activated, single or multiple event recording, utilising a memory	325	2	8	15	3.6	1.3	2.2	20.3	124.0	157.0	301
13757			Therapeutic venesection for the management of haemochromatosis or polycythemia vera	326	6	10	5	3.5	2.8	1.8	61.2	177.4	62.1	301
90820			Consultation at a nursing home of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	328	3	10	4	2.4	3.4	3.2	35.8	203.2	52.8	292
90920			Consultation at other institution of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	328	3	10	4	2.4	3.4	3.2	35.8	203.2	52.8	292
91220			Consultation in a hospital of approximately 10 minutes duration with a new or existing patient seen on a referred basis.	328	3	10	4	2.4	3.4	3.2	35.8	203.2	52.8	292
42827			Botulinus toxin, injection of, for blepharospasm, including all such injections on any 1 day	330	8	5	5	2.7	4.4	3.5	100.6	118.2	72.5	291
14206			Hormone or living tissue implantation - by cannula	331	7	7	3	4.6	2.7	3.4	83.4	159.5	36.9	280
18262			Ilio-inguinal, iliohypogastric or genitofemoral nerves, 1 or more of, injection of an anaesthetic agent	332	2	8	3	2.4	5.6	3.2	25.2	201.0	48.1	274
12530			Whole body count - not being a service associated with a service to which another item applies=20	333	7	5	8	6.0	2.7	1.6	69.6	105.6	98.3	273
41828			Oesophageal stricture, dilatation of, without oesophagoscopy	334	2	10	5	0.8	2.9	4.0	25.3	183.9	62.7	272
90710			Consultation in rooms of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	336	5	5	8	2.4	3.4	3.2	59.6	101.6	105.5	267
91010			Home visit of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	336	5	5	8	2.4	3.4	3.2	59.6	101.6	105.5	267
11000			Electroencephalography, not being a service: (a) associated with a service to which item 11003, 11006 or 11009 applies; or	337	1	0	20	2.7	2.6	0.5	8.7	0.0	243.1	252
13312			Blood for pathology test, collection of, by femoral or external jugular vein puncture in infants=20	338	4	5	4	3.2	3.9	4.9	55.8	132.0	55.4	243

**CG14,16,17,18,20,21,22&23 - ANAESTHETICS, PAEDIATRIC MEDICINE/THORACIC MEDICINE, GENERAL MEDICINE/ENDOCRINOLOGY/
GERIATRIC MEDICINE/IMMUNOLOGY/OCCUPATIONAL MEDICINE/INFECTIOUS DISEASES/NUCLEAR MEDICINE/
REHABILITATION MEDICINE/RHEUMATOLOGY, CARDIOLOGY/RENAL MEDICINE/ICU, GASTROENTEROLOGY,
NEUROLOGY, CLINICAL HAEMATOLOGY/MEDICAL ONCOLOGY & PSYCHIATRY
Final time estimates, intensity ratings and rank**

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
18206			Introduction of a narcotic, for the control of post-operative pain, into the epidural or intrathecal space in conjunction with an	339	2	5	6	2.4	4.7	4.2	26.9	126.7	89.3	243
11506			Measurement of respiratory function involving a permanently recorded tracing performed before and after inhalation of	340	4	12	1	3.8	2.2	1.4	38.3	192.5	11.6	242
13933			Chemotherapy, administration of, by intra-arterial infusion of more than 6 hours duration - for the first day of treatment	342	4	10	5	3.5	1.8	1.3	37.3	144.7	55.6	238
13936			Chemotherapy, administration of, by intra-arterial infusion of more than 6 hours duration - on each day subsequent to the	342	4	10	5	3.5	1.8	1.3	37.3	144.7	55.6	238
13924			Chemotherapy, administration of, by intravenous infusion of more than 6 hours duration - on each day subsequent to the	343	4	10	5	3.5	1.8	1.2	36.9	142.5	55.6	235
37041			Bladder aspiration, by needle=20	344	5	5	4	4.1	2.6	4.2	63.8	117.5	48.6	230
12500			Blood volume estimation=20	346	4	5	8	3.8	2.7	1.6	39.8	87.9	98.3	226
12509			Gastrointestinal protein loss=20	346	4	5	8	3.8	2.7	1.6	39.8	87.9	98.3	226
18242			Greater occipital nerve, injection of an anaesthetic agent	347	3	7	9	0.0	1.8	3.0	33.6	87.7	100.0	221
13939			Implanted pump or reservoir, loading of, with a therapeutic agent or agents, not being a service associated with a service to	348	1	9	1	2.7	3.8	3.1	11.9	193.1	13.7	219
12524			Renal function test (without imaging procedure)=20	350	4	5	4	5.3	3.5	2.6	45.2	119.6	53.3	218
12527			Renal function test (with imaging and at least 2 blood samples)	350	4	5	4	5.3	3.5	2.6	45.2	119.6	53.3	218
81210			Consultation in a hospital of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	351	3	5	3	4.8	2.9	5.0	41.2	135.1	37.6	214
30207			Skin lesions, multiple injections with hydrocortisone or similar preparations=20	352	3	7	1	3.8	3.5	3.4	36.5	162.6	13.3	212
11900			Urine flow study including peak urine flow measurement, not being a service associated with a service to which item 11918	353	4	9	5	4.6	1.2	0.8	34.3	124.6	51.7	211
11710			Ambulatory ECG monitoring, patient activated, single or multiple event recording, utilising a looping memory recording	354	2	0	15	4.4	2.9	2.7	22.4	0.0	188.2	211
81010			Home visit of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	355	3	5	3	2.7	3.4	5.2	42.4	125.8	39.6	208
11708			Continuous ECG recording of ambulatory patient for 12 or more hours (including resting ECG and the recording of parameters),	356	2	0	15	4.7	2.4	2.7	22.1	0.0	178.4	201
11709			Continuous ECG recording (Holter) of ambulatory patient for 12 or more hours (including resting ECG and the recording of	357	2	0	15	4.7	2.4	2.2	21.0	0.0	178.4	199
80710			Consultation in rooms of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	358	2	5	3	4.7	2.8	4.8	27.0	131.0	37.2	195
11715			Blood dye - dilution indicator test	359	5	5	0	3.8	3.3	4.2	65.0	122.7	0.0	188
80810			Consultation in a nursing home of approximately 5 minutes duration, where the clinical record demonstrates the	361	3	5	2	3.9	3.0	4.4	39.3	122.4	25.3	187
80910			Consultation in an institution of approximately 5 minutes duration, where the clinical record demonstrates the	361	3	5	2	3.9	3.0	4.4	39.3	122.4	25.3	187
11915			Cystometry with simultaneous measurement of urethral sphincter electromyography, not being a service associated with	362	3	0	10	1.2	4.4	4.1	39.7	0.0	144.9	185
12506			Gastrointestinal blood loss estimation involving examination of stool specimens	363	0	5	10	3.5	1.8	1.2	0.0	71.3	111.2	182
13942			Ambulatory drug delivery device, loading of, with a therapeutic agent or agents for the infusion of the agent or agents via the	364	4	10	0	3.5	1.8	1.2	36.9	142.5	0.0	179

**CG14,16,17,18,20,21,22&23 - ANAESTHETICS, PAEDIATRIC MEDICINE/THORACIC MEDICINE, GENERAL MEDICINE/ENDOCRINOLOGY/
GERIATRIC MEDICINE/IMMUNOLOGY/OCCUPATIONAL MEDICINE/INFECTIOUS DISEASES/NUCLEAR MEDICINE/
REHABILITATION MEDICINE/RHEUMATOLOGY, CARDIOLOGY/RENAL MEDICINE/ICU, GASTROENTEROLOGY,
NEUROLOGY, CLINICAL HAEMATOLOGY/MEDICAL ONCOLOGY & PSYCHIATRY
Final time estimates, intensity ratings and rank**

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
11800			Oesophageal motility test, manometric	365	7	0	8	3.3	2.9	2.0	73.1	0.0	100.4	173
13945			Long-term implanted drug delivery device, accessing of	366	4	10	0	2.8	1.8	1.3	37.3	133.4	0.0	171
12015			Epicutaneous patch testing in the investigation of allergic dermatitis using all of the allergens in a standard patch test	367	4	6	6	6.5	0.0	0.3	30.6	79.2	52.7	163
13839			Arterial puncture and collection of blood for diagnostic purposes	368	1	5	3	4.1	2.9	3.4	12.0	112.1	37.6	162
12512			Radioactive B12 absorption test - 1 isotope=20	369	4	2	8	4.6	1.8	1.6	38.6	33.8	88.9	161
12521			Perchlorate discharge study=20	370	2	5	4	5.3	1.8	1.6	19.3	90.1	44.5	154
11721			Implanted pacemaker testing of atrioventricular (AV) sequential, rate responsive, or antitachycardia pacemakers, including	371	7	0	4	7.6	4.2	4.5	95.2	0.0	56.9	152
90810			Consultation at a nursing home of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	373	2	5	2	2.4	3.4	3.2	23.8	101.6	26.4	152
90910			Consultation at other institution of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	373	2	5	2	2.4	3.4	3.2	23.8	101.6	26.4	152
91210			Consultation in a hospital of approximately 5 minutes duration with a new or existing patient seen on a referred basis.	373	2	5	2	2.4	3.4	3.2	23.8	101.6	26.4	152
12515			Radioactive B12 absorption test - 2 isotopes	375	4	0	8	5.3	2.7	1.6	39.8	0.0	98.3	138
11718			Implanted pacemaker testing involving electrocardiography, measurement of rate, width and amplitude of stimulus,	376	7	0	4	4.0	3.0	3.6	85.7	0.0	50.7	136
11713			Signal averaged ECG recording involving not more than 300 beats, using at least 3 leads with data acquisition at not less	377	7	0	4	2.8	3.0	2.9	80.3	0.0	50.7	131
11027			Central nervous system evoked responses, investigation of, by computerised averaging techniques, not being a service	378	1	0	10	2.7	1.8	0.0	7.9	0.0	111.2	119
12518			Thyroid uptake (using probe)	379	4	2	4	4.6	1.2	1.6	37.9	31.2	41.4	110
11333			Caloric test of labyrinth or labyrinths	380	1	5	5	0.0	1.8	1.2	9.2	43.0	55.6	108
11312			Audiogram, air and bone conduction or air conduction and speech discrimination	381	4	0	5	4.6	2.7	1.6	39.8	0.0	61.4	101
11024			Central nervous system evoked responses, investigation of, by computerised averaging techniques, not being a service	383	1	0	7	0.5	1.8	0.0	7.9	0.0	77.8	86
11209			Electroretinography of 1 or both eyes and electro-oculography of 1 or both eyes	383	1	0	7	1.2	1.8	0.0	7.9	0.0	77.8	86
11300			Brain stem evoked response audiometry	383	1	0	7	0.5	1.8	0.0	7.9	0.0	77.8	86
12533			Carbon-labelled urea breath test using oral C-13 or C-14 urea, including the measurement of exhaled 13CO2 or 14CO2,	385	4	0	4	2.3	1.4	1.9	39.4	0.0	42.4	82
11503			Measurement of the mechanical or gas exchange function of the respiratory system, or of respiratory muscle function, or	387	5	0	3	5.1	1.4	2.0	49.8	0.0	31.8	82
11512			Continuous measurement of the relationship between flow and volume during expiration or inspiration involving a permanently	387	5	0	3	5.1	1.4	2.0	49.8	0.0	31.8	82
12306			Bone densitometry (performed by a specialist or consultant physician where the patient is referred by another medical	391	4	0	4	3.8	1.8	0.8	35.1	0.0	44.5	80
12309			Bone densitometry (performed by a specialist or consultant physician where the patient is referred by another medical	391	4	0	4	3.8	1.8	0.8	35.1	0.0	44.5	80
12312			Bone densitometry (performed by a specialist or consultant physician where the patient is referred by another medical	391	4	0	4	3.8	1.8	0.8	35.1	0.0	44.5	80

**CG14,16,17,18,20,21,22&23 - ANAESTHETICS, PAEDIATRIC MEDICINE/THORACIC MEDICINE, GENERAL MEDICINE/ENDOCRINOLOGY/
GERIATRIC MEDICINE/IMMUNOLOGY/OCCUPATIONAL MEDICINE/INFECTIOUS DISEASES/NUCLEAR MEDICINE/
REHABILITATION MEDICINE/RHEUMATOLOGY, CARDIOLOGY/RENAL MEDICINE/ICU, GASTROENTEROLOGY,
NEUROLOGY, CLINICAL HAEMATOLOGY/MEDICAL ONCOLOGY & PSYCHIATRY
Final time estimates, intensity ratings and rank**

MBS Item	Item ID	Partner item	MBS Descriptor (Truncated)	Rank	TIME ESTIMATES Final Adjustment			Intensity Ratings (0-10)			IRV Component			IRV = PreW + IntraW + PostW
					Pre	Intra	Post	Cog	Tech	Stress	Pre Weighted	Intra Weighted	Post Weighted	
12315			Bone densitometry (performed by a specialist or consultant physician where the patient is referred by another medical	391	4	0	4	3.8	1.8	0.8	35.1	0.0	44.5	80
12318			Bone densitometry (performed by a specialist or consultant physician where the patient is referred by another medical	391	4	0	4	3.8	1.8	0.8	35.1	0.0	44.5	80
12321			Bone densitometry (performed by a specialist or consultant physician where the patient is referred by another medical	391	4	0	4	3.8	1.8	0.8	35.1	0.0	44.5	80
12324			Bone densitometry (performed by a specialist or consultant physician where the patient is referred by another medical	391	4	0	4	3.8	1.8	0.8	35.1	0.0	44.5	80
11700			Twelve-lead electrocardiography, tracing and report	395	2	0	5	4.7	0.5	1.8	18.9	0.0	47.1	66
11206			Electroretinography of 1 or both eyes or electro-oculography of 1 or both eyes	397	1	0	5	1.2	1.8	0.0	7.9	0.0	55.6	63
11339			Electronystagmography	397	1	0	5	0.0	1.8	0.0	7.9	0.0	55.6	63
11509			Measurement of respiratory function involving a permanently recorded tracing and written report, performed before and after	398	3	0	2	3.2	1.3	1.4	27.8	0.0	20.9	49
11309			Audiogram, air conduction=20	399	2	0	2	4.6	2.7	1.6	19.9	0.0	24.6	44
11701			Twelve-lead electrocardiography, report only where the tracing has been forwarded to another medical practitioner, including	400	0	0	4	4.7	0.0	1.8	0.0	0.0	35.1	35
11702			Twelve-lead electrocardiography, tracing only=20	401	2	0	0	1.1	1.2	0.3	16.1	0.0	0.0	16